

Date

Page: 1/2

**Committee on Technical Barriers to Trade** 

Original: English

#### NOTIFICATION

The following notification is being circulated in accordance with Article 10.6

#### 1. Notifying Member: <u>THE SEPARATE CUSTOMS TERRITORY OF TAIWAN, PENGHU,</u> <u>KINMEN AND MATSU</u> If applicable, name of local government involved (Article 3.2 and 7.2):

#### 2. Agency responsible:

The Bureau of Standards, Metrology and Inspection (BSMI) Ministry of Economic Affairs 4, Chinan Road, Section 1 Taipei City 100, Taiwan Tel.: (886-2) 2343-4517 Fax: (886-2) 2392-2402 E-mail: cp.tsai@bsmi.gov.tw

Name and address (including telephone and fax numbers, email and website addresses, if available) of agency or authority designated to handle comments regarding the notification shall be indicated if different from above:

### 3. Notified under Article 2.9.2 [X], 2.10.1 [ ], 5.6.2 [X], 5.7.1 [ ], other:

- 4. Products covered (HS or CCCN where applicable, otherwise national tariff heading. ICS numbers may be provided in addition, where applicable): Plywood (Refer to attachment).
- **5. Title, number of pages and language(s) of the notified document:** Public Notice under the Commodity Inspection Act (8 pages in Chinese, English translation available).
- 6. Description of content: Plywood, special plywood and structural plywood have been subject to mandatory inspection under the Commodity Inspection Act by the Bureau of Standards Metrology and Inspection (BSMI) since 1 July 2007. The current inspection standards CNS 1349 of plywood was promulgated on 2 October 2014, CNS 8058 of special plywood and CNS 11671 of structural plywood were promulgated on 17 November 2014. The BSMI will soon adopt the revised CNS 1349, CNS 8058 and CNS 11671 standard, which was promulgated on 1 January 2017.

Plywood for concrete-form and scaffolding plywood have been subject to mandatory inspection under the Commodity Inspection Act by the BSMI since 1 December 2012. The current inspection standard CNS 8057 of plywood for concrete-form was promulgated on 5 October 2012, CNS 11670 of scaffolding plywood was promulgated on 2 October 2014. The main measure of revised CNS 8057 was added the requirements with formaldehyde emission in Article 4.5 and CNS 11670 was added the requirements with formaldehyde emission in Article 4.9. CNS 15583 of Plywood for pallet was promulgated on 8 October 2012, has the requirements with formaldehyde emission in Article 4.4. The BSMI intends to regulate formaldehyde of these products, and will soon adopt the revised CNS 8057, CNS 11670 standard and add CNS 15583, which was promulgated on 1 January 2017.

Besides, the BSMI will revise the Description of Goods of plywood[see Products

(HS/CCCN codes) covered and applicable inspection standards].

- 7. Objective and rationale, including the nature of urgent problems where applicable: Protection of consumers' safety.
- 8. Relevant documents: The Commodity Inspection Act, CNS 1349, CNS 8058, CNS 11671, CNS 8057, CNS 11670, CNS 15583.
- 9. **Proposed date of adoption:** To be determined.

Proposed date of entry into force: 1 January 2017.

- **10.** Final date for comments: 60 days from the date of notification
- **11.** Text available from: National enquiry point [X], or address, telephone and fax numbers, e-mail and web-site addresses, if available of the other body:

WTO/TBT Enquiry Point The Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs 4, Chinan Road, Section 1 Taipei City 100, Taiwan Tel.: (886-2) 2343-1801 Fax: (886-2) 2343-1804 E-mail: <u>tbtenq@bsmi.gov.tw</u>

# **Proposal for Amendment to Legal Inspection of Plywood**

By the Bureau of Standards, Metrology and Inspection (BSMI), Ministry of Economic Affairs

## **Background:**

Plywood, special plywood and structural plywood have been subject to mandatory inspection under the Commodity Inspection Act by the Bureau of Standards Metrology and Inspection (BSMI) since 1 July 2007. The current inspection standards CNS 1349 of plywood was promulgated on 2 October 2014, CNS 8058 of special plywood and CNS 11671 of structural plywood were promulgated on 17 November 2014. The BSMI will soon adopt the revised CNS 1349, CNS 8058 and CNS 11671 standard, which was promulgated on 1 January 2017.

Plywood for concrete-form and scaffolding plywood have been subject to mandatory inspection under the Commodity Inspection Act by the BSMI since 1 December 2012. The current inspection standard CNS 8057 of plywood for concrete-form was promulgated on 5 October 2012, CNS 11670 of scaffolding plywood was promulgated on 2 October 2014. The main measure of revised CNS 8057 was added the requirements with formaldehyde emission in Article 4.5 and CNS 11670 was added the requirements with formaldehyde emission in Article 4.9. CNS 15583 of plywood for pallet was promulgated on 8 October 2012, has the requirement with formaldehyde emission in Article 4.4. The BSMI intends to regulate formaldehyde of these products, and will soon adopt the revised CNS 8057, CNS 11670 standard and add CNS 15583, which was promulgated on 1 January 2017.

Besides, the BSMI will revise the Description of Goods of plywood.

| Updated  |  |  |  | Superseded   |  |   |   |  |
|--|--|--|--|--|--|---|---|--|
| Description<br>of Goods  | Conformity<br>assessment<br>procedures   | Inspection<br>Standards  | Reference<br>C.C.C.<br>Code (the<br>first 6<br>digits are<br>the same as<br>HS Code)             | Description of Goods   | Conformity<br>assessment<br>procedures                                 | Standards   | C.C.C.<br>Code (the<br>first 6<br>digits are<br>the same as<br>HS Code) |  |
| on scope :<br><u>Plywood,</u><br><u>Special</u><br><u>plywood,</u><br><u>Structural</u><br><u>plywood,</u><br><u>Plywood</u><br><u>for</u><br><u>concrete-fo</u><br><u>rm,</u> | Inspection<br>or<br>Registratio<br>n of<br>Product<br>Certificati<br>(RPC)<br>Scheme | (promulgat<br>ed on <u>2</u><br><u>October</u><br><u>2014</u> )<br>CNS 8058<br>(promulgat<br>ed on <u>17</u><br><u>November</u><br>2014) | 4412.10.12<br>.00.8.C<br>4412.10.91<br>.00.2.C<br>4412.10.92<br>.00.1.C<br>4412.31.10<br>.00.5.C | least one outer ply of<br>tropical wood specified<br>in Subheading Note 2 to<br>this Chapter, each ply<br>not exceeding 6 mm<br>thickness(inspection<br>scope:Plywood) | or<br>Registratio<br>n of<br>Product<br>Certificati<br>(RPC)<br>Scheme | 1349<br>(promulg<br>ated on 7<br>May<br>2008) \<br>CNS<br>8058<br>(promulg<br>ated on 7 | 4412.31.10<br>.00.5.C   |  |
| <u>Scaffolding</u><br><u>plywood,</u><br><u>Plywood</u>  | (Module II<br>+ IV, V or<br>VII)   | 11671  | .00.3.C  | Other processed<br>plywood (other than<br>bamboo veneer), with at  |  | May<br>2008) 、  | 4412.31.20<br>.00.3.C   |  |

# Proposed date of implementation: To be determined

### Products (HS/CCCN codes) covered and their applicable inspection standards:

|            | Upd                                    | ated  |   | Superseded  |  |   |   |  |
|------------|--|---|---|---|--|---|---|--|
| p          | Conformity<br>Issessment<br>procedures | Standards   | C.C.C.<br>Code (the<br>first 6<br>digits are<br>the same as<br>HS Code) | Description of Goods  | Conformity<br>assessment<br>procedures | Standards   | C.C.C.<br>Code (the<br>first 6<br>digits are<br>the same as<br>HS Code)   |  |
| for pallet |  | (promulgat<br>ed on <u>17</u><br><u>November</u><br><u>2014</u> )<br>CNS 8057 | .00.4.C<br>4412.32.20<br>.00.2.C<br>4412.39.10<br>.00.7.C               | least one outer ply of<br>tropical wood specified<br>in Subheading Note 2 to<br>this Chapter, each ply<br>not exceeding 6 mm<br>thickness(inspection<br>scope:Plywood)<br>Other unfinished<br>plywood, veneered<br>panels and similar<br>laminated wood, with at<br>least one ply of<br>bamboo(inspection<br>scope:Plywood)<br>Other unfinished<br>plywood(other than<br>bamboo veneer ), with at<br>least one outer ply of<br>non-coniferous wood,<br>each ply not<br>exceeding(inspection<br>scope:Plywood)<br>Other processed<br>plywood, veneered<br>panels and similar<br>laminated wood, with at<br>least one ply of<br>bamboo(inspection<br>scope:Plywood)<br>Other processed<br>plywood, veneered<br>panels and similar<br>laminated wood, with at<br>least one ply of<br>bamboo(inspection<br>scope:Plywood)<br>Other processed<br>plywood(other than<br>bamboo veneer ), with at<br>least one outer ply of<br>non-coniferous wood,<br>each ply not exceeding 6<br>mm thickness(inspection<br>scope:Plywood)<br>Other unfinished<br>plywood(other than<br>bamboo veneer ), with<br>at<br>least one outer ply of<br>non-coniferous wood, each<br>ply not exceeding 6<br>mm thickness(inspection<br>scope:Plywood)<br>Other unfinished<br>plywood(other than<br>bamboo veneer ), with<br>both outer plies of<br>coniferous wood, each<br>ply not exceeding 6 mm<br>thickness(inspection<br>scope:Plywood)<br>Other processed |  | CNS<br>11671<br>(promulg<br>ated on 2<br>May<br>2007) | 4412.10.91<br>.00.2.C<br>4412.32.10<br>.00.4.C<br>4412.32.20<br>.00.1.C<br>4412.32.20<br>.00.2.C<br>4412.39.10<br>.00.7.C |  |

|                         | Upd                                    | ated                    |  | Superseded  |  |           |   |                           |
|-------------------------|--|-------------------------|--|---|--|-----------|---|---------------------------|
| Description<br>of Goods | Conformity<br>assessment<br>procedures | Inspection<br>Standards | Reference<br>C.C.C.<br>Code (the<br>first 6<br>digits are<br>the same as<br>HS Code) | Description of Goods  | Conformity<br>assessment<br>procedures | Standards | C.C.C.<br>Code<br>first<br>digits<br>the san<br>HS Co | (the<br>6<br>are<br>ne as |
|                         |  |                         |  | plywood(other than<br>bamboo veneer ), with<br>both outer plies of<br>coniferous wood, each<br>ply not exceeding 6 mm<br>thickness(inspection<br>scope:Plywood)   |  |           | .00.5.C   | 2                         |
|                         |  |                         |  | Other unfinished<br>plywood, veneered<br>panels and similar<br>laminated wood, with at<br>least one outer ply of<br>non- coniferous<br>wood(inspection<br>scope:Plywood)  |  |           | 4412.9<br>.00.4.C                                     |                           |
|                         |  |                         |  | Other processed<br>plywood, veneered<br>panels and similar<br>laminated wood, with at<br>least one outer ply of<br>non- coniferous<br>wood(inspection<br>scope:Plywood)   | _                                      |           | 4412.9<br>.00.3.C                                     |                           |
|                         |  |                         |  | Other unfinished<br>blockboard,laminboard<br>and battenboard, with at<br>least one outer ply of<br>non- coniferous<br>wood(inspection<br>scope:Plywood)   |  |           | 4412.9<br>.00.6.C                                     |                           |
|                         |  |                         |  | Other processed<br>blockboard,laminboard<br>and battenboard, with at<br>least one outer ply of<br>non- coniferous<br>wood(inspection<br>scope:Plywood)  |  |           | 4412.9<br>.00.5.C                                     |                           |
|                         |  |                         |  | Plywood, veneered<br>panels and similar<br>laminated wood, with<br>both outer plies of<br>coniferous<br>wood,containing at least<br>one ply of bamboo and<br>at least one layer of<br>particle board(inspection |  |           | 4412.1<br>.00.8.C                                     |                           |

|                         | Upd                                    | ated                    |  | Superseded  |  |  |   |  |
|-------------------------|--|-------------------------|--|---|--|--|---|--|
| Description<br>of Goods | Conformity<br>assessment<br>procedures | Inspection<br>Standards | Reference<br>C.C.C.<br>Code (the<br>first 6<br>digits are<br>the same as<br>HS Code) | Description of Goods  | Conformity<br>assessment<br>procedures | Standards  | C.C.C.<br>Code (the<br>first 6<br>digits are<br>the same as<br>HS Code) |  |
|                         |  |                         |  | scope:Plywood)<br>Unfinished<br>blockboard,laminboard<br>and battenboard, with<br>both outer plies of<br>coniferous   |  |  | 4412.94.11<br>.00.8.C   |  |
|                         |  |                         |  | wood(inspection<br>scope:Plywood)<br>Plywood, veneered<br>panels and similar<br>laminated wood, with<br>both outer plies of<br>coniferous   |  |  | 4412.10.11<br>.00.9.C   |  |
|                         |  |                         |  | wood, containing at least<br>one ply of bamboo and<br>not containing any layer<br>of particle<br>board(inspection<br>scope:Plywood)<br>Other plywood,<br>veneered panels and<br>similar laminated wood,<br>with both outer plies of<br>coniferous wood, not<br>containing any layer of<br>particle board(inspection |  |  | 4412.99.31<br>.00.9.C   |  |
|                         |  |                         |  | scope:Plywood)<br>Processed<br>blockboard,laminboard<br>and battenboard, with<br>both outer plies of<br>coniferous<br>wood(inspection<br>scope:Plywood)   |  |  | 4412.94.12<br>.00.7.C   |  |
|                         |  |                         |  | Plywood, veneered<br>panels and similar<br>laminated wood, with<br>both outer plies of<br>coniferous<br>wood, containing at least<br>one ply of bamboo and<br>not containing any layer<br>of particle<br>board(inspection scope:<br>Plywood for<br>concrete-form,   |  | CNS<br>8057<br>(promulg<br>ated on<br>24<br>February<br>2000)<br>CNS<br>11670<br>(promulga<br>ted on 25<br>January | 4412.10.11<br>.00.9.G   |  |

|                         | Upd                                    | ated                    |  | Superseded  |  |           |   |  |
|-------------------------|--|-------------------------|--|---|--|-----------|---|--|
| Description<br>of Goods | Conformity<br>assessment<br>procedures | Inspection<br>Standards | Reference<br>C.C.C.<br>Code (the<br>first 6<br>digits are<br>the same as | Description of Goods  | Conformity<br>assessment<br>procedures | Standards | C.C.C.<br>Code (the<br>first 6<br>digits are<br>the same as<br>HS Code) |  |
|                         |  |                         | ÷  | Scaffolding plywood)<br>Plywood, veneered<br>panels and similar<br>laminated wood, with<br>both outer plies of<br>coniferous<br>wood, containing at least<br>one ply of bamboo and<br>at least one layer of<br>particle board(inspection<br>scope: Plywood for<br>concrete-form,<br>Scaffolding plywood)<br>Other unfinished<br>plywood, veneered<br>panels and similar<br>laminated wood, with at<br>least one ply of<br>bamboo(inspection |  |           |   |  |
|                         |  |                         |  | scope: Plywood for<br>concrete-form,<br>Scaffolding plywood)<br>Other processed<br>plywood, veneered<br>panels and similar<br>laminated wood, with at<br>least one ply of<br>bamboo(inspection<br>scope: Plywood for<br>concrete-form,<br>Scaffolding plywood)<br>Other unfinished<br>plywood (other than   |  |           | 4412.10.92<br>.00.1.G<br>4412.31.10<br>.00.5.G                          |  |
|                         |  |                         |  | bamboo veneer), with at<br>least one outer ply of<br>tropical wood specified<br>in Subheading Note 2 to<br>this Chapter, each ply<br>not exceeding 6 mm<br>thickness(inspection<br>scope: Plywood for<br>concrete-form,<br><u>Scaffolding plywood</u> )<br>Other processed<br>plywood (other than<br>bamboo veneer), with at  |  |           | 4412.31.20<br>.00.3.G   |  |

|                         | Upd                                    | ated                    |   | Superseded   |  |           |   |  |
|-------------------------|--|-------------------------|---|--|--|-----------|---|--|
| Description<br>of Goods | Conformity<br>assessment<br>procedures | Inspection<br>Standards | C.C.C.<br>Code (the<br>first 6<br>digits are<br>the same as | Description of Goods   | Conformity<br>assessment<br>procedures | Standards | C.C.C.<br>Code (the<br>first 6<br>digits are<br>the same as<br>HS Code) |  |
|                         |  |                         | HS Code)  | least one outer ply of<br>tropical wood specified<br>in Subheading Note 2 to<br>this Chapter, each ply<br>not exceeding 6 mm<br>thickness(inspection<br>scope: Plywood for<br>concrete-form,<br>Scaffolding plywood)<br>Other unfinished<br>plywood(other than<br>bamboo veneer ), with at<br>least one outer ply of<br>non-coniferous wood,<br>each ply not<br>exceeding(inspection<br>scope: Plywood for<br>concrete-form,<br>Scaffolding plywood)<br>Other processed<br>plywood(other than<br>bamboo veneer ), with at<br>least one outer ply of<br>non-coniferous wood,<br>each ply not exceeding 6<br>mm thickness(inspection<br>scope: Plywood for<br>concrete-form,<br>Scaffolding plywood)<br>Other unfinished<br>plywood(other than<br>bamboo veneer ), with at<br>least one outer ply of<br>non-coniferous wood,<br>each ply not exceeding 6<br>mm thickness(inspection<br>scope: Plywood for<br>concrete-form,<br>Scaffolding plywood)<br>Other unfinished<br>plywood(other than<br>bamboo veneer ), with<br>both outer plies of<br>coniferous wood, each<br>ply not exceeding 6 mm<br>thickness(inspection<br>scope: Plywood for |  |           | 4412.32.10<br>.00.4.G<br>4412.32.20<br>.00.2.G<br>4412.39.10<br>.00.7.G |  |
|                         |  |                         |   | concrete-form,<br>Scaffolding plywood)<br>Other processed<br>plywood(other than<br>bamboo veneer ), with<br>both outer plies of<br>coniferous wood, each<br>ply not exceeding 6 mm<br>thickness(inspection   |  |           | 4412.39.20<br>.00.5.G   |  |

|                         | Upd                                    | ated      |  | Superseded   |  |                         |   |  |
|-------------------------|--|-----------|--|--|--|-------------------------|---|--|
| Description<br>of Goods | Conformity<br>assessment<br>procedures | Standards | Reference<br>C.C.C.<br>Code (the<br>first 6<br>digits are<br>the same as<br>HS Code) | Description of Goods   | Conformity<br>assessment<br>procedures | Inspection<br>Standards | C.C.C.<br>Code (the<br>first 6<br>digits are<br>the same as<br>HS Code) |  |
|                         |  |           |  | scope: Plywood for<br>concrete-form,<br>Scaffolding plywood)<br>Unfinished<br>blockboard,laminboard<br>and battenboard, with<br>both outer plies of  |  |                         | 4412.94.11<br>.00.8.G   |  |
|                         |  |           |  | coniferous<br>wood(inspection scope:<br>Plywood for<br>concrete-form,<br>Scaffolding plywood)<br>Processed<br>blockboard,laminboard<br>and battenboard, with<br>both outer plies of<br>coniferous  |  |                         | 4412.94.12<br>.00.7.G   |  |
|                         |  |           |  | wood(inspection scope:<br>Plywood for<br>concrete-form,<br><u>Scaffolding plywood)</u><br>Other unfinished<br>blockboard,laminboard<br>and battenboard, with at<br>least one outer ply of<br>non- coniferous<br>wood(inspection scope:   |  |                         | 4412.94.21<br>.00.6.G   |  |
|                         |  |           |  | Plywood for<br>concrete-form,<br>Scaffolding plywood)<br>Other processed<br>blockboard,laminboard<br>and battenboard, with at<br>least one outer ply of<br>non- coniferous<br>wood(inspection scope:<br>Plywood for  |  |                         | 4412.94.22<br>.00.5.G   |  |
|                         |  |           |  | concrete-form,<br>Scaffolding plywood)<br>Other plywood,<br>veneered panels and<br>similar laminated wood,<br>with both outer plies of<br>coniferous wood, not<br>containing any layer of<br>particle board(inspection<br>scope: Plywood for<br>concrete-form,<br>Scaffolding plywood) |  |                         | 4412.99.31<br>.00.9.G   |  |
|                         |  |           |  | Other plywood,<br>veneered panels and  |  |                         | 4412.99.32<br>.00.8.G   |  |

|                         | Upd                                    | ated                    |  | Superseded   |  |           |   |  |
|-------------------------|--|-------------------------|--|--|--|-----------|---|--|
| Description<br>of Goods | Conformity<br>assessment<br>procedures | Inspection<br>Standards | Reference<br>C.C.C.<br>Code (the<br>first 6<br>digits are<br>the same as<br>HS Code) | Description of Goods   | Conformity<br>assessment<br>procedures | Standards | C.C.C.<br>Code (the<br>first 6<br>digits are<br>the same as<br>HS Code) |  |
|                         |  |                         |  | similar laminated wood,<br>with both outer plies of<br>coniferous wood,<br>containing at least one<br>layer of particle<br>board(inspection scope:<br>Plywood for<br>concrete-form,<br>Scaffolding plywood)<br>Other plywood,<br>veneered panels and<br>similar laminated wood,<br>with at least one outer<br>ply of non-coniferous<br>wood , containing at<br>least one layer of particle<br>board(inspection scope:<br>Plywood for<br>concrete-form,<br>Scaffolding plywood)<br>Other unfinished<br>plywood, veneered<br>panels and similar<br>laminated wood, with at<br>least one outer ply of<br>non- coniferous<br>wood(inspection scope:<br>Plywood for<br>concrete-form,<br>Scaffolding plywood)<br>Other processed<br>plywood, veneered<br>panels and similar<br>laminated wood, with at<br>least one outer ply of<br>non- coniferous<br>wood(inspection scope:<br>Plywood for<br>concrete-form,<br>Scaffolding plywood)<br>Other processed<br>plywood, veneered<br>panels and similar<br>laminated wood, with at<br>least one outer ply of<br>non- coniferous<br>wood(inspection scope:<br>Plywood for<br>concrete-form,<br>Scaffolding plywood) |  |           | 4412.99.40<br>.00.8.G<br>4412.99.51<br>.00.4.G<br>4412.99.52<br>.00.3.G |  |

# Other:

Other requirement not mentioned herein shall be handled pursuant to "Directions Governing Type-approved Batch Inspection of Wooden Board Commodities".