Regulations Governing Fees for Commodity Inspection

[Chronicles of Promulgation and Amendments] Adopted and promulgated by Ministerial Order on 9 January 2002. Amended and promulgated by Ministerial Order on 11 September 2002. Articles 7-9, 11, 16-18, 19-1 and 19-2 amended and promulgated by Ministerial Order on 2 February 2005. Articles 10 and 16 amended, Articles 10-1 and 19-3 added, Articles 13 and 23 deleted, and promulgated by Ministerial Order on 7 January 2008. Articles 10-1 and 16 amended and promulgated by Ministerial Order on 13 September 2010. Articles 19-2 and 19-4 amended and promulgated by Ministerial Order on 30 September 2011. Annex III amended and promulgated by Ministerial Order on 17 December 2013. Article 20 and Annex III amended, Article 20-1 added, and promulgated by Ministerial Order on 3 March 2015. Articles 7, 19-2 and Annex III amended, Article 19-4 deleted, and promulgated by Ministerial Order on 1 August 2016. Annex III amended and promulgated by Ministerial Order on 22 February 2017. Articles 16, 24 and Annex III amended and promulgated by Ministerial Order on 14 November 2017 ; Article 16 shall take effect on 1 January 2018. Annex III amended and promulgated by Ministerial Order on 10 September 2018. Articles 22, 24 and Annex III amended; Articles 19-5 and 21-1 added; Article 19-3 deleted, and promulgated by Ministerial Order on 3 January 2020. The implementation date of Article 19-5 shall be determined by the competent authority. Amended and promulgated by Ministerial Order on 11 December 2020. Annex III amended and promulgated by Ministerial Order on 9 July 2021 Annex III amended and promulgated by Ministerial Order on 5 November 2021 Annex III amended and promulgated by Ministerial Order on 7 July 2022

Annex III amended and promulgated by Ministerial Order on 7 November 2022

Annex III amended and promulgated by Ministerial Order on 6 July 2023

Articles 9, 14, 21, 23, Annex I and Annex III amended and promulgated by Ministerial Order on 10 January 2025

Annex III amended and promulgated by Ministerial Order on 8 July 2025

Chapter I **General Principles**

Article 1

These Regulations are based on the provisions of Article 56 of the Commodity Inspection Act (the Act).

Article 2

The inspection authority mentioned in these Regulations refers to the Bureau of Standards, Metrology and Inspection (the BSMI) of the Ministry of Economic Affairs, its branches, or agencies entrusted, legal entities or organizations.

Article 3

The Inspection fees mentioned under these regulations are as follows :

- 1. Inspection fees;
- 2. Examination fees;
- 3. Assessment fees;
- 4. Registration fees;
- 5. Certificate fees:
- 6. On-site fees;
- 7. Testing fees; and
- 8. Service fees.

Fees shall be counted & collected in New Taiwan Dollars. The amount of mantissa less than one NT dollar will not be counted.

Article 4

The fees mentioned in the subparagraphs 1) to 6) of the first paragraph of the preceding Article shall not be collected for the following commodities:

- 1. Commodities that are to be used for rescue purpose, accompanied with proper documentation from government authorities; or
- 2. Commodities that are to be used for salvaging purpose, accompanied with proper documentation from government authorities.

Article 5

Where the inspection fees are collected based on foreign currencies, the foreign exchange rates will follow those announced by the Customs Administration, Ministry of Finance every ten days for purpose of customs clearance (buying for export and selling for import).

Article 6

An applicant shall submit foreign currency exchange certificates or other evidence along with the inspection application in order for the inspection authority to calculate the relevant inspection fees and rates. If such documents are not submitted along with the inspection application, an applicant is required to do so within one month.

Article 7

Assessment fees shall be charged based on the actual on-site or remote assessment days.

Article 8

The statutory fees shall be paid to the state exchequer designated by the inspection authority or the BSMI.

If the statutory fees are overpaid or paid in error due to computing mistakes or other reasons, an application for a refund of overpayment can be made to the inspection authority. The application procedures shall be prescribed by the BSMI.

Article 9

The on-site fees shall be collected in accordance with the following rules for on-site activities performed by personnel of the inspection authority, such as inspection, sampling, supervision of improvement, supervision of destruction, verification of markings, on-site verification, re-exportation, sealing of commodities, escorting of commodities, and other inspection-related business:

- 1. An NT\$500 on-site fee for each person each time, for activities conducted domestically. If the inspector cannot commute to the place of inspection and back within the same day or has to commute between different branches, the on-site fees shall be collected in accordance with the costs and expenses set forth in the "Operating Guidelines Governing Domestic Business Travel Expenses;"
- 2. The on-site fee for one inspector shall be collected for each batch of commodity being inspected;

- 3. The on-site fee for one inspector shall be collected from the same obligatory inspection applicant (applicant) if multiple batches of commodities are declared for inspection simultaneously, stored at the same place, and the on-site inspection is conducted at the same time;
- 4. The on-site fees shall be collected separately from the same applicant if the commodities are stored in different places;
- 5. The on-site fees shall be collected separately for the same applicant if commodities are stored at the same place but covered by different inspection applications. If on-site inspection is conducted at the same time for these commodities, the on-site fees shall be collected for one inspector after a declaration is made; or
- 6. The on-site fees shall be collected separately for different obligatory inspection applicants regardless of whether the commodities are stored in the same place.

The inspection authority shall collect on-site fees based on the number of inspectors dispatched, if there are large quantities of commodities and one inspector cannot complete the task in one day, or if multiple batches of commodities under Subparagraphs 3 and 5 of the preceding paragraph involve different commodity categories.

The inspection authority may not collect on-site fees for any personnel not related to the inspection.

If the inspection authority approves withdrawal of the on-site inspection application made by an applicant, it shall return the on-site fees.

On-site fees shall not be collected if the inspection authority has offices stationed in port warehousing facilities to accept inspection applications and conduct inspection-related activities within those facilities.

Article 10

Upon request by an applicant, the inspection authority shall add up the collection of fees in accordance with the following rules, if relevant activities are conducted over an extended time. This does not apply to the acceptance of documents or those services announced by the BSMI to have 24-hour service available.

- 1. The extended operational hours during a weekday are from 6:00 AM to 8:30 AM or from 5:30 PM to 10:00 PM. An NT\$400 fee for each batch of commodities shall be collected.
- 2. The extended operational hours during weekends and statutory holidays shall be from 6:00 a.m. to 10:00 p.m. An NT\$1,000 fee for each batch of commodities shall be collected.
- 3. A fee of NT\$2,000 shall be collected for activities taking place outside the special operational hours mentioned in the preceding items 1) and 2).

If the inspection authority approves withdrawal of applications for extended operation made by an applicant, it shall return the extended operation fees.

If the same applicant applies for inspection of several batches of commodities and the related inspection activities can be conducted at the same time, the inspection fees for the extended-time operation shall be collected for one batch of commodities.

Article 11

The examination fee of applications for exemption from inspection shall be NT\$200 per application.

The examination fee of business enterprises approved by the competent authority for application for an extended exemption of designated commodities shall be NT\$3,000 per application.

Article 12

A fee at NT\$100 shall be charged for actions concerning certificates, certificates of conformity and notices, such as issuance of replacement certificates, copies of certificates or separation of certificates, except for those specified otherwise in these Regulations.

A fee at NT\$100 shall be charged each time for updating information upon request by the applicant from on-line application, except for updating not attributable to the applicant.

Chapter II Fees for Batch-by-Batch Inspection and Monitoring Inspection

Article 13

The market price mentioned in Paragraph Two of Article 53 of the Act shall be prescribed by the following methods:

- 1. For commodities to be imported or exported, the BSMI shall determine the market price by referring to the declared import or export prices, the export prices certified by a designated foreign exchange bank and the wholesale market prices;
- 2. For domestically manufactured commodities, the BSMI shall suggest proposed market prices by referring to their wholesale market prices and obtain approval from the competent authority before announcement. When prices are to be adjusted, the same procedure shall apply.

If a market price is not decided in accordance with the preceding paragraph to determine the inspection fee, the inspection fee shall be calculated based on the following prices:

- 1. The FOB of commodities to be exported;
- 2. The CIF or prices without customs duties of commodities to be imported; or
- 3. The retail prices of domestically manufactured commodities, before tax.

The inspection fees for batch-by-batch inspection and monitoring inspection shall be collected in accordance with the inspection fee rates and the minimum inspection fees as prescribed in Annex I, based on the prices mentioned in the preceding two paragraphs.

Commodities that are to be imported in bulk, under the same shipment, item name, and with the same specifications, that are not easily separated for sampling will be treated as one batch and the fees will be collected accordingly.

Article 14

The certificate fee for the commodity inspection mark labels printed by the BSMI shall be NT\$0.2 per label.

Article 15

The fees for type approval shall be collected as follows:

- 1. Examination fee:
- (1) NT\$3,500 for each type and NT\$2,000 for each type in a series; and
- (2) NT\$2,000 for extension of each type approval certificate.
- 2. Certificate fee: NT\$500 shall be collected for each new or replacement certificate.

Article 16

Manufacturers applying to the BSMI for assessment of their management system under monitoring inspection in accordance with Article 33 of the Act shall be charged an assessment fee of NT\$8,000 per day for each assessor. NT\$4,000 will be charged for assessment conducted in less than four hours.

Chapter III Fees for Registration of Product Certification and Declaration of Conformity

Article 17.

The fees involved in registration of product certification are as follows:

- 1. Examination fee:
- (1) Application fee: NT\$5,000 for each type and NT\$3,000 for each type in a series;
- (2) Authorization of certificate: NT\$500 for each certificate;
- (3) Extension of certificate: NT\$3,000 for each certificate;
- (4) Application fee for certificate of conformity: NT\$5,000 for each application.
- 2. Assessment fee: production premises inspection, NT\$8,000 per day for each assessor. NT\$4,000 will be charged for an assessment conducted in less than four hours..
- 3. Registration fee: An annual fee shall be collected in accordance with Annex II.
- 4. Certificate fee:
- (1) NT\$10 for every inspection mark label for commodities subject to registration of product certification scheme; and
- (2) NT\$500 for each new or replacement certificate and certificate of conformity, and NT\$200 for each new or replacement of authorized release notice, except for those not attibutable to the application.

5. Inspection fee: NT\$ 2,000 for the inspection of each batch of sampled commodities for prior-released commodities.

Article 18

An NT\$1,000 registration fee shall be charged for applying for designated codes for declaration of conformity.

Chapter IV Fees for Related Commodity Inspection Bodies

Article 19

The fees for designating product certification bodies shall be collected as follows:

- 1. Examination fee: NT\$25,000 for each application for designation, extension of designation or expansion of the designated scope.
- 2. Assessment fee: NT\$8,000 per day for each assessor. NT\$4,000 will be charged for an assessment conducted in less than four hours.
- 3. Certificate fee: NT\$500 for each replacement certificate.

Article 20

The fees for recognizing designated testing laboratories shall be collected as follows:

- 1. Examination fee: NT\$15,000 for each application for recognition, extension of recognition, addition of testing site or items.
- 2. Assessment fee: NT\$8,000 per day for each assessor for assessment, second assessment, surveillance or second surveillance. NT\$4,000 will be charged for an assessment conducted in less than four hours.
- 3. Certificate fee: NT\$500 for each replacement of certificate.

The fees for registering a National Certification Body (NCB) and its associated CB Testing Laboratories (CBTL) under the IEC under the Scheme of the IECEE (IEC System for Conformity Testing and Certification of Electrical Equipment) shall be collected as follows:

- 1. NT\$32,000 for each NCB.
- 2. NT\$12.000 for each CBTL.

Article 21

The fees for recognizing quality management system certification bodies, factory inspection bodies and renewable energy certificate site inspection bodies shall be collected as follows:

- 1. Examination fee: NT\$12,000 per application for initial recognition, extension recognition or expansion of scope.
- 2. Assessment fee: NT\$8,000 per day for each assessor. NT\$4,000 will be charged for an assessment conducted in less than four hours.
- 3. Certificate fee: NT\$2,000 for each new certificate and NT\$500 for each reissuance or replacement certificate.

Chapter V Other Inspection Statutory Fees

Article 22

The fees involved in voluntary product certification shall be collected as follows, except for those otherwise specified in these Regulations.

- 1. Examination fee:
- (1) Application fee: NT\$5,000 for each type and NT\$3,000 for each type in a series;
- (2) Extension of certificate: NT\$3000 for each renewed certificate;
- 2. Assessment fee: NT\$8,000 per day for each assessor. NT\$4,000 will be charged for an assessment conducted in less than four hours.
- 3. Registration fee: an annual fee shall be collected in accordance with Annex II.
- 4. Certificate fee: NT\$500 for each new or replacement certificate.

Article 23

The fees for renewable energy certification (REC) verification shall be collected as follows:

- 1. Examination fees:
- (1) REC application: NT\$3 per certificate.
- (2) Document review for renewable energy certificate applications: NT\$1,000 per case.
- 2. Assessment fees: NT\$8,000 per day for each assessor for assessment. NT\$4,000 will be charged

for an assessment conducted in less than four hours.

3. Service fees: NT\$0.5 per certificate for each REC transferring.

Article 24

The fees for management systems certification shall be collected as follows:

- 1. Examination fee: NT\$10,000 for each application.
- 2. Assessment fee: NT\$8,000 per day for each assessor for assessment, second assessment, or surveillance. NT\$4,000 will be charged for assessment conducted in less than four hours.
- 3. Registration fee: An annual fee of NT\$12,000 shall be collected from each application.
- 4. Certificate fee: NT\$2,000 for each new certificate and NT\$500 for each replacement certificate.

Assessment fees shall not be collected for applications made via certification bodies that have cooperative agreements on co-registration with the BSMI, and have been granted registration by the BSMI.

Article 25

The assessment fee for factory inspection under the Registration of Product Certification and the Voluntary Product Certification schemes is NT\$8,000 per day for each assessor. NT\$4,000 will be charged for an assessment conducted in less than four hours.

Article 26

The inspection fees for contracted inspection shall be charged based on the FOB price in accordance with the following fee rates, unless other regulations apply:

- 1. FOB under US\$10,000: a fee rate of 0.3%.
- 2. FOB more than US\$10,000 and up to US\$100,000: a fee rate of 0.1% for the amount over US\$10,000.
- 3. FOB more than US\$100,000: a rate of 0.05% for the amount over US\$100,000.

The inspection fees for each batch of commodities mentioned in the preceding items 1) to 3) shall be charged at a minimum of NT\$200.

The on-site fees shall be collected in accordance with Article 9 of these Regulations.

Article 27

The fees for contracted inspection of fishery products for export shall be collected as followings:

- 1. Examination fee: NT\$600 for each application.
- 2. The on-site fees: charged in accordance with Article 9 of these Regulations.

Article 28

The fees for other testing or technical services shall be collected in accordance with the following rules:

1. The fees for other testing or technical services shall be collected in accordance with the fee rates set forth in Annex III. If the fee rate for a specific item is not available, the rate for similar items shall apply.

- 2. If the testing requires a special pharmaceutical facility or large volumes of material, such as water, electricity, gasoline or coal, additional fees shall be charged on a case-by-case basis according the expenses for testing.
- 3. An extra 40% of the testing fee shall be collected to expedite an application.
- 4. If on-site sampling by an inspector is required, the on-site fees shall be collected in accordance with Article 9 of these Regulations.
- 5. NT\$100 shall be charged for each new or replacement testing report or technical service report.
- 6. A service fee of NT\$50 shall be charged for each application.

If testing is unable to be conducted due to special circumstances, the fees set forth in the subparagraphs 1 to 4 of the preceding paragraph shall be returned. If no testing is conducted, an application for the return of the fees set forth in the preceding subparagraphs 1 to 4 of the preceding paragraph may be submitted to the inspection authority. However, the service fee mentioned in subparagraph 6 of the preceding paragraph are not refundable.

Article 29

For the application for importing undenatured ethyl alcohol for testing purposes, the examination fee of NT\$600 shall be collected for each application.

Article 30

The BSMI shall charge a business operator for related inspection, assessment, examination or technical services to be conducted abroad in accordance with these Regulations. The fees shall be collected based on the rates stipulated in the "Guidelines Governing Fees for Travelling Abroad".

Article 31

These Regulations shall take effect from the date of promulgation.

Annex I

Inspection Fee Rates and Minimum Fees for Batch-by-Batch Inspection and Monitoring Inspection

Types of Inspection and Inspection Models	Import/Export and Domestic Production		Commodity Categories	Ir	spection Fee Rates and Minimum Fees	Remarks
Batch-by-Batch Inspection and Monitoring Inspection	Export, Import, Domestic Production	1.	Petroleum Products		Inspection fee rate: 0.1%, minimum fee per batch: NT\$500. If the inspection fee exceeds NT\$100,000 per batch, the portion exceeding this amount shall be collected at half the rate.	
		2.	Rubber Tires, Indoor Fire-resistant Decoration Materials	1. 2.	Inspection fee rate: 0.3%, minimum fee per batch: NT\$1,000. If the inspection fee exceeds NT\$100,000 per batch, the portion exceeding this amount shall be collected at half the rate.	
		3.	Air Conditioners	1. 2.	Inspection fee rate: 0.27%, minimum fee per batch: NT\$1,000. If the inspection fee exceeds NT\$100,000 per batch, the portion exceeding this amount shall be collected at half the rate.	
			Textile Products (garments, underwear, sweaters, swimwear, towels, hosiery, bedding, hats, scarves, gloves, curtains, protective gear), Ceramic Tiles, Bags and Cases, and Footwear Products		Inspection fee rate: 0.1%, minimum fee per batch: NT\$200. If the inspection fee exceeds NT\$100,000 per batch, the portion exceeding this amount shall be collected at half the rate. For annual declaration with random inspection, the inspection fee rate is 0.1%, minimum annual fee is NT\$3,000. If the annual inspection fee exceeds NT\$100,000, the portion exceeding this amount shall be collected at half the rate.	
		5.	Products Other Than	1.	Inspection fee rate: 0.25%, minimum fee per batch: NT\$500.	

		the Above	2.	If the inspection fee exceeds	
		Four		NT\$100,000 per batch, the	
		Categories		portion exceeding this amount	
		_		shall be collected at half the rate.	
			3.	For annual declaration with	
				random inspection, the inspection	
				fee rate is 0.25%, minimum	
				annual fee is NT\$3,000. If the	
				annual inspection fee exceeds	
				NT\$100,000, the portion	
				exceeding this amount shall be	
				collected at half the rate.	
			1.	Inspection fee rate: 0.02%,	
Management	Export,	Products Subject		minimum fee per batch: NT\$100.	
System	Import,	to Management	2.	If the inspection fee exceeds	
Monitoring	Domestic	System		NT\$100,000 per batch, the	
Inspection	Production	Inspection		portion exceeding this amount	
				shall be collected at half the rate.	

Annex II

Annual Fees for Registration of Product Certification

Category of Commodity	Fees per Type
Safety Helmets, Safety Belts, Safety Shoes	NT\$3,000
Eye Shields, Safety Gloves, PVC Pipes · Article Of Stationery · Children's Products	NT\$2,000
Toys, Plastic Erasers	NT\$200
Others	NT\$5,000

Annex III

Schedule of Fees for Commissioned Tests and Technical Services

<u>index</u>

No.	Classification
01-1	(deleted)
01-2	(deleted)
01-3	(deleted)
01-4	(deleted)
01-5	(deleted)
01-6	Microbiology
01-7	(deleted)
01-8	(deleted)
02-1	(deleted)
02-2	(deleted)
02-3	(deleted)
02-4	Organic chemicals
03-1	Chemical element
03-2	Inorganic Chemistry category
03-3	(deleted)
03-4	(deleted)
04-1	Fuel
04-2	Detergent
04-3	Paint, Pigment, Ink and Cover coating
04-4	Rubber, Plastic, Leather Material and Product
04-5	Protection Helmets for drivers and passengers of motorcycle and mopds
04-6	Thermal analysis
04-7	Hygiene test of products

04-8	(deleted)
04-9	Glass-fiber-reinfored Plastic Water tank, Plastic chemical resistant tank
04-10	Polyvinyl chloride Floor Tiles
04-11	Polyvinyl chloride Tapes for Corrosion protection
04-12-A	Industrial Protective helmets
04-12-В	Safety Helmets for Eletrical works
04-13	Ployethylene Films for Packing and agriculture
04-14	Delorative Laminated sheet based on Thermosettng Resins
04-15	Unplasticized poltvinyl chloride pipes for water supply
04-16	(deleted)
04-17	Rubber goods for water work
04-18	Pressure sensitve adhesive cellophone tapes
04-19	O-ring
04-20	Polyethylene Foam for Heat Insulation
04-21	(deleted)
04-22	(deleted)
04-23	Toothpastes
04-24	Baskets for Windows, Doors and Joints
04-25	(deleted)
04-26	(deleted)
04-27	(deleted)
04-28	(deleted)
04-29	(deleted)
04-30	Pencil
04-31	Boxes for unplasticized Polyvinyl chlorides Conduct
04-32-A	Protective Footwears

04-32-В	Safety footwear Protective Footwear
04-33	Shoes
04-34	(deleted)
04-35	PVC Rubbers Gloves
04-36	(deleted)
04-37	(deleted)
04-38	(deleted)
04-39	Felixible Polyvinyl chloride Water-Stops
04-40	(deleted)
04-41	(deleted)
04-42	Polyethylene Disposable refuse sacks
04-43	(deleted)
04-44	(deleted)
04-45	(deleted)
04-46	(deleted)
04-47	(deleted)
04-48	Protective gloves for welding
04-49	Protective gloves for occupantional health
04-50	Rubber Gloves for Electrical Isoalation
04-51	(deleted)
04-52	Plastic Box for low uolfage AC power meter
04-53	Glass-fiber Reinforced Plastic Electric Enclosure
04-54	Skateboards and skates
04-55	(deleted)
04-56	(deleted)
04-57	Method of Test of Rubber and Plastic goods

04-58	(deleted)
05-1-A	Textile
05-1-B	(PM2.5)Mask
05-2	Paper(pulb)and paper products
05-3	Тоу
05-4	(deleted)
05-5	(deleted)
05-6	Safety-belts for vehicles
05-7	(deleted)
06-1	Metal materials and products
06-2	Cement
06-3	Thermal insulation and products
06-4	Ceramics (tiles, sanitary ceramic wares, glasses, refractory bricks)
06-5	Woods and products
06-6	Cement and products
06-7	Incombustibility interior finish material
06-8	(deleted)
06-9	Goggle & Eye protector for radiations
06-10	Safety belt
06-11	Full body harness
06-12	Sunglasses
06-13	(deleted)
06-14	Ceramic material(Tiles, Sanitary ceramic ware, Glasses, Refractory Bricks)(rental of lab/equipment)
07-1	(deleted)
07-2-A	(deleted)
07-3-A	(deleted)

07-3-B	Valves for LPG cylinder
07-3-C	Refillable weld steel cylinder for dissolved acetylene
07-3-D	Valve for dissolved acetylene cylinder
07-3-Е	Construction standard for steel cylinder of liquid ammonia
07-3-F	Seamless steel gas cylinders
07-3-G	Valves for high pressure gas cylinder
07-3-Н	Valves for liquefied petroleum gas cylinder (rental of lab/equipment)
07-4-A	Gas burning cooking appliances for domestic use
07-4-B	Gas burning cooking oven for domestic use
07-4-C	Portable cooker attached tie LPG cylinder
07-4-D	Gas cylinders for portable gas cooker
07-4-E	Non-refillable metallic gas canisters for portable liquefied petroleum gas appliances
07-5 - A	Gas burning water heaters for domestic use
07-5-B	Exhaust pipes for burning appliances
07-5-C	Metallic flexible hoses for gas
07-5-D	Plastic hoses for fuel gas
07-6-A	Regulator liquefied petroleum gas
07-6-B	(deleted)
07-6-C	Diaphragm type gas meter with micro computers for nature gas use
07-6-D	Disposable gas-lighter
07-6-E	Water meter
07-7-A	Other machine part (hardware and hand tools)
07-7-B	(deleted)
07-8	Cradles
07-9	Baby walker
07-10	Strollers & Carriages

07-11	Pressure cookers for domestic use
07-12-A	Portable Screw Jacks for Automobiles
07-12-B	Hydraulic Trolly Jacks for Automobiles
07-12-C	Portable Hydrulic Jacks for Automobiles
07-13	Rigid Steel Conduit
08-1	Electric sterage tank water heater
08-2-A	Plugs and receptacles for domestic and similar general use
08-2-B	Nondetachable Cord Sets
08-2-C	Cord extension set
08-3	Cable reel
08-4	Small switches for indoor use
08-5	Miniature fuses and fuse link
08-6	Refrigerator
08-7-A	(deleted)
08-7-B	(deleted)
08-7-C	(deleted)
08-7-D	(deleted)
08-7-E	(deleted)
08-7-F	(deleted)
08-7-G	(deleted)
08-8	Wires and cords
08-9	Insulation material performances
08-10-A	Molded case circuit breakers
08-10-B	(deleted)
08-11-A	Low-voltage single-phase induction motors
08-11-B	Low-voltage three-phase squirrel-cage induction motors

08-11-C	Low-voltage three-phase induction motors
08-11-D	(deleted)
08-12	(deleted)
08-13-A	Home appliance
08-13-B	Microwave oven
08-13-C	The combination of electric stove and microwave oven
08-13-D	Skin or hair care
08-13-E	Heating Dish drier
08-13-F	Appliances incorporating hobs and ovens
08-13-G	Electric Irons
08-13-Н	Fans
08-13-I	Range hoods
08-13-J	Room heaters
08-13-K	Insect killers
08-13-L	Electric juicer Electric food mixer
08-13-M	Deep fat
08-13-N	Electric filters and cooker Electric pot
08-13-O	Circuit breakers for household or similar use
08-13-P	Polyvinyl chloride insulated cables
08-13-Q	Rubber insulated cables
08-13-R	Washing machine, spin extractor
08-13-S	(deleted)
08-13-T	Luminaires
08-13-U	Others
08-13-V	Ozone producer
08-13-W	Electric operated air strainer

08-13-X	Portable immersion heater
08-13-Y	Hair care
08-13-Z	Electricity warm device
08-14	Dehumidifier
08-15	Portable electric drill
08-16	Portable electric grinder & disc grinder
08-17	Portable electric circular saw
08-18-A	Water dispenser
08-18-B	Electric storage tank drinking water dispensers
08-18-C	Electric instantaneous water heaters
08-18-D	Air conditioner
08-18-E	Cloth dryer
08-19	Residual current protective devices(CNS 5422)
08-20	The fixed switches for household use
08-21	Plug and socket-outlets for household use
08-22	Connectors for appliances use
08-23	Electric switches for appliances
08-24	Circuit breakers for equipments
08-25	Temperature sensing controls
08-26	Thermal fuse
08-27	Cord sets
08-28	Components
08-29	Residual current operated circuit-breakers(IEC 61008-1 \ IEC 61009-1)
08-30	Timer
08-31	Automatic transfer switches
08-32-A	ITE

08-32-B	Word processing machine
08-32-C	Electric typewriter
08-32-D	(deleted)
08-32-Е	Printing or copying machines
08-32-F	(deleted)
08-32-G	Cash register
08-32-Н	Automatic data processing machine
08-32-I	Monitors for automatic data processing system
08-32-J	(deleted)
08-32-К	(deleted)
08-32-L	Image scanner
08-32-M	Other output or input units
08-32-N	Computers controlled by special programs and word processing machines with memory storages
08-32-O	Magnetic or optical reader
08-32-P	Data transcribing machines for inputting into data processing machines
08-32-Q	Other automatic data processing machine
08-32-R	Automatic teller machine
08-32-S	UPS
08-32-T	Electric machines with translation or dictionary functions
08-32-U	Erafting machines with data processing system
08-32-V	Pencil sharpener
08-33-A	Sound and televison broadcast equipments
08-33-B	Single loudspeaker, mounted in their enclosures
08-33-C	Mutiple loudspeakers, mounted in their enclosures
08-33-D	Other audio-frequency electric amplifiers
08-33-Е	Electric sound amplifier set

08-33-F	Coin-or-disc operated record player
08-33-G	Other record-player with loudspeakers
08-33-Н	Turntables with automatic record-changing mechanism
08-33-I	Cassette player
08-33-J	Audio disc player
08-33-K	Optical audio disc player
08-33-L	Other sound reproducing apparatus
08-33-M	Digital audio type recorder/player
08-33-N	Other cassette type recording apparatus
08-33-O	Open-reel tape recorder
08-33-P	Cartridge tape recorder
08-33-Q	Other magnetic tape recorder
08-33-R	Other sound recording or reproducing apparatus
08-33-S	Magnetic tape-type video tape recorder/player beyond professional specifications
08-33-S 08-33-T	Magnetic tape-type video tape recorder/player beyond professional specifications Radio-broadcast receivers
08-33-T	Radio-broadcast receivers
08-33-T 08-33-U	Radio-broadcast receivers (deleted)
08-33-T 08-33-U 08-33-V	Radio-broadcast receivers (deleted) (deleted)
08-33-T 08-33-U 08-33-V 08-33-W	Radio-broadcast receivers (deleted) (deleted) Monitor
08-33-T 08-33-U 08-33-V 08-33-W 08-33-X	Radio-broadcast receivers (deleted) (deleted) Monitor (deleted)
08-33-T 08-33-U 08-33-V 08-33-W 08-33-X 08-33-Y	Radio-broadcast receivers (deleted) (deleted) Monitor (deleted) Projector
08-33-T 08-33-U 08-33-V 08-33-W 08-33-X 08-33-Y 08-33-Z	Radio-broadcast receivers (deleted) (deleted) Monitor (deleted) Projector Television
08-33-T 08-33-U 08-33-V 08-33-W 08-33-X 08-33-Y 08-33-Z 08-34-A	Radio-broadcast receivers (deleted) (deleted) Monitor (deleted) Projector Television Laser optical disk-type video tape player
08-33-T 08-33-U 08-33-V 08-33-W 08-33-X 08-33-Y 08-33-Z 08-34-A 08-34-B	Radio-broadcast receivers (deleted) (deleted) Monitor (deleted) Projector Television Laser optical disk-type video tape player Digital magnetic disk-type video tape recorder/player

08-37	Secondary lithium batteries for electric motorcycles
08-38	Photobiological Safety of Lamps and Lamp Systems
09-1	(deleted)
10-1	EMC test (rental of lab/equipment)
10-2	EMC test
10-3	(deleted)
10-4	(deleted)
10-5	Low-voltage switchgear (rental of lab/equipment)
10-6	Lithium battery modules (rental of lab/equipment)
11-1	Other type tests
12-1	Technical service fee table (technical authentication, assessment, training or other technical services)
13-1	Sample test class with the methods or equipment
14	Faucets
15	(deleted)
16	Bags, Cases and Trunks
17	Test for children's bedguards
18	(deleted)
19	Polymer test (rental of lab/equipment)

Classification : Microbiology

Classification : Microbiology

No. 01-6			No. 01-6			
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark	
1.Standard plate count	1500		13. (deleted)			
2. (deleted)			14. (deleted)			
3.Coliform bacteria	1800)	15. (deleted)			
4. (deleted)			16. Fungus resistance of paint	2400		
5. (deleted)			17.Mold-proof of textile products	3200		
6. (deleted)			18.Observation for visible effects of textile products	2400		
7. (deleted)			19.Biodegradability of ionic suface active agent	11000		
8. (deleted)			20.Biodegradability of nonionic suface active agent	14000		
9. (deleted)			21.other	3000		
10. (deleted)						
11. (deleted)						
12. (deleted)						

Classification : Organic chemicals

Classification : Organic chemicals

No.02-4			No.02-4		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Inner capacity	600		25. Free alkali	1000	
2. Smell	600		26. Sulfate	1800	
3. color	600		27 Chloride salt	1800	
4. Specific gravity	600		28. Amine	1800	
5. Freezing point	1100		29. Water-insoluble matter	1200	
6. Boiling point	1000		30. Alcohol-insoluble solid	1200	
7. Raise melting point	800		31. Active component	1200	
8. Melting point	800		32 .Glycide	2000	
9. Flow[ing] point	800		33. Pure saponification	2000	
10. Condensation	800		34. Unsaponifiable matter	2000	
11. Reflectivity	600		35. Saponifiable matter and unsaponified	2000	
12. Optical rotation	600		36. Surface tension	1000]
13. Distillation range(initial boiling point, dry point)	2000		37. Perfumery (sensory test)	600	
14. Each component	2000		38. Perfumery(ether extract)	2000	
15. Moisture	2000		39. Rosin	1200	
16. Ash	1100		40. Fluorescent whitening agent	800	
17. Sulfate ash	1200		41. Iodine absorption number	1600	
18. Non-volatile matter	800		42. Mercury	1800	
19. Solid matter(non-volatile matter)	800		43. Arsenic	1800	
20. Moisture&volatile matter	800		44. Plumbum	1800	
21. Acid value	1000		45. Cadmium	1800	
22. acidity(acetimeter)	1000		46. Z P Tcontent	1400	
23. pH value	800		47. Sulfuric acid pigmentation substance	600	
24. Free fatty acid(oleic	1000		48. Potassium permanganate	1000	
acidmeter)			consumed		

Classification : Organic chemicals

Classification : Organic chemicals

No.02-4			No.02-4		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
49. Color chroma	800		73. Trichlorethane	1600	
50. Purity	2200		74. Borneol	2000	
51. Distillation test	2000		75. Ionizing peppermint	2000	
52. Homogeneity	800		76. Peppermint total content	2000	
53. Water solubility	1000		77. Total alcohol	2000	
54. Orthophthalic	1600		78. Aromatic alcohol	2000	
colo(u)r					
55. Isopropanol	2000		79. Propanediol	2000	
56. Suspension	2000		80. Glyceryl	2000	
57. Acid resistance	1600		81. Drying loss	800	
stability		_			
58. Formaldehyde	1400		82 Burn residue	1100	
59. Ethyl acetate	1400		83. Melting temperature	1000	
60. Acrylic-2-ethyl ester	2000		84. Surface tension	800	
61. Ethanol	2000		85. White wax	2000	
62. Organic solvent	2000		86. Ionizing camphor	2000	
63. Hydroxyl group	1600		87. Wintergreen oil	2000	
value		_			
64. Acetone	2000		88. Ether extracts	2000	
65. Butanone	2000		89. Formalin	2000	
66. Phenylmethane	2000		90. Potassium permanganate	1000	
			reducibility substance		
67. Content wax	1600		91. Citronellal	2000	
68. Oxalic acid	1600		92. Mustard (seed) oil	2000	
69. Ammonium chloride	1400		93. Other	1200	
70. Chloride	1800				
71. Decolour	2400				
72. Methanol	2000				

Classification : Chemical element

Classification : Chemical element

No. 03-1		No. 03-1	
Test items	Test price Remark	Test items	Test price Remark
1. Lithium	(NT\$) 1800	30. Silver	(NT\$) 1800
2. Bismuth	1800	31. Cadmium	1800
3. Carbon	1800	32. Indium	1800
4. Nitrogen	1800	33. Tin	1800
5. Fluorine	1800	34. Antimony	1800
6. Sodium	1800	35. Iodine	1800
7. Magnesium	1800	36. Barium	1800
8. Aluminium	1800	37. Tungsten	1800
9. Silicon	1800	38. Platinum	1800
10. Phosphorus	1800	39. Gold	1800
11. Sulfur	1800	40. Lead	1800
12. Chlorine	1800	41. Arsenic	1800
13. Potassium	1800	42. Mercury	1800
14. Calcium	1800	43. Boron	1800
15. Titanium	1800	44. Germanium	1800
16. Vanadium	1800	45. Tellurium	1800
17. Chromium	1800	46. Niobium	1800
18. Manganese	1800	47. Tantalum	1800
19. Cobalt	1800	48. Samarium	1800
20. Iron	1800	49. Hydrogen	1800
21. Nickel	1800	50. Oxygen	1800
22. Copper	1800	51. Rhodium	1800
23. Zinc	1800	52. Bismuth	1800
24. Selenium	1800	53. Others	1800 Each
			nt
25. Bromine	1800		
26. Strontium	1800		
27. Zirconium	1800		
28. Molybden	1800		
29. Palladium	1800		

26

No. 03-2	-		No. 03-2	_	
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Silicon oxide	1800		30. (deleted)		
2. Iron oxide	1800		31. (deleted)		
3. Aluminum oxide	1800		32. (deleted)		
4. Calcium oxide	1800		33. (deleted)		
5. Magnesium oxide	1800		34. (deleted)		
6. Sodium oxide	1800		35. (deleted)		
7. Potassium oxide	1800		36. (deleted)		
8. (deleted)			37. (deleted)		
9. Sulfate	1800		38. (deleted)		
10. (deleted)			39. (deleted)		
11. (deleted)			40. (deleted)		
12. (deleted)			41. (deleted)		
13. (deleted)			42. (deleted)		
14. Chloride	1800		43. (deleted)		
15. (deleted)			44. Tri-calcium silicate	1800)
16. (deleted)			45. (deleted)		
17. (deleted)			46. (deleted)		
18. (deleted)			47. (deleted)		
19. (deleted)			48. (deleted)		
20. (deleted)			49. Acid and Alkali - insoluble matter	1800)
21. (deleted)		-	50. (deleted)		
22. Asbestos fiber	1800	-	51. Sulfur trioxide	1800)
23. (deleted)			52. (deleted)		
24. (deleted)			53. (deleted)		1
25. (deleted)			54. (deleted)]
26. Ignition loss	800		55. (deleted)		
27. (deleted)			56. (deleted)		
28. (deleted)			57. (deleted)		
29. (deleted)			58. (deleted)		

Classification : Inorganic Chemistry category Classification : Inorganic Chemistry category

No. 03-2			No. 03-2		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
59. Silicates	2000		88. (deleted)		
60. (deleted)			89. (deleted)		
61. (deleted)			90. (deleted)		
62. (deleted)		-	91. (deleted)		
63. (deleted)			92. (deleted)		
64. (deleted)			93. (deleted)		
65. (deleted)			94. (deleted)		
66. (deleted)			95. (deleted)		
67. (deleted)			96. (deleted)		
68. (deleted)			97. (deleted)		
69. (deleted)			98. (deleted)		
70. (deleted)			99. (deleted)		
71. (deleted)			100. (deleted)		
72. (deleted)			101. (deleted)		
73. (deleted)			102. (deleted)		
74. (deleted)			103. (deleted)		
75. (deleted)			104. (deleted)		
76. (deleted)			105. (deleted)		
77. (deleted)			106. (deleted)		
78. (deleted)			107. (deleted)		
79. (deleted)			108. (deleted)		
80. (deleted)			109. (deleted)		
81. (deleted)			110. (deleted)		
82. (deleted)			111. (deleted)		
83. (deleted)			112. (deleted)		
84. (deleted)			113. (deleted)		
85. (deleted)			114. (deleted)		
86. (deleted)			115. (deleted)		
87. (deleted)			116. (deleted)		

Classification : Inorganic Chemistry category Classification : Inorganic Chemistry category

Schedule of Fees for Commissioned Tests and Technical Services

No. 03-2			No. 03-2		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
117. (deleted)			130. Total alkalinity	1800	
118. pH Value	800		131. Turbidity	800	
119. (deleted)			132. (deleted)		
120. (deleted)			133. (deleted)		
121. (deleted)			134. (deleted)		
122. (deleted)			135. (deleted)		
123. (deleted)			136. (deleted)		
124. (deleted)			137. (deleted)		
125. (deleted)]	138. (deleted)		
126. (deleted)]	139. (deleted)		
127. (deleted)]	140. Tricalcium aluminate	1800	
128. (deleted)			141. (deleted)		
129. (deleted)			142. (deleted)]

Classification : Inorganic Chemistry category Classification : Inorganic Chemistry category

Schedule of Fees for Commissioned Tests and Technical Services

Classification : Fuel			Classification : Fuel			
No. 04-1			No. 04-1			
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark	
1. Sulfur content	1800		25. Benzol insoluble	1600		
			matter			
2. Saybolt color	1000		26. Hexadecane exponent	1000		
3. Flow[ing] point	600	It needs extraneous expenses 400 dollars when uses dry ice.	27. Viscosity index	1000		
4. Calorie value	1600		28. Copper sheet corrosion	800		
5. Carbon tetrachloride	1200		29. Test cementing	1000		
solubility			mixing			
6. Pickling color	600		30. Free expansion	800		
			exponent			
7. U.S. specific gravity	600		31. Penetration exponent	600		
8. Viscosity 100°F(40°C)	1200		32. Distillation test	2000		
9. Viscosity 210°F (100°C)	1200		33. Reid Vapor Pressure	1200		
10. Volatile component	800					
11. Ash	1000					
12. Fixed carbon	1000					
13. Coal specific gravity	600					
14. Doctor Test	800					
15. Aniline point	1000					
16. 200°Cheating loss		Every hour it needs extraneous expenses 100 dollars. When the operating time more than 4 hrs.				
17. Moisture (KF)	600					
18 Point flash	800					
19. Degree of penetration	800					
20. Ductility	800					
21. Standing separation	800					
22. Charged test	600					
23. Evaporation residue	800					
24. Asphalt(e)	1000					

Classification : Detergent			Classification : Detergent			
No. 04-2	Test price	Remark	No. 04-2	Test price	Remark	
Test items	(NT\$)	Kelliark	Test items	(NT\$)	Kelliark	
1. Alkyl aromatice sodium sulfonate	3000		25. Heavy metal (Each)	1800		
2. Phosphate	1800		26.Sodium-ethylenediamine-tetr a-acetic acid	2000		
3. Carbonate	1600		27. Nitro-3-sodium acetate	2000		
4. Silicate	2000	Calculates by SiO2	28. Alcohol Ethylene phenolic group(nonionic surfactant)	2000		
5. Anion qualitative	800		29. Phosphonate	2000		
6. Pure saponification	1800	-	30. Perborate	2000		
7. Unsaponifiable matter	1800		31. Component identification (1)anionic surfactant	2000		
8. Alcohol-insoluble solid	1000	-	32. Component identification (2)cationic surfactant	2000		
9. Water-insoluble solid	1000		33. Component identification (3)nonionic surfactant	2000		
10. pH value	800		34. Component identification (4)ampholytic surfactant	2000		
11. Hard water tolerance	600					
12. Surface tension	800					
13. Saponification value	1400					
14. Iodine value	1400					
15. Moisture	600					
16. Burnish test	800	toothpaste				
17. Crowfoodcrack/fermentation	1200	toothpaste				
18. Water-insoluble solid	800	toothpaste				
19. Toxin component(Each)	1800	toothpaste				
20. Surfactant equivalent content	1600					
21. Methanol(Special	2000					
concentration comparison)						
22. Fluorescent whitening	1200	It only costs 800 dollars				
agent		when it needs not have the transportable fluoresecent substance experiment.				
23. Smell	600				1	
24. Preservative(Each)	2000				1	

Classification : Paint, Pigmeut, Ink and

Classification : Paint,Pigmeut,Ink and

Cover coating	·		Cover coating			
No. 04-3			No. 04-3			
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark	
1.Hiding power	600		25.Solvent Resistance	1000	Each kind	
2.flexion (bending)	600		26.Heating residue	800		
3.Water Resistance	600		27.Appearance of paint	400		
(boiling water)			film			
4.Oil resistance	1000		28.Gloss	800		
5.Spread the experience of glass beads	600		29.Heating Loss	800		
6.Flash point	800		30.Coarse Particles	1000		
7.Color	600		31.Drying Time	600		
8.Fineness of grind	600		32.Distilled Test	3000		
9.Fixation rate of glass beads	800		33.Bleeding	600		
10.Corrosion test (salt water)	800		34.Freeaing	1200	In 8 hrs	
11.Moisture	600		35.Chemical resistance	1000	Each kind	
12.No adhesion	600		36.Light resistance	120	1 unit for 4 pcs	
13.Volatile Content (heating loss)	800		37.Weathering resistance	e 300/H	1 unit for 4 pcs	
14.Acid Value	800		38.Phthalic Anhydride	1600		
15.Test of alcohol-resistant	600		39.Lead Oxide	1800		
16.Dilution	600		40.Zinc Oxide	1600		
17.Dilution of the filter paper tes	600		41.Titanium Dioxide	1800		
18.Dilution of the copper test	800		42.Chromium Trioxide	1800		
19.Dilution of the sulfide test	1000		43.Copper content	1800		
20.Detergent Resistance test	600		44.Available Copper	1800		
21.Clarity	400	1	45.Chlorine Content	1600		
22.Condensability	400		46.rosin and its derivatives	1000		
23.Insolubility	1000		47.resin, chlorine content per	1600		
24.Painted (coating) fitness	600	•	48.Lead oxide	1800		

Classification : Paint, Pigmeut, Ink and			Classification : Paint, Pigmeut, Ink and				
Cover coating			Cover coating				
No. 04-3			No. 04-3				
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark		
49.Iron Oxide	1800		73.Dry film opacity	1000			
50.Aluminum Oxide	2000		74.Points in the	800			
			non-volatile liquid				
51.Cuprous Oxide	1800		75.The oil absorption	600			
			pigments				
52.Mercuric Oxide	2000		76.Acid Resistance	1000			
53.Other chemical composition	2000	Each kind	77.Softening point	1000			
54.Heavy metals Pb	1800		78.Yellowing Property	800			
55.Heavy metals Cd	1800		79.Condition in container	400			
56.Heavy metals Se	1800		80.Flow property	800	400 NT dollars of dry ice fee is		
					separately turn in.		
57.Heavy metals Sb	1800		81.Miscibility	400			
58.Heavy metals Ba	1800		82.Specific gravity	600			
-			(weight)				
59.Heavy metals As	2000		83.Viscosity	1200			
60.Heavy metals Hg	2000		84.Viscosity	1200			
61.Heavy metals Sn	1800		85.Nonvolatile Matter	800			
			(Solid Contents)				
62.Chromate Yellow	1800		86.Alkali Resistance	1000			
63.Gel Time	800		87.Impact resistance	800			
64.Whitened property	600		88.Square (Daogua test)	600			
65.Neutral value	1200		89Depiction of a test	600			
66.Working properties	400		90.Available time after	600			
(Constructability)			mixing				
67.Total nonvolatile	800		91.epoxy Determination	2000			
content			(Qualitative)				
68.Hygroscopic moisture	1600		92.Storage Stability	800			
of nonvolatile content in							
Cl pigments							
69.Pigment Volume ratio	1200		93.Scrub resistance	1200			
70.Nitrocellulose soluble	1000		94.Fat acid	1800			
71.Ink of flow	600	-	95.Sandability	800	1		
72.Paint Components	1000		96.Diffuse reflectance	800			
(Insoluble matter in							
solvent)							

Classification : Paint, Pigmeut, Ink and			Classification : Paint, Pigmeut, Ink and				
Cover coating			Cover coating				
No. 04-3			No. 04-3				
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)			
97.Permeability of paint line	1000		121.Adhesion v after repeated hot and cold	1200	Treatment fee 8000 NT dollars/10 times (per day and one time 800 NT dollars		
98.Bleeding of pigments	600		122.Sediment	1000			
99.Heat resistance	1000		123.focus on water glue	800			
100.Coating Heating Test	600		124.Specific Resistance Of Liquid Water Content	1400			
101.NO ₂ of Qualitative	1000		125.Dielectric Strength	1400			
102.Stain (filter paper mark) test	600		126.Power Factor	1400			
103.The volatile tung oil test	800		127.Resistivity	1400			
104.Heating of tung oil test(Gel Time)	600		128.Film Test(Refined linseed oil)	1000			
105.Pigment specific gravity	600		129.Ink of coating amount	800			
106.Film thickness (single)	800		130.Abrasive grain	500			
107.Film hardness (pencil	800		131.Volatile organic	4000			
scraping test)			compound content				
108.Gasoline resistance	1000						
109.Oil Resistance	1000						
110.Glass beads content	1000						
111.Humidity resistance(Test)	40NT dollars/hr	1 unit for 6 pcs					
112.Freezing Point	600						
113.Salt water spray test	dollars/hr	1 unit for 4 pcs					
114.Sag test	600						
115.Pigment Analysis (Each composition)	1800						
116.Spray tiles (laminated film coating material recovery) Permeability Test	600						
117.Kameari spray tiles cracking tests	600						
118.Sprayed ceramic tile abrasion resistance	1000						
119.Adhesion ; Standard conditions	600						
120.Adhesion ; After immersion in water	800						

Classification : Rubber, Plastic, Leather

Classification : Rubber, Plastic, Leather

	ie,Lean			5010,20	attion
Material and Product			Material and Product		
<u>No. 04-4</u>		-	No. 04-4	-	
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. True Specific Gravity Or Density	600		25.Rub Test	800	
2.Apparent specific gravity	600		26.Water Soluble Test	600	
3.Water absorption	800		27.pH value	800	
4.shrinkage	1000		28.Immersion test(Length Volume veight change)	1000	Each kind
5.Chemical resistance	1000	Each kind	29.Fineness Test	600	
6.Dissolving Test	1000	Each kind	30.Acidity and Alkalinity	800	
7.Tensile strength MD Tensile strength CD	800		31.Turbidity	800	
8.Elongation MD Elongation CD	600		32.Chromaticity	800	
9.Permanent Elongation	600		33.Potassium Permanganate consumption	1000	
10.Elasticity Test	600	-	34.Heat resistance	800	
11.Tear Strength MD	800	-	35.Heat distortion	1200	
Tear Strength CD			temperature		
12.Peeling Test	1000	-	36.Softening Temperature	1000	
13.Bend test	1000		37.Forming Test	1200	
14.Breeking Test	600		38.Heat discoloration	600	
15.Impact test	1000		39.Flow property	600	
16.Compressive strength	1000		40.Astm test standard oil resistant	1000	Each kind
17.Puncture Test	1000		41.Low Temperature Processing Fee	120/H	1 unit for 6 pcs
18.Drop Test	600		42.Low temperature Elongation	800	Coolant fee 400 NT dollars
19.flexibility(soft temperature)	1000	400 NT dollars of dry ice fee is separately turn in.	43.Brittleness Test	1200	Coolant fee 400 NT dollars
20.Transmittance	800		44.Ozone Aging Test Processing Fee		1 unit for 6 pcs
21.Flammability	800		45.Oxygen pressure Aging Test Processing Fee		1 unit for 6 pcs
22.Permanent set in compression	800		46.Air oven test Aging Test Processing Fee	60	1 unit for 6 pcs
23. Creasing Test	600		47.Light stability Processing Fee	120/H	1 unit for 6 pcs
24.Abrasion Test	1000		48.Weathering Test Processing Fee	300/H	1 unit for 6 pcs

Classification : Rubber, Plastic, Leather

Classification : Rubber, Plastic, Leather Material and Product

Material and Product No. 04-4			Material and Product No. 04-4		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
49.infrared analysis(IR)	3000		73.Expansibility	600	
Qualification test					
50.analysis of other organic components	2000	For one kind of ingredient	74.Rate of Volume Change	1000	
51.viscosity of gela.tin	1200		75.Test of Pinhole	800	
52.Jelly Strength	1200		76.Gel Time	1200	
53.Brittleness Temperature		Coolant fee 400 NT	77.Hardening	1200	
		dollars	Time(Freezing		
54.viscosity or	1200		78.Evaporation Residue	800	
55.Volatile	800		79.Luminance	600	
56.Soap water resistance	600		80.Absorb Heat	800	
57.Hardness	600		81.Heat Recovery Property	800	
58.Freezing	1200	In 8hrs	82.N-Hexane soluble	1600	
59.Shrinkage Temperature	600		83.residual components of hydrogen peroxide bleaching	600	
60.Toughness Test	800		84.Gel content	1200	latex
61.Melt Index(or Flow rate)	1200		85.Tetrahydrofuran content	1600	
62.Vinyl Chloride Monomer	2000		86.Ash content	1000	
63.Resins Content	1600		87.Stability	600	
64.Settlement	800	1	88.Fluoride	1800	
65.Sieve Analysis	600	Each sieve 100 NT dollars is additionally taken	89.Molecular weight	4000	
66.Solvent Insoluble Matter	1000		90.Coefficient of linear expansion	2000	
67.Penetration	800		91.Identification of plastics and rubber materials	4000	(unknown ingredient)
68.Buoyancy	1000		92.Identification of plastics and rubber materials	2000	(per ingredient)
69.Oil content	1200		93.Marked confirmation when the organic components	2000	(per ingredient)
70.Restoration Property	800		94.Identification of plastics and rubber materials	2000	(per ingredient)
71.Trichloroethene(tce) solubility	1600		95.Degree of polymerizatio	3000	
72.Neutral value(price)	1200		96.Gel strength	1600	
Classification : Rubber, Plastic, Leather

Material and Product

Classification : Rubber, Plastic, Leather Material and Product No. 04-4

No. 04-4			No. 04-4		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
97.Light stability	400	Treatment Fee 120NT dollars/hr			
98.Above 60 °C heating or	40	1 unit for 6 pcs			
boiling water bath processing fee 99.Above 60 °C heating or boiling water bath processing fee	100	1 unit for 6 pcs			
100.Handling charges at room temperature dipping	200	1 unit for 6 pcs			
101.Handling charges at room temperature dipping	4000				
102.Rubber hydrocarbon (hydrocarbon) content	2000				
103.Free sulfur	2000				
104.Water resistant joint strength	800				
105.Water Vapour Permeability	2000	in 8 hrs			
106.Heating Loss	800				
107.Stains Test	500				
108.Degree of cross-linked	5000				
109.Bonding	800				
110.Fibers were	2000				

37

Classification : Protection Helmets for drivers Classification : Thermal analysis

and passengers of motorcycle and mopds
No. 04-5

No. 04-5			No. 04-6	-	-
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1.Mass	500		1. Glass transition	2000	
			temperature room		
			temperature(DSC) analysis		
2.Appearance	500		2. Glass transition	2000	refrigerant NT400
			temperature low-tempe(DSC)		11400
			analysis		
3.Construction	600		3. Melting point600°Cbelow	2000	
			(DSC) analysis		
4.Material	1600		4. Heat of solution	2000	
			(DSC) analysis		
5.Ambient visual field	600		5. Melting point600°C above	3000	\$ 5000/sampl
			(DTA) analysis		e cup
6.Fire resistance test	800		6. Thermal coefficient of	4000	
			expansion (TMA)analysis		
7.Strength of chin strap	800		7. Thermogravimetric loss	4000	
			analysis test (TGA) analysis		
8.Dynamic test of retaining	800		8. Heat conduction coefficient	3000	Increases a temperature
apparatus			(DSC) analysis		point added
					cost NT 500.
9.Roll-off test	1000				
10.Penetration resistance	2000				
11.Marking and instructions	500				
manual		-			-
12.Shock absorption inspection					
12.1.High-temperature	2000	1			
conditioning	2000				
12.2.Low-temperature	2000	1			
conditioning		_			
12.3.Immersion conditioning					
12.4.Normal-temperature	2000				
conditioning					
13.Quantity for shock					
absorpiton 13.1.High-temperature	3000	-			-
conditioning	5000				
13.2.Low-temperature	3000				1
conditioning					
13.3.Immersion conditioning	3000				
13.4.Normal-temperature	3000				1
conditioning					

Classification : Hygiene test of products No. 04-7

Classification : Hygiene test of products No. 04-7

		NO. 04-7		
Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
2000		17. Turbidness	800	
2000		18. Color chroma	600	
1000		19. Residual chloride	1600	
		loss		
800		20. Odor & flavour	600	
800		21. Acrylamide	2000	
		monomer content		
1600		22. Epichlorohydrin	2000	
800		23. Plasticizer	2000	
2000			2000	
		test : DEHA		
1000		25. PVC material test :	4000	
1600		26. Polystyrene(PS)	6000	
		material test :		
		volatile matter test		
1600		27. Styrene monomer	2000	
1000		28. Phenylmethane	2000	
		-		
800		29. Ethylbenzene	2000	
1800	each component	30. Propylbenzene	2000	
2000	F	31.Isopropylbenzene	2000	
2000				
	(NTS) 2000 2000 1000 800 800 1600 1000 1600 1600 1600 1600 1600 1600 1600 2000	(NTS) Remark 2000 2000 2000 1000 800 800 1600 800 1000 1600 1000 1600 1600 1600 1800 each component	Test price (NTS)RemarkTest items200017. Turbidness200018. Color chroma100019. Residual chloride loss80020. Odor & flavour80021. Acrylamide monomer content160023. Plasticizer content(Each NT 2000)200024. PVC material test : DEHA100025. PVC material test : volatile matter test160025. PVC material test : volatile matter test160029. Ethylbenzene80030. Propylbenzene31. Isopropylbenzene	Test price (NTS) Remark Test items Test price (NTS) 2000 17. Turbidness 800 2000 18. Color chroma 600 1000 19. Residual chloride loss 1600 800 20. Odor & flavour 600 800 21. Acrylamide monomer content 2000 1600 23. Plasticizer content(Each NT 2000) 2000 2000 24. PVC material test : DEHA 2000 1000 25. PVC material test : 4000 26. Polystyrene(PS) material test : 6000 1000 26. Polystyrene(PS) 6000 6000 1600 27. Styrene monomer 2000 28. Phenylmethane 2000 2000 2000

Classification : Glass-fiber-reinfored Plastic Classification : Glass-fiber-reinfored Plastic Water tank, Plastic chemical resistant tank Water tank, Plastic chemical resistant tank

No. 04-9			No. 04-9		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1.Dimensions	600	reference to CNS 11654 11655 11656 11657 11658 11659	13.Dissolving Test (4)V1MnO4 comsuption	1000	
2.Thickness	800	-	14.Dissolving Test (5)Lead(Pb) content	1800	
3.permissible variations	600		15.Dissolving Test (6)Consentration(PH Value)	800	
4.Appearance	800		16.Dissolving Test (7) Evaporation Residue :	800	
5.Tensile strength	1200	Only 800NT dollars for providing approved specimen	17.Hydrochloric acid Resisrance	1000	
6.Bending strength	1200	Only 800NT dollars for providing approved specimen	18.Chemical resistance (Content Distilled water)	1000	each kind
7.Glassfiber Content	1600		19.partition strength	600	
8.Hardness	600		20.loading strength	600	
9. Water absorption	600		21.Leakage	1200	
10.Dissolving Test	600		22.Deformation when full	1200	
(1) odour and bad taste			of water		
11 .Dissolving Test	800				
(2)Turbidity					
12 .Dissolving Test	600				
(3) Chromaticity					

Classification : Polyvinyl chloride Floor Tiles Classification : Polyvinyl chloride Tapes for Corrosion Protection

				L	
No. 04-10			No. 04-11		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1.Dimensions	500		1.Appearance	500	
2.Appearance	500		2.Tensile strength :	800	
			Normal condition		
3.Thermal Elongation	1000		3. (deleted)		
4.Thermal ration	1000		4.Elongation: Normal	600	
			condition		
5.Dentness	600		5. (deleted)		
6.Residuary dentness	600		6.Adhesion to steelplate	800	
			Normal condition		
7. (deleted)			7.Adhesion to steelplate	800	
			after dripping in Warm		
			water		
8. (deleted)			8.Adhesion to back	800	
			Normal condition		
9. (deleted)			9.Adhesion to back	800	
			after dripping in Warm		
			water		
10.Water Absorption	1000		10.Insulation resistance	600	
Elongation					
11.Slipperiness	800)	11.Change of PH	800	
			12.Heat resistance	800	
			13. (deleted)		
			14.Thickness and	500	
			Width		
			15. Length of each roll	500	

Classification : Industrial Protective helmets Classification : Safety Helmets for

No. 04-12-A			No. 04-12-B		-
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remar
1.Physical property	1000		1. Material And	500	
requirement			Construction		
2.Property			2. Property		
2.1Impact Attenuation			2.1 Electric Insulation	600	
2.1.1 Low temperature	2000		2.2 Impact Attenuation		
2.1.2 High temperature	2000		2.2.1 low temperature treatment were	2000	
2.1.2 Moist conditions	2000		2.2.2 High-temperature conditioning	2000	
2.2Penetration resistance	2000		2.2.3 tehumidity treatment or immersion conditioning	2000	
2.3Combustion-withstanding	800		2.3 Penetration resistance	800	
2.4Low temperature test		-	2.4 Water absorption	600	
2.4.1Impact Attenuation	2000		2.5 Flammability	800	
2.4.2Penetration resistance	2000		2.6 Heat resistance	600	
2.5Electric Insulation	600		2.7 Mass	500	
2.6Transverse stiffness	1200		2.8 Ventilation	500	
2.6.1 maximum transverse deformation of helmets			2.9 Interchangeable	500	
2.6.2 residual deformation			3.Marking	500	
2.7Water absorption	600		4.Instructions	free	
3.Marking	500				1
4.Operation maunal	free				

Eletrical works

Classification : Ployethylene Films for Packing and agriculture Classification : Delorative Laminated sheet based on Thermosettng Resins No. 04-14

				cuing in	051115
No. 04-13	I	I	No. 04-14	I	
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1.Appearance	500	reference to CNS 6729 6730 10059 10060	1.Dimensions	500	
2.Tensile strength	800		2.Appearance	500	
3. Breaking load	800		3.Surface abrasion resistance	1000 + 160 x /500	1 unit for 6 pcs 100NT dollors/hr
4.Elongation	600		4.Boiling water resistance : heating Trentment fee 26hrs	2600	dollars/hr
5.Water Vapour Permeability	2000		5.Boiling water resistance : Mass increasing rate	600	
6.Tear strength	800		6.Boiling water resistance : Swelling of thickness	600	
7.Dimensions	500		7.Boiling water resistance : Appearance	600	
8.Impact test	800		8.Dry heat resistance	600	
			9.Dimension stability : heating trentment fee 60NT dollars /hr	7200	1 unit for 6 pcs Total is 120 hrs
			10.Dimension stability : Change in dimension	500	
			11.Impact resistance	800	
			12.Cracking resistance : heating trentment fee 60NT dollars /hr	1200	(80±2°C) 20 hrs 1 unit for 6 pcs
			13.Cracking resistance : tesr fee	400	
			14.Stain resistance	1000	Each kind of pollutant include treatment fee 48 hrs
			15.Light resistance	6500	
			16.Cigarette burning test	600	
			17.Bending property	600	
			18.Bending strength	800	
			19.Tensile strength	800	
			20. (deleted)		

Classification : Unplasticized poltvinyl chloride pipes for water supply

Classification : Rubber goods for water work

No.04-15		-	No. 04-17		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1.Appearance	500		1.Hardness	600	
2.Dimensions	500		2 tensile testing (1)Elongation on 70 kgf/mm ² of tensile strength	600	
3.Eccentricity	500		3tensile test (2)Tensile strength	800	
4. (deleted)			4 tensile test (3)Elongation	600	
5. (deleted)			5. (deleted)		
6. (deleted)			6.Aging Test : (1)Air Heating	2880	70±1°C,9 6hrs
7. (deleted)		-	7. (deleted)		-
8. (deleted)		-	8.Rate of tensile strength change (3)Rate of tensile strength change	800	
9. (deleted)			9.Rate of elongation change (4)Rate of elongation change	600	
10. (deleted)			10.Aging Test : (5)Change of hardness	600	
11. (deleted)			11.Permanent set in compression (1)Heating treatment fee 60NT dollars/hr	1320	70±1°C,2 2hrs
12. (deleted)			12.Permanent set in compression (2)Test fee	1000	
13. (deleted)			13. (deleted)		
14.leaching test VCM content	9200		14.Dissolving Test (1) Turbidity	800	
15.Material test VCM content	5700		15.Dissolving Test (2) Chromaticity	600	
16. (deleted)		-	16. (deleted)		
17. (deleted)			17.Dissolving Test (4) reduction of residue chlorine	1800	
18. (deleted)			18.Dissolving Test (5)odor anf taste	600	
19. (deleted)					1
20. (deleted)					

Classification : Pressure Sensitve adhesive Classification : Pressure Sensitve adhesive cellophone tapes cellophone tapes

No.04-18			No. 04-18		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1.Dimensions	500		6. (deleted)		
2.Degummed	600		7.Load	800	
3.Adhesion (1)Normal condition	800		8.Elongation	600	
4. (deleted)			9.Tensile strength	800	
5. (deleted)		1	10.Confining force	600	

Classification : O-ring			Classification : O-ring		
No.04-19			No. 04-19		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1.Tensile strength	800		14.Material Test B Aging Test(4)Rate of tensile strength change	800	
2.Elongation	600		15.Material Test B Aging Test(5)Rate of elongation change	600	
3.Tensile strength	800		16.Material Test B Aging Test (6)Permanent set in compression	4200	
4.fatigue testing (1)power handling charges	1440	60 NT dollars/hr , 24hrs	17.Material Test C Oil resistance Test (1)Heat processing fee	2100	120±1°C70hrs 100±1°C70hrs 175±1°C22hrs 120±1°C70hrs 100±1°C70hrs 175±1°C70hrs (30 NT dollars/hr)
5.fatigue testing (2)Test fee	600		18.Material Test C Oil resistance Test(2) Test fee	600	
6.Dimensions	500		19.Material Test C Oil resistance Test (3)Change of hardness	600	
7.Material Test A Normal condition (1)Hardness	600		20.Material Test C Oil resistance Test(4)Rate of tensile strength change	800	
8.Material Test A Normal condition (2)Tensile strength	800		21.Material Test C Oil resistance Test(5)Rate of elongation	600	
9.Material Test A Normal condition (3)Elongation	600		22.Material Test D Oil resistance Test(6) Rate of Volume Change	600	
10.Material Test A Normal (4)condition 100% Elongation elastic modulus	800		23.Material Test D low temperature flexibility (1) low temperature processing fee	600	
11.Material Test B Aging Test (1)Heat processing fee	2100	120±1°C 100±2°C 70hrs 230±2°C2	24.Material Test D Oil resistance Test (2) Test fee	600	
12.Material Test B Aging Test (2)Heat processing fee	720	4hrs	25.Material test E corrosion and adhesion test (1)Heat processing fee		60 NT dollars/hr,70±1°C ,24hrs
13.Material Test B Aging Test(3) Change of hardness	600		26.Material test E corrosion and adhesion test (2)Test Fee	600	

No. 04-20			No. 04-23		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1.Dimensions	500		1. Total fluoride content	2000	
2.Apparent density	600		2. Heavy metal	2500	
3.Water absorption	600		3. Arsenic content	2500	
4.25% compression	800		4. pH value	800	
strength					
5.Tensile strength	800		5. Water non-solubles	800	
6.Elongation	600		6. Total veable count	1500	
7.Thermal conductivity	1200		7. Stability	800	
8.Permanent set in	800		8. Fluoride	2000	
compression					
9.Combustibility	800		9. Abrasion resistance	1800	
10.Dimensional change after	1320	70±1°C,22			
heating		hrs			
(1)Heat Processing Fee					
11.Dimensional change after	600				
heating					
(2)Test Fee					

Classification : Polyethylene Foam for Heat Classification : Toothpaste Insulation

Classification : Baskets for Windows , Doors Classification : Pencil and Joints Panel in Buildings

No. 04-24			No. 04-30		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1.Dimensions	500		1.Dimensions	500	
2.Haedness	600		2. (deleted)		
3.Test temperature of 0°C 40°C and the difference between the hardness	600		3. (deleted)		
4.Tensile Test (1)100% elastic modulus	600		4. (deleted)		
5.Tensile Test (2)Tensile strength	800		5. (deleted)		
6.Tensile Test (3)Elongation	600		6. (deleted)		
7.Tensile test after heating (1)Heat Processing Fee	4320	60 NT dollars/hr (100±2°C,7 2hrs)	7. (deleted)		
8.Tensile test after heating (2) Retention of Tensile Strength	800				
9.Tensile test after heating (3)Retention of Elongation	600				
10.Tensile test after heating (4)Heating Loss	600				
11.Shrinkage on heating (1)Heat Processing Fee	1320	60 NT dollars/hr (70±2°C, 22hrs)			
12.Thermal contraction (2) Test fee	600				
13.Shrinkage on heating(3) Permanent set incompression	800				
14. (deleted)					

Classification : Boxes for unplasticized Polyvinyl chlorids Conduct No 04-31

Classification : Protective Footwears

No.04-31			No. 04-32-A		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1.Voltage-withstanding Test	600		1.general construction	500	
2.Thermal contraction test	180	60 NT dollars/hr	2.Thickness of upper	500	
(1) Heating Processing Fee		$70\pm2^{\circ}C$, 3hrs			
3.Thermal contraction test	600		3.The Size Of The	500	
			Former Lining		
4.Combustion-withstanding	800		4. Thinnest thickness of	500	
			the outsole		
5.Compression Test	800		5.The size of safety shoes	500	
6.Construction and Dimension	500		6.Tensile strength	800	
7.Marking	500		7.Elongation	600	
			8.Tear strength	800	
			9.Aging Test Processing	3600	30 NT dollars/hr(70±
			Fee		3° C, 120 hrs)
			10.Immersion Test(content	1600	
			40±1°C,22 hours processing		
			fee)		
			11.Smooth Cracking	600	
			Test(Leather)		
			12.Chromium Content	1800	
			Test(Leather)		
			13.Flat Of Pressure	500	
			14.Impact resistance	800	
			15.Peeling strength of sole	800	
			16.Leakproofness(Whol	800	
			ly Rubber)	10.0	
			17.Resistance To Tread	600	
			Wear Resistance (P Class)	000	
			18.Energy Absorbing Heel Of Oppression	800	
		1	19.Feet with the impact	600	
			protection	000	
		1	20.Marking	500	
		1	21.Hardness(Sole)	600	
		1	22.Bending Test	600	
		1	23.Voltage-withstanding	600	
			Test AC3300V, 1min	000	
			24.performance against	1400	
			static electricity		

49

Classification: Safety footwear

Protective Classification: Safety footwear

Protective footwear

		Tootwear				
No. 04-32-B	-	No. 04-32-B				
Test items	Test price (NT \$)	Remark	Test items	Test price (NT \$)	Remark	
1.Design : Height of upper	500		18. Outsole : Abrasion resistance	1,000		
2. Design : Seat region	500		19. Outsole : Flexing resistance	2,000		
3.Toe protection : General	600		20. Outsole : Hydrolysis	7,100		
4.Toe protection : Behaviour of Non-metallic toecaps(Effect of high temperature)	2,400		21.Sole Performance : Construction	500	Reference to No.04-32-A01	
5.Toe protection : Behaviour of Non-metallic toecaps(Effect of low temperature)	2,400		22.Sole Performance : Upper/outsole bond strength	800	Reference to No.04-32-A15	
6.Toe protection : Behaviour of Non-metallic toecaps(Effect of acid)	2,200		23. Toe protection : Internal length of toecaps	500	Reference to No.04-32-A03	
7.Toe protection : Behaviour of Non-metallic toecaps(Effect of alkali)	2,200		24. Toe protection : Impact resistance		Reference to No.04-32-A14	
8.Toe protection : Behaviour of Non-metallic toecaps(Effect of fuel oil)	2,200		25. Toe protection : Compression resistance		Reference to No.04-32-A13	
9.Slip resistance(On ceramic tile floor)	3,700		26. Toe protection : Corrosion resistance of metallic toecaps		Reference to No.04-33-008	
10.Slip resistance(On Steel floor)	3,600		27.Leakproofness		Reference to No.04-32-A16	
11.Upper : General	500		28. Upper : Thickness	500	Reference to No.04-32-A02	
12.Upper : Flexing resistance (Rubber)	1,400		29. Upper: Tear strength	800	Reference to No.04-32-A08	
13.Upper : Flexing resistance (Polymeric)	1,000		30. Upper : Tensile properties	800	Reference to No.04-32-A06	
14. Upper : Water vapour permeability and coefficient	2,700		31. Upper : pH value	800	Reference to No.04-51-010	
15. Upper : Hydrolysis	6,600		32.Outsole : Tear strength	800	Reference to No.04-32-A08	
16. Upper : Chromium VI content	3,400		33.Outsole : Interlayer bond strength	800	Reference to No.04-32-A15	
17. Outsole : Design	500		34.Marking	500	Reference to No.04-32-A20	

Classification : Shoes			Classification : Shoes				
No. 04-33			No. 04-33				
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark		
1.Dimension	500		19.Chromium Content Skinned	1800			
2.Appearance	500		20.Bursting Strength	600			
3.Finished Water Immersion Test	600		21.Water immersion test of upper	600	Upper, lining, insole, and core layer are all the same		
4.Finished gGasoline Resistance Test	800		22.Upper Decolouration Test	600			
5.Finished Diesel Fuel Resistance Test	800)	23.Uppers and soles of the adhesive width	500			
6.Voltage-withstanding Test	600)	24.Adhesion Test	800			
7. Steel toe (1)Dimensions	500		25.Sole : Thickness	500	3 test standard are taken and fee are separately turn in		
8.Steel toe(2) Corrosion Test8% NaCl boiling 15min or soak24, 48 hours	800		26.Sole : Tensile strength	800			
9.Steel toe (3)materials analysis	5000		27.Sole : Hardness	600			
10.Sole test no. 2 oil-resistant 40°C , 22hours	1600		28.Tensile strength of foamed sole (tensile100% 90 seconds)	800			
11.Step-Resistant Test	600)	29.Tensile test of outsole	600			
12.Pressure resistance test(steel toe or finished goods)	800		30.Heating loss outsole	800			
13.Impact test(steel toe or finished goods)	500		31.Outsole of tensile strength lowering (residual rate) aging test processing fee	2880	70±1°C,96hrs , 30NT dollars/hr		
14.Test of stichlines(Tensile load)	800		32.Outsole of tensile strength lowering (residual rate) test fee	800			
15.Stitch pitch test	500		33. Aging test of Outsole bending processing fee	3600	70±1°C, 120 hrs,30 NT dollars/hr		
16.Freezing Test(-20±2°C · 30 minutes)	800)	34.Outsole bending test fee after aging	600			
17.Upper material	2000		35.Fracture resistance of upper	600			
18.Tensile test of Upper	600		36.Upper heating loss	800			

Classification : PVC Rubbers Gloves

Classification : Felixible Polyvinyl

chloride Water-Stops

No. 04-35			No. 04-39		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1.Dimension	500		1.Appearance	500	
2.Tensile strength	800		2.Specific gravity	600	
3.Elongation	600		3.Hardness	600	
4. (deleted)			4.Longitudinal tensile strength	800	
5.Detergent Resistance (2% detergent, 95±1°C,5hrs)	500		5.Longitudinal elongation	600	
6. (deleted)			6.Shear strength	800	
7. (deleted)			7.Aging Test Processing Fee (72±2°C, 120Hours)	3600	30 NT dollars/hr If this item is test with 11-(1), the aging treatment fee is free.
8. (deleted)			8.Rate of longitudinal tensile strength change	800	
9. (deleted)			9.Rate of longitudinal elongation change	600	
10. (deleted)			10.Percentage of mass change	1000	
11.Acid Resistance	1000		11.Chemical resistance		
12.Test of Alkali Resistance	1000		11-(1) Alkali Processing Fee	20160	60 NT dollars/hr
13.Test of Pinhole	800		11-(1)-a longitudinal tensile strength change	800	
14.Dissolution test : Lead content	1800		11-(1)-b Rate of longitudinal elongation change	600	
15.Aging Test Processing Fee(70±1°C, 96 hours)	2880	30NT dollars/hr	11-(1)-c Percentage of mass change	1000	
16.Retention of Tensile Load	800		11-(2) Salty treatment fee (room temp,14days)	1000	
17.Retention of elongation	600		11-(2)-a Rate of longitudinal tensile strength change	800	
			11-(2)-b Rate of longitudinal elongation change	600	
			11-(2)-c Percentage of mass change	1000	

Classification : Polyethylene Disposable refuse sacks

Classification : Protective gloves for welding

No. 04-42			No. 04-48		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1.Demensions(Length 、	500		1.Construction	500	
Width Thickness)					
2.Appearance	500		2.demensions	500	
3. (deleted)			3.Thickness	500	
4.Tensile strength (Machine direction	800		4.Tensile Strength	800	
5.Elongation(Machine direction Transverse direction)	600		5.Elongation	600	
6. (deleted)			6.Tear strength	800	
7.Tear strength(Machine direction	800		7.Fat Points	1800	
8. (deleted)			8.Chromium Content (Cr2O3)	1800	1
9.Heat seals	800		9.Suture Tensile Load	800	
10. (deleted)					

occupantional health			Electrical Isoalation		
No. 04-49			No. 04-50		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1.Appearance	500		1.Appearance	500	
2.Tensile load	800		2.Voltage-withstanding	600	
3.Pinhole	800		3.Charge Current	600	
4.Impermeability	1000	For each kind of agent	4.Tensile Strength	800	
5.Symbols and demensions	500	Ű	5.Elongation	600	
			6.Permanent	600	
			Elongation		
			7.Aging Test	2880	70±1°C,96hrs,
			Processing Fee		30NT dollars/hr
			8. Tensile strength after	800	
			aging		
			9.Elongation after	600	
			ageing		
			10.Heat resistance	800	
			11.demensions	600	
			12.Marking	500	

Classification : Protective gloves for

Classification : Rubber Gloves for

Classification : Plastic Box for low uolfage AC power meter Classification : Glass-fiber Reinforced Plastic Electric Enclosure

No. 04-52			No. 04-53		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1.Appearance	500		1.Appearance	800	
2.Tensile Strength	800		2.Compressive strength	1200	
3.Bending strength	800		3.Tensile Strength	1200	
4.Impact strength	800		4.Surface Hardness	600	
5.Heat Distortion	1200		5.Sandbag Impact	600	
Temperature			Resistance		
6.Thermal contraction	800	130±2°C,3 0 mins	6.Dielectric Properties		
7.Voltage-withstanding	600		(1)Voltage-withstanding	600	
8.Flammability	800		(2) Insulation resistance	600	
			7.Chemical Resistance rate of mass change	Each kind 1000	10% HCl 1% NaOH 10% NaCl

Classification: Skateboards and skates

Classification : Method of Test of Rubber and Plastic goods No. 04-57

No. 04-54			No. 04-57				
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark		
1.Appearance	400		1.Universal testing machine tension Tensile strength and elongation	1000	Only for the same sample and condition		
2.The prominence of the test	800						
3.Easy to manipulate test	700						
4.Static Load Test	800	-					
5.Endurance Test	1300						
6.Bending Test	800						
7.Structure Inspection	2000						
8.Footboard and round gap	700						
test							
9.Pulse Test	1100						
10.Speed	800	-					
11.Drop Impact Resistance	800						
12.Impact of resistance	800						
13.Brake Torque Test	800	•					
14.Friction Test	800	-					
15.Strap Loading Test	800	-					
16.The frontal crash test round	800						
17.Brake Torque Test	800						
18.Impact test	1200						
19.Marking	400						
20Notice item	400						

N. 05 1 A					
No. 05-1-A	Test price	D 1	No. 05-1-A	Tractory	D 1
Test items	(NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Appearance	300		25. Acid Resistance	500	
2. Weight	400		26. Test of immersion in water	400	
3. Length	300		27. Slurry content	600	
4. Width	300		28. Nodules strong	600	
5. thickness	500		29. Hang pull strength	600	
6. Density	Each direction NT.250		30. Alkali resistance	500	
7. Organization	400		31. Air Permeability	600	
8. Color value	800		32. Heat Endurance	600	
9. Color difference	1000		33. Cold Resistance	1000	
10. Shrinkage	300		34. Light fastness	120	One unit for four pcs.
11. Count Danny	Each kind NT.300		35. Being washable	500	200 NT dollars from second time
12. Twist	500		36. Flammability	800	
13. Tensile strength	400		37. Flammability	800	
14. Elongation		250 NT dollars for each direction on co-test with tensile strength	38. Composition		1. Un-known component for mixed two(or above)
15. bursting strength	600		Single Composition	600	extral pay of 200 NT dollars for each component
16. tearing strength	400 NT dollars for each direction		Two components	1400	2. Mixed over three components
17. Waterproof Test	500		Three components	2400	extral pay of 1600 NT dollars for each component
18. Pressure test	500		39. Fat content	1000	r r
19. Colour Fastness to Water	800		40. Resin content	1000	
20. Colour fastness to	800		41. Crimp fastness	800	1
washing and laundering			1		
21. Color Fastness to Perspiration	800		42. Oxygen Index	1000	
22. Color Fastness to Rubbing	800		43. Short fiber tensile strength	1200	
23. Wear strength	800		44. The number of short fibers curl	500	
24. Brightness	800	1	45. Test for pilling	800	1

Classification : Textile

Classification : Textile

Classification : Textile		Classification : Textile					
No. 05-1-A		No. 05-1-A					
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark		
46. The Woven Fabric Defects	500		61. Coconut fiber mattress pr essure load	800			
47. Regain	600		62. Coconut fiber mattress el astic	1000			
48. Moisture content	600		63. Fastening slippage strength	800			
49.	500		64.	800			
50. Material Test	600		65. Oil content	1200			
51. Suture efficiency	800		66. flammability	800	Standard of CNS 7614 is 800X3		
52. Stitch length	400	-	67. Fabrics resist uv	2000			
53. Fluorescent Brightening	800		68. Gas Chromatography & high performance liquid chromatography Fabric disabled Azo dyes distinguish : The first dye	5000			
54. Fluorescent substances	800		69. Gas Chromatography & high performance liquid chromatography Fabric disabled Azo dyes distinguish : The second dye from each dye	1000			
55. Migratable fluorescent substances	1200		70. Microscopic structure of single fiber cross-section	1000	200 NT dollars are extral pay on additional micro-graph		
56. Compression ratio	600		71. Executive Clothing Suture appearance inspection	500			
57.Fabrics Aging Test		One unit for two pcs.	72. Police Firefighters Clothing Suture appearance inspection	1000			
58. Chloroform extract	1000		73. thermal resistance	2000			
59. Carbon tetrachloride soluble substances	1000		74. water-vapour resistance	4000			
60. Rate of change of physical properties	600		75.Unlist items in table can be inquired				

Classification : Textile

otic \mathbf{n} : $\mathbf{T}_{\mathbf{n}}$ vtil C1ocific

Classification : (PM2.5)Mask			Classification : (PM2.5)Mask				
No.05-1-B			No.05-1-B				
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark		
1.Particle protective performace	15000						
2.Filtration efficiency	13000						
3.Breathing resistance	4300						

Classification : Paper(pulb)and paper products			Classification : Paper(pulb)and paper products			
No. 05-2			No. 05-2			
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark	
1.Moisture	600		25. Water absorbency	600		
2.Thickness	500		26. Water Vapor Permeability	1500		
3.Basis weight	400		27. Flammability	800		
4.Brightness of Pulp	800		28. Pulp	800		
5.Gloss	800		29. Wax on Waxed Paper	1000		
6.Density	600	NT 300 when co-test with Thickness or Basis weight	30. Max of inside sizes	1000		
7.Ash content	1000		31. Paperboard construction requirements	400		
8.Smoothenss	NT 400 each side	-	32. Carbon coating content	1000	-	
9.Opacity	800	-	33. Asphalt content	1000		
10.Water proofness	600		34. K & N Ink Absorption Test	1500		
11.Tensile strength	NT 400 each direction		35. Method of Test for Surface Strength (Wax Pick)	1000		
12.Burst Factor	600		36. PH value	800		
13.Tear strength	NT 400 each direction		37. Fluorescent Brightening Agents Classes (fluorescent substances)	800		
14.Folding endurance	NT 400 each direction		38. Fluorescent Component of Brightness	800		
15.Water absorption	500	-	39.Migratable fluorescent substances	1200		
16.Air-meability resistance	600		40. Leakage test	500		
17.Compressive strength	800		41. Acidity and Alkalinity	500	-	
18.Ring crush	NT 400 each direction		42. Foreign Particulate Matter in Pulp	500		
19.Wet compressive strength	1400]	43. Flat Crush	800	1	
20.Wet tensile strength	800		44. Edgewise Compressive Strength	800		
21.Water repellency	500	1	45. Puncture strength	800	1	
22.Pin Adhesion	600		46. Wet tensile strength	600 Each direction		
23.Laminated water resistance	500		47. Color value	800		
24.Stiffness	NT 400 each direction		48. Color match	1000		

Classification : Paper(pulb)and paper products

Classification : Toys

No. 05-2			No. 05-3		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
49. Test for Accelerated Aging	600 NT dollars per 24hrs	for two	1. Labeling	300	
50. multiple water	500		2. Lead Content of cover paints	1800	
51. moisture absorption	600		3. flammability	800	
52. Retention of urine	600		4. Certain Material Requirement	600	
53. Surface dryness test	800		5. Certain Structure Requirement	800	
54. Abrasion resistance test	500		6. Certain Requirement of Certain toys	800	
55. Migration of color	500		7. Electrical power requirement	800	
56. External leakage test	500	1	8. Hazardous shap edge	400	
57. Paper ream	500		9. Hazardous sharp point	400	
58. Table lists the project can be proposed without contact			10. Hazardous small parts	400	
			11. Normal use test	800	
			12. Drop test	500	
			13. Tip-over test for wheeled toys	500	
			14. Impact test for projectiles propelled by a discharge mechanism	800	
			15. Bite test	500	
			16. Torque test	500	
			17. Tension test	500	
			18. Compression test	500	
			19. Tumble test for wheeled toys	500	
			20. Impact test for toys that cover the face	500	
			21. Flexure test	500	
			22. Tension test for tyre removal	500	
			23. Compression test for	500	
			wheeled toys having axle		
			retained by a snap-in fixture		
			24. Unlist items in table can be		
			inquired		

Classification : Safety-belts for vehicles No. 05-6

Classification : Safety-belts for vehicles No. 05-6

1.0.03-0			110.05-0		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Static load test	1000		11. Heat resistance of webbing	1000	One unit for two pcs.
2. Move tolerance of belts	1000		12. Water resistance of webbing	1000	
3. Corrosion resistance of belts	1000		13. Endurance of fatener	1000	
4. Heat resistance of belts	1000	One unit for two pcs.	14. Compressive property of fatener	600	
5Tension of webbing	800		15. Release force of fatener	600	
6. Width and shrinkage of webbing	600	400 NT dollars is turn in on test with webbing	16. Retrcting force of retractor	600	
7. Elongation rate of webbing	600		17. Fixing force of retractor	600	
8. Energy absorbing of webbing	800		18. Endurance test for retarctor	4000	
9. Abrasion resistance of webbing	1000		19. Strength test for retractor	800	
10. Cold resistance of webbing	1000	One unit for two pcs.	20. Unlist items in table can be inquired		

No. 06-1	m i	5	No. 06-1		n -
Test items	Test price (NT \$)	Remark	Test items	Test price (NT \$)	Remark
1.Dimensions	500		25. (deleted)		
2.Tensile strength	800	each point when beyond 3 points)	26. (deleted)		
3.Yield point	800		27.Compressive strength	800	
4. Yield strength	800		28. Weight	600	
5. Elongation ratio	800		29.Sectional area	500	
6. Reduction of area	800		30.Thickness	500	
7. Elasticity coefficient	1000		31.Shear strength	800	
8. Elasticity limit	1200		32.Anodic treatment film thickness	1000	
9. Proportion limit	1200		33.Graphite spherorization rate	1200	
10. Bending test	800		34.Height of knot, the interval distance between two knots and clearance width	500	
11. Hardness	1000		35.Flexibility test of floor	800	
12. Impact test	800	Specimen pretreatment by applicator	36.Stress-strain curves	800	
13. Bending strength	800		37.Aluminum windows air pressure test	8000	
14. Bending deflection	800		38.Aluminum windows watertight test		
15. Breaking load of steel wire ropes	1200	Diameter below 25mm	39.Aluminum windows Airtight test		
16. Breaking load of steel wire ropes	2000	Diameter below 35mm	40.Coating thickness	1000	
17. Breaking load of steel wire ropes		Diameter above 35mm	41.Loading capacity of shackle & hook	1000	Load below 10
18. Metallic pipe flattening test	800	Note:needs the self-made cartridge	42.Loading capacity of shackle & hook	1500	Load above 10
19. Metallic pipe expansion test	800		43.Coating hardness test	3000	
20. Metal wire torsion test	800		44.Surface roughness measurement	2500	
21. Metal wire coiling test	800		45.Tensile test for steel reinforcing bars mechanical splices	800	specifier
22. Metal wire uncoiling test	600		46.High plasticity repeatedly loading test of steel reinforcing bars mechanical splices		
23.Metallographic test	2400		47.Plasticity repeatedly loading test of steel reinforcing bars mechanical splices	4,000	speenner
24. Galvanization thickness test	1200		48.Elasticity repeatedly loading test of steel reinforcing bars mechanical splices	3,000	each specimer

Classification : Cement

Classification : Thermal insulation material and products

No. 06-2			No. 06-3			
Test items	Test price (NT \$)	Remark	Test items	Test price (NT \$)	Remark	
1. Fineness	800		1. Bulk density	800		
2. Soundness	1600		2. Linear shrinkage	1200	(Linear expansion) Extra fee \$2000 for each additional point	
3. Time of setting	800		3. Thermal conductivity (Thermal resistance)	2000	_	
4. Air content of mortar	800		4.Flexural strength	800		
5. Compressive strength (3 days)	1200		5.Flexural load	800		
6. Compressive strength (7 days)	1200		6.Dregs content	800		
7. Compressive strength (28days)	1200		7 Water repellence	800		
8. Specific gravity	800		8.Heating resistibility	1200		
9. Flexural strength	1200		9. (deleted)			
10. False set	800		10.Thermal conductivity (Thermal resistance) – Means of the guarded hot plate	4000	Extra fee \$2000 for each additional point	
11. Waterproof agent water permeable ratio	2400	Including blank specimen	11.Thermal conductivity (thermal diffusivity) – Means of the laser flash	2400	Extra fee \$1200 for each additional point	
12. Waterproof agent water absorption ratio	2400	specimen				
13. Specimen preparation charge	per	One unit price for 3 specimens, and no extra fee when over ten days				
14. Waterproof agent strength ratio	2400					
15. Liquid membrane-forming concrete drying time	6000					
16. Drying time	1000					
17. Autoclave expansion	1200					
18. Fine aggregates sieve analysis	1400					
19. Fineness Modules	800					
20. Method of test for clay lumps and friable particles	1600					
21. Ratio of particle smaller than 75μm (CNS 386) (CNS 386)	1600					

Classification : Ceramics (tiles, sanitary ceramic wares, glasses, refractory bricks) No. 06-4 Classification : Ceramics (tiles, sanitary ceramic wares, glasses, refractory bricks) No. 06-4

110.00-4			110.00-4		
Test items	Test price (NT \$)	Remark	Test items	Test price (NT \$)	Remark
1.Determination of surface quality	500		21.Resistance to deep abrasion for unglazed floor tiles	800	
2.Determination of dimensions	500	•	22. Resistance to surface abrasion for glazed floor tiles	8000	
3.Determination of rectangularity	500		23.Airtight test	600	
4.Resistance to boiling water	1000		24.Back groove	500	
5.Impact test	800		25.Water absorption	1800	
6.Glass impact test	1000		26.Warp	500	
7.Projection test	1200		27.Thermal shock test	800	
8.Sudden change of temperature(glass)	1200		28.Thermal expansion coefficient	1400	
9.Sudden change of temperature (refractory Products)	1200		29. Resistance to stains	1000	
10.Test of dew point	1200		30. Chemical resistance	1000	every chemical
11.Ink test	600		31.Slip coefficient	2400	
12. Autoclave test	1400		32.Loading test	1200	
13. Resistance to low temperature Test	800		33.Daylight transmittance	2500	
14. Compressive Strength	800		34.Daylight reflectance	2500	
15.Flexural strength	800		35.Solar radiation and solar heat gain coefficient (transmittance and reflectance for daylight)	20000	
16.Sieve analysis	800	Extra fee \$100 for each additiona l sieve No.	36.Removal rate of solar radiation heat (transmittance and reflectance for daylight)	20000	
17.Drain test	600		37.Heating test (upward 1200°C)	5000	
18.Leakage test	600		38. Adhesion, Detachability, Waterproof Adhesion (ground paper or back lining mesh)	800	
19.Flush test	600]	39. Mark check	500	
20.Moh's hardness	600				

Classification : Woods and products No. 06-5			Classification : Cement and products No. 06-6		
Test items	Test price (NT \$)	Remark	Test items	Test price (NT \$)	Remark
1.Moisture content	800		1.Water absorption	800	
2.Water absorption	800		2.Impact test	800	
3.Density specific gravity	800		3.Specific density	800	
4.Dimension and appearance	600		4.Compressive strength of concrete specimens	800	
5.Soaking delaminating test	1200		5.Compressive strength of concrete specimens pipes	8000	
6.Flexural test	800		6.Rate of exposure	600	
7. Adhesive shearing strength	1500		7.Bending strength	800	
8.Compressive load	800				
9.Bending strength	800				
10.Wood screw holding strength	800				
11. (deleted)					
					-

Schedule of Fees fo	r Commissioned Tests ar	nd Technical Services
		· · · · · · · · · · · · · · · · · · ·

finish material			Classification : Goggle & Eye protector for radiations No. 06-9			
Test items	Test price(NT \$)	Remark	Test items	Test price (NT \$)	Remark	
1.Dimensions and appearance		Dressed rockwool	1.Appearance	500		
2.Bulk density or specific density		boards for acoustic use	2.Impact test	800		
3.Flexural strength or bending strength	800	Rock wool sheathing	3.Stability at elevated temperature	800		
4.Water absorption	800	boards Wood-wool	4.Prismatic power	800		
5.Length change after water absorption	800	cement boards Gypsum	5.Refractive power	800		
6.Thermal conductivity(Thermal Resistance)	2000	boards	6.Strength of headband attached section	800		
7.Peel test	800		7.Luminous transmittance	800		
8.Resistance to impact	800	Perforated gypsum boards for	8.Surface abrasion resistance	2000		
9. (deleted)		acoustic use	9.Holding characteristics	800		
10. (deleted)		Slag gypsum	10.Marking	500	-	
11. (deleted)		cement boards	11.Colour	500		
12.Water permeant resistance	800	Inorganic-fibe r reinforced	12.High moisture endurance	800		
13.Asbestos analysis	3000		13. Protection against high-speed particles	8000		
14.Heat release rate(CNS 14705)- Incombustibility grade 1	12000	Decorated pulp cement boards				
15. Heat release rate(CNS 14705)- Incombustibility grade 2	10000	Pulp cement perlite boards Decorated				
16.Heat release rate(CNS 14705)- Incombustibility grade 3	10000	pulp cement perlite boards				
17. (deleted)		1				
18. (deleted)						
19. (deleted)						

Classification : Safety belt No. 06-10			Classification : Full bo No. 06-11	dy harne	SS
Test items	Test price (NT \$)	Remark	Test items	Test price (NT \$)	Remark
1. Strength of waistband	800		1. Textile requirements	2000	
2. Strength of suspension rope	800		2. Corrosion test	5000	
3. Strength of hook or belt ring	800		3. Buckle uncoupling and slippage	2000	
4. Strength of rope clip	800		4. Static strength (Two-way)	4000	
5. Strength of rings	800		5. Dynamic performance (Two-way)	4000	
6. Strength of installation part of D-shape ring	800		6. Marking	600	
7. Strength of connection part of buckle	800		7. Energy-absorbing lanyard or other lanyard-energy absorber combination(EAL)+full-bo dy harnesses(FBH)(Class A)personal fall arrest system test	3000	
8. Strength of shock absorber	800				
9. Strength and holding power of rope clip attached to the vertical mother rope	800				
10. Strength of adjusting implement	800				
11. Strength of U-shaped suspension	800				
12. Shock absorption capability and and strength of safety belt	2000				

Classification : Sunglasses

Classification : Ceramic material (Tiles, Sanitary ceramic ware, Glasses, Refractory Bricks) (rental of lab/equipment)

No. 06-12

No. 06-12			No. 06-14		
Test items	Test price (NT \$)	Remark	Test items	Test price (NT \$)	Remark
1.Transmittance test	800		1.Apparatus for the measurement of dimensions	80	
2.Ignition test	800		2.Apparatus for the measurement of warp	80	
3.Recognition of signal lights	800		3.Apparatus for the measurement of rectangularity	60	
4.Plane angle of polarization	800		4.Profile projector	110	
5.Astigmatic power	800		5.Constant temperature water bath	100	
6.Degree of polarization	800		6.Breaking strength testing machine	100	
7.Uniformity of luminous transmittance	2000		7.Abrasion apparatus for unglazed tiles	110	
			8.Abrasion apparatus for glazed tiles	150	
			9.Drying oven	100	
			10.Crazing resistance equipment	120	
			11.Tile cleaning device	100	
			12.Slip tester	130	
			13. Loading resistance device	90	

Classification: Valves for LPG cylinder

Classification : Refillable weld steel cylinder for dissolved acetylene No. 07-3-C

No. 07-3-B			No. 07-3-C				
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark		
1. Structure	13400	1.Testing rod tens:strength test to collect	1. Appearance	1800			
2. Shape and dimension	4200	fees 1600NT.	2. Cylinder and end plate thickness	1200			
3. Appearance	600	2.Packing test:	3. Structure and dimension	1500			
4. Function	900	N-Hexane 72 hrs. collect	4. Bung thread	1500			
5. Hydraulic pressure test		fees 2200NT and pressurize air	5. Hydrostatic and expension test	3000			
6. Air-tightness test	1800	ageing 96 hrs	6. Air-tightness test	1600			
7. Safety valve action test	1800	collect fees 9600NT.	7. Mark and painting	1400			
8. Vibration test	4000		8. Tensil strength test	1600			
9. Parts	600		9. Crushing test	800			
10. O ring wear resisting	6000		10. Material bending	800			
test			test				
11. Exhaust volume test	6000		11. Fusion position tensil strength test	800			
12. Mark	700		12. Fusion position frontage bending test	800			
			13. Radiation test	7000]		
			14. Material	1800			

Classification : Valve for dissolved acetylene Classification : Construction standard for cylinder steel cylinder of liquid ammoniq

No. 07-3-D			No. 07-3-E		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Fuction	6000		1. Appearance	1800	
2. Shape and dimension	3600		2. Cylinder and end	1200	
			plate thickness		
3.Appearance	600		3. Structure and	1500	
			dimension		
4. Material	1800		4. Bung thread	1500	
5. Mark	700		5. Hydrostatic and	3000	
			expension test		
			6. Air-tightness test	1600	
			7. Mark and painting	1400	
			8. Tensil strength test	U	
		9. Fusion position tensil	800		
			strength test		
			10. Fusion position	800	
			frontage bending test		
	frontage bending test11. Radiation test7000				
			12. Material	1800	

Classification : Seamless steel gas cylinders Classification : Valves for high pressure gas cylinder

No. 07-3-F			No. 07-3-G		
Test items	(NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Appearane	1800	1.Self-restrai nt the	1. Function	6000	
2. Shape and dimension	1200	Material physical Property test	2. Structure and dimension	3600	
3. Design thickness	1200	specimen	3. Appearance	600	
4. Attached structure inspection	3300		4. Material	1800	
5. Hydrostatic and expension test	3000		5. Mark	700	
6. Mark	700				
7. Material physical property test					
8. Material chemical property test	1800				
9. Cylinder burst test	11000				
Classification : Valves for liquefied petroleum gas cylinder (rental of lab/equipment) No. 07-3-H Classification : Valves for liquefied petroleum gas cylinder (rental of lab/equipment) No. 07-3-H

NO. 07-3-11			10.07-3-11		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Water pressure test equipment	100/hr		4. O-ring wear resistance test equipment	110/hr	
2. Test equipment for discharge amount of safety device	190/hr		5. Self-closing device durability test equipment	120/hr	
3. Vibration resistance test equipment	110/hr		6. Anti-static device test equipment	130/hr	

Classification : Gas burning cooking appliances for domestic use No. 07-4-A

Classification : Gas burning cooking appliances for domestic use No. 07-4-A

No. 07-4-A			No. 07-4-A		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Structure	2000		21. Ignition	700	
2. Gas tightness	1400		22. Exhaustred safety device	700	
3. Gas consumption (total	700		23. Vibration test	4000	
to indication)					
4. Gas consumption (single	700		24. Efficiency	1000	
to indication)					
5. Gas consumption (total	700		25. Heat tolerance test	1400	
to sum)					
6. Combustion	700	test all item	26. Corrosion resistance	2160	Salt water spray test volume
condition (moving)		6-11,13-15 collect fees			under 250 cm3, 4 in 1 valuation
7. Combustion	700	2800NT	27. Gas resistance	2200	
condition (floating)					
8. Combustion	700		28. Using the family uses	1600	
condition (exhausting)			electricity wiring test		
9. Combustion	700		29. Electric appliance	900	
condition (tempering)			spot(only for d.c)		
10. Combustion	700		30. Electrical test for using	1600	
condition (uniform)			the family uses electricity		
11. Combustion	700		31. Wiring and plug	700	check
condition (exhausting noise)			test(only for using the		indication
			family uses electricity)		
12. Combustion	1100		32. Duration test	16000	
condition (co concentration)					
13. Combustion	700		33. Burning resistance	900	
condition (smoke)					
14. Combustion	700		34. Indication	700	
condition (electrode spot)					
15. Combustion	700		35. Operation menu	700	
condition (female fire burner)					
16. Combustion	900				
condition (continuous noise)					
17. Cross the cauldron	700				
18. Cabinet door open &	700				
close (only for stack)					
19. Elevation of temperature	2500				
20. Heat-resisting impact	700				

Classification : Gas burning cooking appliances for domestic use No. 07-4-B Classification : Gas burning cooking appliances for domestic use

No. 07-4-B			No. 07-4-B				
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark		
1. Structure	2000		21. Ignition	700			
2. Gas tightness	1400		22. Exhaustred safety	700			
			device				
3. Gas consumption (total	700		23. Vibratoion	4000			
to indication)							
4. Gas consumption	700		24. Efficiency	1000			
(single to indication)							
5. Gas consumption (total	700		25. Heat tolerance test	1400			
to sum)							
6. Combustion	700		26. Corrosion resistance	2160			
condition(moving)							
7. Combustion	700		27. Gas resistance	2200			
condition (floating)							
8. Combustion	700		28. Using the family uses	1600			
condition (exhausting)			electricity wiring test				
9. Combustion	700		29. Electric appliance	900			
condition (tempering)			spot(only for d.c)				
10. Combustion	700		30. Electrical test for using	1600			
condition(uniform)			the family uses electricity				
11. Combustion	700		31. Wiring and plug	700			
condition (exhausting noise)			test(only for using the family				
	1100	-	uses electricity)	1 60 0 0			
12. Combustion	1100		32. Duration test	16000			
condition(co concentration)	700	-	22 Durning register of	000			
13. Combustion	700		33. Burning resistance	900			
condition(smoke)	700	-	24 Indiantian	700			
14. Combustion	700		34. Indication	700			
condition (electrode spot) 15. Combustion	700	-	25 Operation many	700			
condition (female fire burner)	700		35. Operation menu	700			
16. Combustion	900						
condition(continuous noise)	200						
17. Cross the cauldron	700						
18. Cabinet door open &	700						
close (only for stack)	,						
19. Elevation of temperature	2500						
20. Heat-resisting impact	700						
20. Hoat resisting impact	700				l		

Classification : Portable cooker attached tie Classification : Portable cooker attached tie LPG cylinder

LPG cylinder			LI O Cymider		
<u>No. 07-4-C</u>			No. 07-4-C	1	1
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Structure(excluding vibrationest)	2000		21. Heat tolerance test	1400	
2. Vibration test	4000		22. Corrosion resistance	2160	Sale water spray test, volume under 250 cm3, 4 in 1 valuation
3. Gas tightness	1400		23. Gas resistance	2200	
4. Gas consumption	700		24. Burning resistance	900	
5. Combustion condition(continuous noise)	900		25. Oil resistance	800	
6. Combustion condition(moving)	700	test all item 6-11,13-15 collect fees 2800NT	26. Duration test (cock and ignition)	16000	
7. Combustion condition(floating)	700		27. Duration test (regulator)	7500	
8. Combustion condition(exhausting)	700		28. Duration test (pressure safety device)	6000	
9. Combustion condition(tempering)	700		29. Duration test(vessel and appliance connetion)	6500	
10. Combustion condition(uniform)	700		30. Indication	700	
11. Combustion condition (exhausting noise)	700		31. Operation menu	700	
12. Combustion condition(co concentration)	1100				
13. Combustion condition(smoke)	700				
14. Combustion condition(electrode spot)	700				
15. Crosses the cauldron	700				
16. Elevation of temperature	2500				
17. Ignition performance	700				
18. Inner pressure	900				
19. Pressure safety device	900				
20. Efficiency	1000				

Classification : Gas cylinders for portable gas cooker

Classification : Non-refillable metallic gas canisters for portable liquefied petroleum gas appliances No 07-4-F

No. 07-4-D			No.07-4-E		
Test items	Test price Rer	1	Test items	Test price	Remark
Test itellis	(NT\$)	inun it	Test items	(NT\$)	
1. Gas resistance test	3000		1. Odorous test	3000	
2. Ozone resistance	5000		2. Materials(for each	1800	
			composition)		
3. Air-tightness test	1800		3. Construction	2000	
4. Hydraulic pressure test	2000		4. Dimensions	2000	
5. Stem actuating (functioning) force test	1500	·	5. Net capacity	1200	
6. Repeated-use test	3000	·	6. Pressure strength	2000	
7. Filled LPG mass test	1200		7. Gas tightness of	6000	
			cartridges		
8. Initial differential air	1500		8. Gas tightness of valves	3000	
pressure test					
9. Valve flow rate test	2000		9. Drop test	2100	
10. LPG component test	3000		10. Marking	600	
11. Odorous test	3000				
12. Construction test	6000				
13. Dimension	2000				
14. Material(for each	1800				
composition)					
15. Mark	600				
16. Drop test	2400				
17. Flange strength test	2600				

Classification : Gas burning water heaters for Classification : Gas burning water heaters for domestic use

domestic use			domestic use		
<u>No. 07-5-A</u>			No. 07-5-A		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1.Structure	2000		25. Overheated safety device	900	
2. Gas tightness	1400		26. Overpressure safety device	900	
3. Gas consumption	700		27. Incomplete combustion safety device	1400	
4. Combustin condition(moving)		test all item	28. Ususual safety device (only cf)	900	
5. Combustin condition(floating)	700	4-9,11-14 collect fees	29. Duration test	7000	
6. Combustin condition(exhausting)	700	2800NT	30. Continuosly burning	1800	
7. Combustin condition(tempering)	700		31. Waterdrop test	700	
8. Combustin condition(uniform)	700		32. Water pipe hydrostatic test	1200	
9. Combustin condition(exhausting noise)	700		33. Vibration	4000	
10. Combustin condition(co concentration)	1100		34. Efficiency	1000	
11. Combustin condition(smoke)	700		35. Heat tolerance test	1400	
12. Combustin condition (excluding air vent)	700	-	36. Corrosion resistance	2160	
13. Combustin condition (electrode spot)	700		37. Gas resistance	2200	
14. Combustin condition (female fire burner)	700		38. Burning resistance	900	
15. Combustin condition (continuous noise)	900		39. Using the family uses electricity wiring test	1600	
16. Air vent block(only for CF and FE)	1100		40. Electric appliance spot(only for DC)	900	
17. Winding test	1900		41. Electrical test for using the family uses electricity	1600	
18. Scatter water condition	900		42. Wiring and plug test(only for using the family uses electricity)	700	check indication
19. Elevation of temperature	2500		43. Indication	700	ļ
20. Ignition performance (no wind)	700		44. Operation menu	700	
21. Ignition device(scatter water condition)	900		45. thermostat	1600	
22. Ignition(windy)	1400		46. hotwater storage	700	
23. Flameout safety device	700	-	47relief valve	700	
24. Over pressure safety device	1000				

Classification : Exhaust pipes for burning appliances

Classification : Exhaust pipes for burning appliances

No	р. 07-5-В			No. 07-5-B		
Te	st items	Test price (NT \$)	Remark	Test items	Test price (NT \$)	Remark
1.	Construction	800		6. Air-tightness test	6700	
2.	Shape and dimension	1100		7. Passing resistance test of exhaust pipe top cover	6900	
3.	Exhaust pipes interconnect strength test	2900		8. Rainwater inflow test	1500	
4.	Exhaust pipe top cover connection strength test	2400		9. Marking	800	
5.	Tensil strength test(With a pull-out preventer)	1700		10. Material	1800	Refer to the current 07-04-D material (each element)

gas			gas		
No. 07-5-C			No. 07-5-C		-
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Structure	500		12. Repeating attaching test	700	
2. Materials	500	Document review	13. Heat resistance test	700	
 Length of hoses and permissible deviation of length 			14. Flow-rate test	700	
4. Appearance	500		15. Flexibility test	500	
5. Surface treatment for connecting metal fittings	500	Document review	16. Solution resistance test	5500	
6. Air-tightness test	500		17. Flame retardant test	800	
7. Pressure resistance test	1600		18. Cooling heating cycle test	5000	
8. Tension test	700		19. Weathering test(Light-and-Water-Ex posure Apparatus)	164500	
9. Torsional test	700		20. Drawing out test	1300	
10. Bending strength	700		21. n-pentane test	1200	
11. Imapct test	700		22. Marking	500	

Classification : Metallic flexible hoses for Classification : Metallic flexible hoses for gas

No. 07-5-D			No. 07-5-D		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Construction	500		11. Resistance to kinking	700	
2. Materials	500	Document review	12. Hydrostatic pressure test (Water bathing fee)	300	
3. Dimensions &Tolerances	500		13. Hydrostatic pressure test	1600	
4. Permeability to gas	2100		14. Resistance to crushing (Pretreatment fee)	200	
5. Tensile test	1400		15. Resistance to crushing (Air-tightness test)	1600	
 Accelerated aging test (Accelerated aging fee) 	20200		16. Loss in mass on heating	1200	
7. Accelerated aging (Tensile test)	1400		17. Low temperature flexibility (Pretreatment fee)	400	
8. Immersion Test	5200		18. Low temperature flexibility (Air-tightness test)	1600	
9. Flame propagation	800		19. UV (xenon arc lamp) test	180000	
10.Adhesion in hoses	1000		20. Marking	500	

Classification : Plastic hoses for fuel gas Classification : Plastic hoses for fuel gas No. 07-5-D No. 07-5-D

Classification : Regulator liquefied petroleum gas		Classification : Regulator liquefied petroleum gas			
No. 07-6-A			No. 07-6-A		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Function(pressure)	1500		7. Safety device test	1600	
2. Function(tightness)	1500)	8. Structure dimension	1800	
			and appearance		
3. (deleted)		-	9. Salt water spray test	90/h	Sale water
4. Function(duration)	5000		10. Rubber gas resistance	2200	spray test, volume under
			test		250 cm3,
5. (deleted)			11. Indication	700	4 in 1 valuation.
6. (deleted)			12. (deleted)		

Classification : Diaphragm type gas meter with micro computers nature gas use No. 07-6-C No. 07-6-C

No. 07-6-C			No. 07-6-C		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Water tightness	2000		16. Flow rate detect unit	12000	
			magnetic test		
2. Indicate light	1600		17. Voltage drop test	12000	
3. Open-close test	1000		18. Leakage detecting test	5000	
4. Resistant interdiction	1800		19. Environomental test	8000	
5. Manual close	1000		20. Humidity test	4000	
6. Connecting	2000		21. Overflow test	6000	
7. Vibration test	11800	-	22. Interdict test	8800	
8. Hydraulic pressure test	1500	-	23. Restore test	2000	
9. Air-tightness test	4000		24. Signal test	12000	
10. Pressure loss	3600		25.Static electricity test	12000	
11. Duration test	11000		26. Electromagnet test	22000	
12. Cycling test	3000		27. First acts test	1000	
13. Impact test	3400		28. Signal connection	2100	
14. Bears the detonation	6000		29. Material test	3600	
15. EMS & EMI	86000				

Classification : Disposable gas-lighter Classification : Disposable gas-lighter No. 07-6- D No. 07-6- D Test price (NT\$) Remark Test price Remark (NT\$) Test items Test items 1. Safety device 9. Drop test 700 700 10. Thermostable 2. Flame altitude 700 700 3. Flame altitude adjust 11. Inner pressure 700 1500 4.Torching, splashing or 12.Burning test 700 700 sparking 5. Exhausted 700 700 13. Cyclin test 6. Fuel volume 14. Continuous test 700 1000 7. Appearance 700 15. Mark 700 8. Compatibility 2000

Classification : Water meter			Classification: Water meter				
No. 07-6-E			No. 07-6-E				
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark		
1. Marks and construction	600	Applicabl e to water	11. Water pressure test	15800			
review		meters		15000	_		
2. Static pressure test	2000	nommu	12. Reverse flow test	1700			
3. Errors (of indication)	2600	diameter less than	13. Report	4200			
test		or equal to		7200	_		
4. Pressure loss test	2500	50 mm			_		
5. Discontinuous flow test	15000						
(Nominal diameter less							
than or equal to 25 mm)							
6. Discontinuous flow test	20300				-		
(Nominal diameter more							
than 25 mm to 50 mm)							
7. Continuous flow test	8700						
(Nominal diameter less							
than or equal to 25 mm)							
8. Continuous flow test	10300						
(Nominal diameter more							
than 25 mm to 50 mm)							
9. Magnetic field test	13200						
10. Flow disturbance test	6000						

Clubbilleution Other Ind	ennie p	ui t			
(hardwareand hand tools)	I				
No. 07-7-A			No. 07-8		
Test items	(NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Hydrostatic test	1500	Salt water	1. Dimensions	1200	
2. Tightness	1500	spray test, volume	2. Appearance &	2000	
		under 250	construction		
3. Parts accuracy	700	cm3, 4 in 1	3. Torsion test and	1200	
		valuation	tension test for		
			protruded article		
4. Salt water spray test	90		4. Loading test for	800	
			cradle bed		
5. Steel shovel strength	1200		5. Strength test for	1200	
test			flame rod		
6. Dimension	500		6. Sway angle	700	
7. Structure inspection	700		7. Surface coating	9600	
			materials(8 elements)		
8. Torsion test	1000		8. (deleted)		
9. Spring test	1200		9.Label	500	
10. Surface roughness	1100				
11. Static load test	1000				
12. Fire hose length and	600	CNS 13578			
weight					

Classification : Other machine part

Classification : Cradles

No. 07-9 No. 07-10 Test price Remark Test items Test price Remark Test items (NT\$) (NT\$) 1. Accessibility test 800 1. Dimensions 170 2. Small parts test 2. Safety requirement for 700 1300 flammability 3. Sharp edge test 3. Construction test 800 1000 4. Sharp point test 700 4. Projection test 500 5. Test for locking device 5. Parking device test 1100 1200 on the folding mechanism 6. Spring gap requirement 700 6. Safety restraints 1000 700 7. Hole requirement 7. Stability of vehicles 800 8. Security of wheel 8. Torsion test and tension 1200 700 test for protruded article 9. Flammability 9. Locking devices 1200 1500 10. Surface coating 9600 10. Static durability 2400 materials(8 elements) 11. Rigidity test 11. Dynamic durability 1000 19800 12. Kerb mounting 12. Wheel test 1000 3500 durability 13. Dynamic loading test 13. Label 1500 500 14. Static loading test 1000 15. Static stability test 1000 16. Impact test 1200 17. Seat design 1000 500 18. Label

Classification : Baby walker

Classification : Strollers & Carriages

Classification : Pressure cookers for

Classification : Pressure cookers for domestic use domestic use No. 07-11 No. 07-11 Test price Remark Test price Remark Test items Test items (NT\$) (NT\$) 1.Capacity 12. Verifications of safety 600 1000 device 2.Maintenance and 13.Verification of 1700 600 surface finish decompression device 3. Tests and measurements 14.Test of resistance to relating to materials 600 deformation of the body 600 and the lid 4.Deviation of the bottom 15.Test of resistance to -Concavity 600 destruction of the body 800 and the lid According to the 5. Deviation of the bottom 16.Material test (gasket) charge item 04-7-14&04-7-8 -lead,cadmium,2-merca 5600 1000 -Ageing of the bottom ptoimidazoline According to the 6.Tests and measurements 17.Leaching test (gasket) charge item 04-7-1 04-7-2&04-7-4 relating to lifting grips -phenol,formaldehyde,r 1500 esidue after 4800 (fatigue test) evaporation According to the 7.Tests and measurements 18.Leaching test (gasket) charge item relating to lifting grips 800 -zinc,heavy metals 04 - 7 - 143600 (temperatures measurement) 8.Opening test 19.Marking, labelling and 2500 handbook 700 Only for 20.Leaching test relating to 9. Tests relating to opening cookers with 600 and closing devices-Closing coatings-lead,cadmium coating. 3600 of the pressure cooker When the gasket 10.Verification of 21.Gasket ageing test is part of the 600 3600 cooker's safety pressure indicator device. Only applicable 11.Verification of 22.Mechaical resistance to pressure cookers with a pressure control device 1000 test to safe opening 600 manual safety opening system. systems

Classification : Portable Screw Jacks for Automobiles		Classification : Hydraulic Trolley Jacks for Automobiles			
No.07-12-A			No.07-12-B		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Appearance inspection	500		1. Structure	1300	
2. Structure and	2000		2. Up action	2500	
dimension inspection					
3. Load operating	1000		3. Safety load test	1500	
inspection					
4. Load test	1000		4. Strength	2000	
5. Slanting load test	1000		5. Endurance test	1500	
6. Mark	500		6. Final operating test	500	
			7. Surface treatment	500	
			8. Mark	500	

Classification : Portable hydraulic Jacks for Classification : Rigid Steel Conduit Automobiles

No.07-12-C			No. 07-13		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Visual inspection	500		1. Length and weight	500	
2. Construction and	2000		2. Dimension (inner	500	
dimension inspection			& outer		
			diameter and length)		The total amount by
3. (deleted)			3. Effective thread	500	does not
			length		surpass 5000NT to
4. Load operating test	1000		4. Chemical	1800	receive
			composition		
5. Withstand load test	1000		5. Appearance	500	
6. Leakage test	1000		6. Bending	800	
7. Inclined load test	1000		7. Press flat	800	
8. Marking	500		8. Antirust epithelium	600	
			performance		
			9. Mark	500	

Classification : Electric sterage tank water heater

Classification : Electric sterage tank water heater

No.08-1			No.08-1		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Label	600		19.Provision for earthing	1200	
2. Protection against access to live parts	1200		20. Screws and connections	1800	
3. Starting of motor-operated appliances	1200		21.Clearances, creepage distances and solid insulation	3500	
4. Power input and current	3800		22. Resistance to heat and fire and Proof tracking test	4800	
5. Heating	3900		23. Resistance to rusting	1800	
6. Leakage current and electric strength at operating temperature	1200		24. Radiation, toxicity and similar hazards	1800	
7. Moisture resistance	3400		25. pressure-resistant test for inner tank body	2400	
8. Leakage current and electric strength	1200		26. test of safety valve	2400	
9. Overload protection of transformers and associated circuits	2500		27. Leakage of valve seat	2400	
10. Endurance	4200		28. test of voltage veriation	800	
11. Abnormal operation	6200		29. test of automactic temperature regulation	2100	
12.Stability and mechanical hazards	1200		30. test of over-temperature open circuit performance	1300	
13. Mechanical strength	1200		31. test of temperature sensor performance	1300	
14. Construction	4800		32. test of heating performance	1300	
15. Internal wiring	1200		33.Test of Use performance	1300	
16.Components(depend on IEC standards)			34. test of overload performance in heating tube	2100	
17 Supply connection and external flexible cords	1800		3Flame-resistant test for thermal insulating material	2100	
18 Terminals for external conductors	1800		36Test of inner tank capacity	1300	

Classification : Plugs and receptacles for domestic and similar general use No.08-2-A Classification: Nondetachable Cord Sets

No.08-2-B

Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Classification, number of poles, pole	600		1. Checking the dimensions	1600	
arrangement and rating					
2. Checking the dimensions	1600		2. Protection against electric shock	1700	
3. Protection against electric shock	1700		3. Provision for earthing	2000	
4. Provision for earthing	2000		4. Construction of plugs and portable socket-outlets	5500	
5. Terminals and terminations	15600	•	5-1. Resistance to ageing and resistance to humidity	10600	
6. Construction of fixed socket-outlets	9100		5-2. Protection provided by enclosures	9900	2 of 08-13-U
7. Construction of plugs and portable socket-outlets	5500		6. Insulation resistance and electric strength	1600	
8. Interlocked socket-outlets	1500	8 of 08-21	7.Operation of earthing contacts	1000	
9-1. Resistance to ageing and resistance to humidity	10600		8. Temperature rise	5600	
9-2. Protection provided by enclosures	9900	2 of 08-13-U	9. Flexible cables and their connection	3200	
10. Insulation resistance and electric strength	1600		10. Mechanical strength	6300	
11.Operation of earthing contacts	1000		11. Resistance to heat	4000	
12. Temperature rise	5600		12. Screws, current-carrying parts and connections	1400	
13.Breaking capacity	7000		13. Creepage distances, clearances and distances through sealing compound	1500	
14. Normal operation	9400		14. Resistance of insulating material to abnormal heat, to fire and to tracking	9500	
15.Force necessary to withdraw the plug	2000		15. Resistance to rusting	1700	
16. Flexible cables and their connection	3200		16. Additional tests on pins provided with insulating sleeves	10000	
17. Mechanical strength	6300		17. Marking	800	
18. Resistance to heat	4000				
19. Screws, current-carrying parts and	1400				
connections					
20. Creepage distances, clearances and	1500				
distances through sealing compound					
21. Resistance of insulating material to abnormal heat, to fire and to tracking	9500				
22. Resistance to rusting	1700	•			
23. Additional tests on pins provided	10000				
with insulating sleeves	10000				
24. Marking	800	1			

Classification : Cord extension set			Classification : Cable reel			
			No. 08-3			
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark	
1. Checking the dimensions	1600		1.Marking	800		
2. Protection against electric shock	1700		2.Protection against electric shock	1700		
3. Provision for earthing	2000		3. Provision for earthing	2000		
4. Construction of plugs and portable socket-outlets	5500		4.Terminals and terminations	4500		
5-1. Resistance to ageing and resistance to humidity	10600		5.Flexible cables and their connection	3000		
5-2. Protection provided by enclosures	9900	2 of 08-13-U	6.Construction	7500		
6. Insulation resistance and electric strength	1600		7.Components	5000	12 of 8-25	
7.Operation of earthing contacts	1000		8.Resistance to ageing	5200		
8. Temperature rise	5600		9.Resistance to harmful ingress of water	9900	2 of 8-13-U	
9.Breaking capacity	7000		10.Resistance to humidity	4900		
10. Normal operation	9400		11.Insulation resistance and electric strength	1600		
11.Force necessary to withdraw the plug	2000		12.Normal operation	8300		
12. Flexible cables and their connection	3200		13.Temperature rise in normal use	5600		
13. Mechanical strength	6300		14.Temperature rise under overload condition	6000		
14. Resistance to heat	4000		15.Mechanical strength	5500		
15. Screws, current-carrying parts and connections	1400		16.Resistance to heat	4000		
16. Creepage distances, clearances and distances through sealing compound	1500		17.Screws, current-carrying parts and connections	1400		
17. Resistance of insulating material to abnormal heat, to fire and to tracking	9500		18.Creepage distances, clearances and distances through sealing compound	2100		
18. Resistance to rusting	1700		19.Resistance of insulating material to abnormal heat, to fire and to tracking	7900		
19. Marking	800		20.Resistance to rusting	1700		

Classification : Small switches for indoor use

Classification : Miniature fuses and fuse link

No. 08-4			No. 08-5		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1.Checking of Construction	1500		1.Marking	600	
2.Insulation Resistance	600		2.Test of indelibility of marking	600	
3.Temperature Rise Test	2500		3.Construction	1500	
4.Making and Breaking Test	5000		4.Voltage drop	1200	
5.Insulation Resistance Test	600		5.Time/current characteristic	2000	
6.Dielectric Withstand Voltage Test	600		6.Breaking capacity	3500	
7.Resistance to Heat Test	2000		7.Endurance tests	4000	
8.Strength of Terminal Part Test	600		8.Maximum sustained Dissipation	1200	
9.Strength Test of Screwless Test	1500		9.Pulse tests	1200	
10.Bending Test of Screwless Terminal Test	1500		10.Fuse-link temperature	2500	
11.Heat Cycle Test of Screwless Terminal Test	4000				
12.Withstand Overcurrent Test	4000				
13.Endurance to Ammonia Gas Test	1500				
14.Waterproof Test	4000				
15.Checking of Marking	600				

No. 08-6 No. 08-6 Test price Test price Test items Remark Remark Test items (NT\$) (NT\$) 1. Label 600 18.Terminals for external 1800 conductors 19. Provision for earthing 2. Protection against access 1200 1200 to live parts 3. Starting of motor-operated 20. Screws and 1200 1800 appliances connections 4. Power input and current 3800 21.Clearances, creepage 3500 distances and solid insulation 3900 5. Heating 22 .Resistance to heat and 4800 fire and Proof tracking test 1200 6.Leakage current and electric 23. Resistance to rusting 1800 strength at operating temperature 7. Moisture resistance 24.Radiation, toxicity and 3400 1800 similar hazards 25. Cooling performances 1200 3900 8. Leakage current and electric strength test 9. Overload protection of 26. Cooling rate test 2500 3900 transformers and associated circuits 4200 10. Endurance 27. Efficiency of energy 9200 28. Temperature distribution 11. Abnormal operation 6200 1800 of fresh food compartment 12. Stability and mechanical 29.Defrosting 1200 1800 performance test hazards 13. Mechanical strength 1200 30. thermal insulation test 1800 14. Construction 4800 31. Voltage fluctuation test 800 32. Door opening force test 15 Internal wiring 1200 2600 16. Components(depend on 33. Freezer compartment 2600 IEC standards) door retaining force 17. Supply connection and 1800 external flexible cords

Classification : Refrigerator

Classification · wires and cords						
No. 08-8			No. 08-8			
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark	
1.Conducting resistance test	1200		19.Tensile strength test	2400		
2.Insulation resistance	600		20.Elongation test	2400		
3.Electric conductivity	1800		21.Construction inspection	1200		
4.Electrostatic capacity	2400		22.Construction inspection	1800		
5.Not balanced capacity	2400		23.Low temperature	5000		
			impact			
6.High temperature coiling	3000		24.Tihgtness test	1200		
7.Low temperature bending	4200					
curvature						
8.Heating deformation	3000					
9.Burning endurance	1200					
10.Attenuation test	1800					
11.Water proof test	1800					
12.Sheath needle test	1200					
13.Anti-friction test	1800					
14.Bending test	1800					
15.Drug-resistant test	1200					
16.Electric strength	700					
17.Spark test	1200					
18.Oil resistance	3600					

Classification: Wires and cords

Classification: Wires and cords

Classification : Insulating capability of material

Classification : Insulating capability of material

No. 08-9			No. 08-9		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1.Leakage character withstand hight temperature test for dry cell	4000		11.Resistance test	1800	
2.Leakage character withstand excess discharge test for dry cell	1000		12.Charge current test for insulating material safeguard wear	1500	
3.Initial intermittent noncontinuous discharge test for dry cell(final voltage measure)	5000		13.Dielectrical hipot test for solid electrical insulating material and safeguard wear	1600	
4.Initial intermittent continuous discharge test for dry cell(final voltage measure)	2000		14.Dielectrical breakdown voltage test for solid electrical insulating material	2000	
5.Volt test for dry cell opening	600		15.Surface risistivity or the volume resistance multipliecl test	2200	
6.Pinprick test for rubber condoms	2200		16.Insulating resistance for insulating material	1500	
7.Anti-electrostatic capability test(first methor for food wears with safety)	5000		17.The other test		a fee continge nt on test
8.Anti-electrostatic capability test(second methor for food wears with safety)	1500				
9.45~95% humidity ambient 1020~100°Ctemperature ambient	200 100				

Classification : Molded case circuit breakers Classification : Low voltage

Classification : Low voltage single-phase induction motor No. 08-11-A

No. 08-10-A			No. 08-11-A	motor	
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1.Construction	2400		1.Marking	600	
2.Manual operation	600		2.Scale check	600	
3.Electric power operation	2500		3. Construction	2400	
4.Under-voltage trip	2500	-	4.Source Voltage	800)
			Variation Test		
5.Overcurrent tripping test	2500 (for each)		5.High Potential Test	1200	
6. (deleted)			6.Noise-Level Test	1000	
7. (deleted)			7.Maximum Starting current Test	800	
8.Make and break of overload	4500		8.Break-Down Torque Test	800	
9.Instantaneous current	4000		9.Minimum Starting Torque Test	800	
10.Temperature rise	2500		10.No-Load Current Test	800	
11.Closing and opening endurance	9800		11.Full-Load current Test	800	
12.Insulation resistance	600		12.Power Factor of Full-Load Test	1000	
13.Withstand voltage	600		13.Efficiency of Full-Load Test	1000	
14. Short circuit test(220V,	7000		14.Temperature Rise	3400)
Short circuit capacity \leq			Test		
10kA)					
15. Short circuit test(220V,	9000	1			
10kA < Short circuit					
capacity≤25kA)					
16. Short circuit test(220V,	12000				1
25kA < Short circuit					
capacity \leq 50kA)					
<u> </u>	1	1		1	1

Classification : Low voltage three-phase squirrel-cage induction motor No. 08-11-B Classification : Low voltage three-phase induction motor

No. 08-11-C

Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1.Marking	600		1.Marking	600	
2.Scale check	600		2.Scale check	600	
3.Construction	2400		3.Construction	2400	
4.Source Voltage Variation	800		4.Source Voltage	800	
Test			Variation Test		
5.Imbalance of Three Phase	1000		5.High Potential Test	1200	
No-Load Current Test					
6.High Potential Test	1200		6.Maximum Output Power Test	1000	
7.Noise-Level Test	1000		7.Imbalance of Three Phase No-Load Current Test	1000	
8.Starting input characteristics	800		8.No-Load Current Test	800	
9.Break-Down Torque Test	800		9.Maximum Starting Current Test	800	
10.Minimum Starting Torque Test	800	-	10.Minimum Starting Torque Test	800	
11.Full-Load Slip Test	800		11.Full-Load Slip Test	800	
12.Full-Load current Test	800		12.Full-Load current Test	800	
13.Power Factor of Full-Load	1000		13.Power Factor of	1000	
Test			Full-Load Test		
14.Efficiency of Full-Load	1000		14.Efficiency of	1000	
Test			Full-Load Test		
15.Temperature Rise Test	3400		15.Temperature Rise	3400	

Classification	: Home appliance
$N_{0} 09 12 A$	

Classification : Home appliance No. 08, 13, 4

No. 08-13-A			No. 08-13-A	-	
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Label	600		14. Mechanical strength	1200	
2. Protection against access to live part	1200		15. Construction	4800	
3. Starting of motor-operated appliances	1200		16. Internal wiring	1200	
4. Power input and current	1300		17.Components(depend on IEC standards)		
5. Heating	3900		18. Supply connection and external flexible cords	1800	
6. overload test of heating appliance	2400		19. Terminals for external conductors	1800	
7. Leakage current and electric strength at operating temperature	1200		20. Provision for earthing	1200	
8. Moisture resistance	3400		21. Screws and connections	1800	
9. Leakage current and electric strength	1200		22. Clearances, creepage distances and solid insulation	3500	
10. Overload protection of transformers and associated circuits	2500		23. Resistance to heat and fire and Proof tracking test	4700	
11. Endurance	3000		24. Resistance to rusting	1800	
12. Abnormal operation	6200		25. Radiation, toxicity and similar hazards	1800	
13. Stability and mechanical hazards	1200				

Classification	:	Microwave oven
No 09 12 D		

Classification: Microwave oven

No. 08-13-B	I	1	No. 08-13-B	I	1	
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remar	
1. Label	600		15. Construction	4800		
2. Protection against access to live part	1200		16. Internal wiring	1200		
3.Starting of motor-operated appliances	1200		17. Components(depend on IEC standards)			
4.Power input and current	1300		18. Supply connection and external flexible cords	1800		
5. Heating	4700		19. Terminals for external conductors	1800		
6.Overload test of heating appliance	2400		20. Provision for earthing	1200		
7.Leakage current and electric strength at operating temperature	1200		21. Screws and connections	1800		
8. Moisture resistance	3400		22. Clearances, creepage distances and solid insulation	3500		
9. Leakage and electric strength	1200		23. Resistance to heat and fire and Proof tracking test	4700		
10. Overload protection of transformers and associated circuits	2500		24. Resistance to rusting	1800		
11. Endurance	3000		25. Radiation, toxicity and similar hazards	1800		
12.Abnormal operation	6200		26. Test of thermal shock on inspection-hole	2300		
13.Stability and mechanical hazards	1200		27. Test of door opening or closing	5000		
14. Mechanical strength	1200					

stove and microwave oven No. 08-13-C

Classification : The combination of electric Classification : The combination of electric stove and microwave oven

No. 08-13-C

Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Label	600		15. Construction	4800	
2. Protection against access to live part	2000		16 .Internal wiring	1200	
3 Starting of motor-operated appliances	1200		17.Components(depend on IEC standards)		
4. Power input and current	1300		18. Supply connection and external flexible cords	1800	
5. Heating	4700		19. Terminals for external conductors	1800	
6. Overload test of heating appliance	2800		20. Provision for earthing	1200	
7. Leakage current and electric strength at operating temperature	1200		21. Screws and connections	1800	
8. Moisture resistance	3400		22.Clearances, creepage distances and solid insulation	3500	
9. Leakage current and electric strength	1200		23. Resistance to heat and fire and Proof tracking test	4700	
10. Overload protection of transformers and associated circuits	2500		24. Resistance to rusting	1800	
11. Endurance	3000		25. Radiation, toxicity and similar hazards	1800	
12. Abnormal operation	6200		26. Test of thermal shock on inspection-hole	2300	
13. Stability and mechanical hazards	1200		27. Test of door opening or closing	5000	
14. Mechanical strength	1200				

Classification : Skin or hair care

Classification: Skin or hair care

No. 08-13-D			No. 08-13-D		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Marking	600		14.Mechanical strength	1200	
2. Protection against access to live parts	1200		15. Construction	3500	
3. Starting of motor-operated appliances	1200		16.Internal wiring	1200	
4. Starting of motor-operated appliances	1300		17. Components(depend on IEC standards)		
5. Heating	3500		18. Supply connection and external flexible cords	1800	
6. Overload test of heating appliance	3500		19. Terminals for external conductors	1800	
7. Leakage current and electric strength at operating temperature	1200		20. Provision for earthing	1200	
8. Moisture resistance	2800		21. Screws and connections	1800	
9. Leakage current and electric strength	1200		22. Clearances, creepage distances and solid insulation	3500	
10. Overload protection of transformers and associated circuits	2500		23. Resistance to heat and fire and Proof tracking test	4700	
11. Endurance	2400		24. Resistance to rusting	1200	
12. Abnormal operation	4700		25. Radiation, toxicity and similar hazards	1200	
13. Stability and mechanical hazards	1200				

Classification : Heating Dish drier No. 08-13-E Classification : Heating Dish drier No. 08-13-E

NO. U8-13-E			NO. U8-13-E		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Marking	600		14. Mechanical strength	1200	
2. Protection against access to live parts	1200		15. Construction	3500	
3.Starting of motor-operated appliances	1200		16. Internal wiring	1200	
4. Power input and current	1300		17.Components(depend on IEC standards)		
5.Heating	2400		18.Supply connection and external flexible cords	1800	
6. overload test of heating appliance	2400		19. Terminals for external conductors	1800	
7.Leakage current and electric strength at operating temperature	1200		20.Provision for earthing	1200	
8.Moisture resistance	2800		21.Screws and connections	1800	
9.Leakage current and electric strength	1200		22.Clearances, creepage distances and solid insulation	3500	
10.Overload protection of transformers and associated circuits	2500		23.Resistance to heat and fire and Proof tracking test	4700	
11. Endurance	3000		24.Resistance to rusting	1200	
12.Abnormal operation	3600		25.Radiation, toxicity and similar hazards	1200	
13.Stability and mechanical hazards	1200				

Classification : Appliances incorporating hobs and ovens

Classification : Appliances incorporating hobs and ovens

No. 08-13-F

	m				
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Marking	600		14. Mechanical strength	1200	
2. Protection against access to live parts	2000		15.Construction	4800	
3. Starting of motor-operated appliances	1200		16. Internal wiring	1200	
4. Power input and current	1300		17. Components(depend on IEC standards)		
5. Heating	3900		18. Supply connection and external flexible cords	1800	
6. Overload test of heating appliance	2800		19.Terminals for external conductors	1800	
7. Leakage current and electric strength at operating temperature	1200		20. Provision for earthing	1200	
8. Moisture resistance	3400		21. Screws and connections	1800	
9. Leakage current and electric strength	1200		22. Clearances, creepage distances and solid insulation	3500	
10. Overload protection of transformers and associated circuits	2500		23. Resistance to heat and fire and Proof tracking test	4700	
11. Endurance	3000		24.Resistance to rusting	1800	1
12. Abnormal operation	6200		25. Radiation, toxicity and similar hazards	1800	
13. Stability and mechanical hazards	1200		26. Glass panels withstand the thermal shock	2300	

Classification	:	Electric	Irons	

Classification : Electric Irons

No. 08-13-G			No. 08-13-G		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Marking	600		14. Mechanical strength		
2. Protection against access to live parts	1200		15. Construction	3500	
3. Starting of motor-operated appliances	1200		16. Internal wiring	1200	
4. Power input and current	1800		17.Components(depend on IEC standards)		
5. Heating	3500		18.Supply connection and external flexible cords	1800	
6. overload test of heating appliance	3500		19. Terminals for external conductors	1800	
7. Leakage current and electric strength at operating temperature	1200		20. Provision for earthing	1200	
8. Moisture resistance	3400		21. Screws and connections	1800	
9. Leakage current and electric strength	1200		22. Clearances, creepage distances and solid insulation	3500	
10. Overload protection of transformers and associated circuits	2500		23. Resistance to heat and fire and Proof tracking test	4700	
11. Endurance	2400		24. Resistance to rusting	1200	
12. Abnormal operation	4700		25.Radiation, toxicity and similar hazards	1200	
13. Stability and mechanical hazards	1200				

Classification : Fans			Classification : Fans		
No. 08-13-H			No. 08-13-H		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Marking	600		14. Mechanical strength	1200	
2. Protection against access to live parts	1200		15. Construction	3500	
3. Starting of motor-operated appliances	1200		16. Internal wiring	1200	
4. Power input and current	1800	-	17.Components(depend on IEC standards)		-
5. Heating	3500		18. Supply connection and external flexible cords	1800	
6. Overload test of heating appliance	2400		19. Terminals for external conductors	1800	
7. Leakage current and electric strength at operating temperature	1200		20. Provision for earthing	1200	
8. Moisture resistance	2800		21. Screws and connections	1800	
9. Leakage current and electric strength	1200		22. Clearances, creepage distances and solid insulation	3500	
10. Overload protection of transformers and associated circuits	2500		23. Resistance to heat and fire and Proof tracking test	4700	
11. Endurance	3600		24. Resistance to rusting	1200	
12. Abnormal operation	3600		25. Radiation, toxicity and similar hazards	1200	
13. Stability and mechanical hazards	1200				

Classification : Range hoods

Classification · Range noods			8		
No. 08-13-I			No. 08-13-I		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Marking	600		14. Mechanical strength	1200	
2. Protection against access to live parts	1200		15. Construction	3500	
3. Starting of motor-operated appliances	1200		16. Internal wiring	1200	
4. Power input and current	1800		17.Components(depend on IEC standards)		
5. Heating	4700		18. Supply connection and external flexible cords	1800	
6. Overload test of heating appliance	2400		19. Terminals for external conductors	1800	
7. Leakage current and electric strength at operating temperature	1200		20. Provision for earthing	1200	
8. Moisture resistance	2800		21. Screws and connections	1800	
9. Leakage current and electric strength	1200		22. Clearances, creepage distances and solid insulation	3500	
10. Overload protection of transformers and associated circuits	2500		23. Resistance to heat and fire and Proof tracking test	4700	
11 Endurance	3600		24. Resistance to rusting	1200	
12. Abnormal operation	3600		25. Radiation, toxicity and similar hazards	1200	
13. Stability and mechanical hazards	1200				
Classification : Room	m heaters				
-----------------------	-----------				
-----------------------	-----------				

Classification : Room heaters

No. 08-13-J			No. 08-13-J		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Marking	600		14. Mechanical strength	1200	
2. Protection against access to live parts	1200		15. Construction	4600	
3. Starting of motor-operated appliances	1200		16. Internal wiring	1200	
4. Power input and current	1300		17.Components(depend on IEC standards)		
5. Heating	4700		18. Supply connection and external flexible cords	1800	
6. Overload test of heating appliance	2400		19. Terminals for external conductors	1800	
7. Leakage current and electric strength at operating temperature	1200		20. Provision for earthing	1200	
8. Moisture resistance	2800		21. Screws and connections	1800	
9. Leakage current and electric strength	1200		22. Clearances, creepage distances and solid insulation	3500	
10. Overload protection of transformers and associated circuits	2500		23. Resistance to heat and fire and Proof tracking test	4700	
11. Endurance	3000		24.Resistance to rusting	1200	
12. Abnormal operation	6200		25.Radiation, toxicity and similar hazards	1200	
13. Stability and mechanical hazards	1200				

Classification : Insect killers

Classification : Insect killers

No. 08-13-K			No. 08-13-K		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Marking	600		14. Mechanical strength	1200	
2. Protection against access to live parts	1200		15.Construction	3500	
3. Starting of motor-operated appliances	2400		16. Internal wiring	1200	
4. Power input and current	1300		17.Components(depend on IEC standards)		
5. Heating	1800		18. Supply connection and external flexible cords	1800	
6. Overload test of heating appliance	2400		19. Terminals for external conductors	1800	
7. Leakage current and electric strength at operating temperature	1200		20. Provision for earthing	1200	
8. Moisture resistance	2800		21. Screws and connections	1800	
9. Leakage current and electric strength	1200		22 Clearances, creepage distances and solid insulation	3500	
10. Overload protection of transformers and associated circuits	2500		23. Resistance to heat and fire and Proof tracking test	4700	
11. Endurance	1800		24. Resistance to rusting	1200	
12. Abnormal operation	6200		25. Radiation, toxicity and similar hazards	1200	
13. Stability and mechanical hazards	1200				

Classification : Electric juicer · Electric food Classification : Electric juicer · Electric food mixer

			N. 00 12 I		
No. 08-13-L	T ()	D 1	No. 08-13-L	T ()	
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Marking	600		14. Mechanical strength	1200	
2. Protection against access to live parts	1200		15. Construction	3500	
3 Starting of motor-operated appliances	1200		16. Internal wiring	1200	
4. Power input and current	1800		17. Components(depend on IEC standards)		
5. Heating	3500		18. Supply connection and external flexible cords	1800	
6. Overload test of heating appliance	2400		19. Terminals for external conductors	1800	
7. Leakage current and electric strength at operating temperature	1200		20. Provision for earthing	1200	
8. Moisture resistance	3400		21. Screws and connections	1800	
9. Leakage current and electric strength	1200		22. Clearances, creepage distances and solid insulation	3500	
10. Overload protection of transformers and associated circuits	2500		23. Resistance to heat and fire and Proof tracking test	4700	
11. Endurance	3600		24 .Resistance to rusting	1200	
12. Abnormal operation	4700		25. Radiation, toxicity and similar hazards	1200	
13. Stability and mechanical hazards	1200				

Classification : Deep fat

fryers frying pans Classification : Deep fat

fryers frying pans

			pans		
<u>No. 08-13-M</u>			No. 08-13-M		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Marking	600		14. Mechanical strength	1200	
2. Protection against access to live parts	1200		15. Construction	4800	
3. Starting of motor-operated appliances	1200		16. Internal wiring	1200	
4. Power input and current	1300		17. Components(depend on IEC standards)		
5. Heating	3900		18. Supply connection and external flexible cords	1800	
6. Overload test of heating appliance	2400		19. Terminals for external conductors	1800	
7. Leakage current and electric strength at operating temperature	1200		20. Provision for earthing	1200	
8. Moisture resistance	3400		21. Screws and connections	1800	
9. Leakage current and electric strength	1200		22. Clearances, creepage distances and solid insulation	3500	
10. Overload protection of transformers and associated circuits	2500		23. Resistance to heat and fire and Proof tracking test	4700	
11. Endurance	3000		24. Resistance to rusting	1800	
12. Abnormal operation	4700		25. Radiation, toxicity and similar hazards	1800	
13. Stability and mechanical hazards	1200				

Classification : Electric filters and cooker Electric pot

Classification : Electric filters and cooker > Electric pot

No. 08-13-N			No. 08-13-N		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Marking	600		14. Mechanical strength	1200	
2. Protection against access to live parts	1200		15. Construction	4800	
3. Starting of motor-operated appliances	1200		16. Internal wiring	1200	
4. Power input and current	1300		17. Components(depend on IEC standards)		
5. Heating	3900		18. Supply connection and external flexible cords	1800	
6. Overload test of heating appliance	2400		19. Terminals for external conductors	1800	
7. Leakage current and electric strength at operating temperature	1200		20. Provision for earthing	1200	
8. Moisture resistance	3400		21. Screws and connections	1800	
9. Leakage current and electric strength	1200		22. Clearances, creepage distances and solid insulation	3500	
10. Overload protection of transformers and associated circuits	2500		23. Resistance to heat and fire and Proof tracking test	4700	
11. Endurance	3000		24. Resistance to rusting	1800	
12. Abnormal operation	4700		25. Radiation, toxicity and similar hazards	1800	
13. Stability and mechanical hazards	1200				

protection for household and similar installations No 08-13-0

Classification : Circuit-breakers for over-current Classification : Circuit-breakers for over-current protection for household and similar installations No 08-13-0

No. 08-13-O Test items	Test price	Remark	No. 08-13-O Test items	Test price	Remark
1. Checking of Marking	(NT\$) 600		18.Test of Time-Current	(NT\$)	
1. Checking of Marking	000		Characteristic:	2000	
			Conventional Tripping		
			Current (It) Test		
2. Checking of Requirements	2500		19. Test of Time-Current	2000	
for construction and operation			Characteristic:	2000	
1			Conventional		
			Non-Tripping Current		
			(Int) Test		
3. Indelibility of Marking	600		20. Resistance to	1200	
			Mechanical Shock and		
			Impact Test		
4. Reliability of Screws,	1000		21. Test at 1500 A	10000	
Current-Carrying Parts and					
Connections Test	1000			10005	
5. Reliability of Screw-Type	1200		22. Test at Service	12000	
Terminals for External			Short-Circuit Capacity		
Conductors Test	(00		(Ics)	10000	
6. Protection Against Electric Shock Test	600		23. Test at Rated	12000	
SHOCK Test			Short-Circuit Capacity (Icn)		
7. Resistance to Heat Test	1200				
8. Resistance to Abnormal	1200				
Heat and To Fire Test	1200				
9. Resistance to Rusting Test	1250				
10. Resistance to Humidity	3500				
Test					
11. Insulation Resistance of	600				
The Main Circuit Test					
12. Dielectric Strength of The	600				
Main Circuit Test					
13. Temperature Rise Test	2000				
14. 28-Day Test	17400				
15. Mechanical and Electrical	4000				
Endurance Test					
16. Test at Reduced	3800				
Short-Circuit Currents Test					
17. Test of Instantaneous	Each				
Tripping and of Correct	kind				
Opening of The Contacts Test	2000				

Classification : Polyvinyl chloride insulated Classification : Rubber insulated cables cables

No. 08-13-P			No. 08-13-Q		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Marking	600		1. Marking	600	
2. Core identification	300		2. Core identification	300	
3. Construction of cables	700		3. construction	700	
4. Electrical properties	3000		4. Electrical properties	3000	
5. Overall dimensions	1000		5. Overall dimensions	1000	
6. Mechanical properties of insulation	8000		6. Mechanical properties of insulation	10000	
7. Mechanical properties of	8000		7. properties of sheath	10000	
sheath					
8. The loss of mass	6000		8. Tests on completed	1200	
			cables		
9. Pressure test at high	2000				
temperature					
10. impact test at low	3000				
temperature					
11. Heat shock test	2000				
12. Bending test	1500				
13. Static flexibility test	1200				
14. Elongation test at low	3200				
temperature					

Classification : Washing machine, spin extractor

Classification : Washing machine, spin extractor

No. 08-13-R			No. 08-13-R		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Label	600		16. Components(depend on IEC standards)		
2. Protection against access to live parts	1200		17. Supply connection and external flexible cords	1800	
3. Starting of motor-operated appliances	1200		18. Terminals for external conductors	1800	
4. Power input and current	3800		19. Provision for earthing	1200	
5. Heating	3900		20. Screws and connections	1800	
6. Leakage current and electric strength at operating temperature	1200		21. Clearances, creepage distances and solid insulation	3500	
7. Moisture resistance	3400		22. Resistance to heat and fire and Proof tracking test	4800	
8. Leakage current and electric strength	1200		23. Resistance to rusting	1800	
9. Overload protection of transformers and associated circuits	2500		24. Radiation, toxicity and similar hazards	1800	
10. Endurance	4200		25. Test of Starting of motor-operated appliances	1200	
11. Abnormal operation	6200		26. Test of water-extracting performance	2400	
12. Stability and mechanical hazards	1200		27. Noise	1600	
13. Mechanical strength	1200		28. Test of washing performance	4700	
14. Construction	4800		29. Test of quantity of using water	2100	
15. Internal wiring	1200				

No. 09.12 T			No. 08-13-T		
No. 08-13-T Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Marking	600		10. Leakage current	600	
2. Constructions	4600		11. Creepage distances and clearances	600	
3. External and internal wiring	1200		12. Endurance(168hr)	5000	
4. Provision for earthing	600		13. Endurance (240hr)	7500	
5. Protection against electric shock	1200		14. Thermal test(Normal operation)	4600	
6. Resistance to dust, solid objects and moisture(IP)	9900		15. Thermal test(Abnormal operation)	4600	
7. Humidity test	2000		16. Thermal test(Fail lamp contolgear conditions)	4600	
8. Insulation resistance	600		17. Thermal test in regard to fault conditions in lamp controlgear or electronic devices in plastic luminaires	4600	
9. Electric strength	600		18. Resistance to heat ,fire and tracking	3600	

Classification : Luminaires

Classification : Luminaires

Classification : Others			Classification : Others		
No. 08-13-U			No. 08-13-U		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Making of electrical files for typing test product photo	3500		3. Transient Overvoltages	2500	
2. Resistance to dust, solid objects and moisture	9900		4. Ozone concentration	10500	

Classification : Ozone producer No. 08-13-V			Classification : Ozone producer No. 08-13-V			
1. Marking	600		14. Construction	4800		
2. Protection against access to live parts	1200		15. Internal wiring	1200		
3. Starting of motor-operated appliances	1200		16. Components(depend on IEC standards)			
4. Power input and current	3800		17. Supply connection and external flexible cords	1800		
5. Heating	3900		18. Terminals for external conductors	1800		
6. Leakage current and electric strength at operating temperature	1200		19. Provision for earthing	1200		
7. Moisture resistance	3400		20. Screws and connections	1800		
8. Leakage current and electric strength	1200		21. Clearances, creepage distances and solid insulation	3500		
9. Overload protection of transformers and associated circuits	2500		22. Resistance to heat and fire and Proof tracking test	4800		
10. Endurance	4200		23. Resistance to rusting	1800		
11. Abnormal operation	6200		24. Radiation, toxicity and similar hazards	10500		
12. Stability and mechanical	1200		25. Transient	2500		
hazards	1000		overvoltages			
13 Mechanical strength	1200					

Classification : Electric operated air strainer	Classification : Electric operated air strainer
No. 08-13-W	No. 08-13-W

No. 08-13-W			<u>No. 08-13-W</u>		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Marking	600		14. Construction	4800	
2. Protection against access to live parts	1200		15. Internal wiring	1200	
3. Starting of motor-operated appliances	1200		16. Components(depend on IEC standards)		
4. Power input and current	3800		17. Supply connection and external flexible cords	1800	
5. Heating	3900		18. Terminals for external conductors	1800	
6. Leakage current and electric strength at operating temperature	1200		19. Provision for earthing	1200	
7. Moisture resistance	3400		20. Screws and connections	1800	
8. Leakage current and electric strength	1200		21. Clearances, creepage distances and solid insulation	3500	
9. Overload protection of transformers and associated circuits	2500		22. Resistance to heat and fire and Proof tracking test	4800	
10. Endurance	4200		23. Resistance to rusting	1800	
11. Abnormal operation	6200		24. Radiation, toxicity and similar hazards	10500	
12. Stability and mechanical hazards	1200		25. Transient overvoltages	2500	
13. Mechanical strength	1200				

Classification : Portable immersion heater No. 08-13-X Classification : Portable immersion heater No. 08-13-X

NO. 08-13-A			NO. 08-13-A		-
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Marking	600		14. Construction	4800	
2. Protection against access to live parts	1200		15. Internal wiring	1200	
3. Starting of motor-operated appliances	1200		16. Components(depend on IEC standards)		
4. Power input and current	1300		17. Supply connection and external flexible cords	1800	
5. Heating	3900		18. Terminals for external conductors	1800	
6. Leakage current and electric strength at operating temperature	1200		19. Provision for earthing	1200	
7. Moisture resistance	3400		20. Screws and connections	1800	
8. Leakage current and electric strength	1200		21. Clearances, creepage distances and solid insulation	3500	
9. Overload protection of transformers and associated circuits	2500		22. Resistance to heat and fire and Proof tracking test	4800	
10. Endurance	3000		23. Resistance to rusting	1800	
11. Abnormal operation	4700		24. Radiation, toxicity and similar hazards	1800	
12. Stability and mechanical hazards	1200		25. Transient overvoltages	2500	
13. Mechanical strength	1200				

Classification : Hair care			Classification : Hair car	e	
No. 08-13-Y Test items	Test price	Remark	No. 08-13-Y Test items	Test price	Remark
	(NT\$)			(NT\$)	
1. Marking	600		14. Construction	4000	-
2. Protection against access to live parts	1500		15. Internal wiring	1200	
3. Starting of motor-operated			16.		
appliances	1500		Components(depend on IEC standards)		
4. Power input and current			17. Supply connection		-
I	1200		and external flexible	1000	
	1300		cords	1800	
5. Heating	4500		18. Terminals for	1800	-
	4300		external conductors	1000	_
6. Leakage current and			19. Provision for		
electric strength at operating temperature	1200		earthing	1200	
7. Moisture resistance	•		20. Screws and	1000	-
7. Worsture resistance	3800		connections	1800	
8. Leakage current and			21. Clearances,		
electric strength	1200		creepage distances and solid insulation	3800	
9. Overload protection of			22. Resistance to heat		
transformers and associated	3000		and fire and Proof	4800	
circuits			tracking test		
10. Endurance	0.400		23. Resistance to	1000	
	2400		rusting	1200	
11. Abnormal operation		1	24. Radiation, toxicity		1
	6200		and similar hazards	1200	
12. Stability and mechanical	1500		25. Transient	2500	
hazards	1500		overvoltages	2300	
13. Mechanical strength	1500				

Classification : Electricity warm device No. 08-13-Z Classification : Electricity warm device No. 08-13-Z

NO. U8-13-Z			NO. U8-13-Z		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Marking	600		14. Construction	4800	
2. Protection against access to live parts	1200		15. Internal wiring	1200	
3. Starting of motor-operated appliances	1200		16. Components(depend on IEC standards)		
4. Power input and current	3800		17. Supply connection and external flexible cords	1800	
5. Heating	4700		18. Terminals for external conductors	1800	
 Leakage current and electric strength at operating temperature 	1200		19. Provision for earthing	1200	
7. Moisture resistance	3400		20. Screws and connections	1800	
8Leakage current and electric strength	1200		21. Clearances, creepage distances and solid insulation	3500	
9. Overload protection of transformers and associated circuits	2500		22. Resistance to heat and fire and Proof tracking test	4800	
10. Endurance	4200		23. Resistance to rusting	1800	
11. Abnormal operation	6200		24. Radiation, toxicity and similar hazards	1800	
12. Stability and mechanical hazards	1200		25. Transient overvoltages	2500	
13. Mechanical strength	1200				

Classification : Dehumidifier

Classification : Dehumidifier

No. 08-14			No. 08-14		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. label	600		15. Internal wiring	1200	
2. Protection against access	1200		16.Components(depend		
to live parts			on IEC standards)		
3. Starting of motor-operated	1200		17. Supply connection	1800	
appliances			and external flexible		
			cords		
4. Power input and current	3800		18. Terminals for	1800	
			external conductors		
5. Heating	3900		19. Provision for	1200	
			earthing		
6. Leakage current and	1200		20. Screws and	1800	
electric strength at operating			connections		
temperature					
7. Moisture resistance	3400		21. Clearances,	3500	
			creepage distances and		
			solid insulation		
8. Leakage current and	1200		22. Resistance to heat	4800	
electric strength			and fire and Proof		
_			tracking test		
9. Overload protection of	2500		23. Resistance to	1800	
transformers and associated			rusting		
circuits					
10. Endurance	4200		24. Radiation, toxicity	1800	
			and similar hazards		
11. Abnormal operation	6200		25. test of	5400	
			dehumidifying		
			performance		
12. Stability and mechanical	1200		26.Test of Performance	3400	
hazards			at low temperature		
13. Mechanical strength	1200	1	27.Test of	1300	1
			Dehumidifying water		
			process		
14. Construction	4800]	28.Spillage insulation	1300	
			performance		

Classification : Portable electric drill

Classification : Portable electricgrinder & disc grinder No. 08-16

No. 08-15			No. 08-16		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1.Marking & Operation Manual	600		1.Marking & Operation Manual	600	
2.Construction Inspection	2400		2.Marking & Operation Maual	600	
3.over Load test	3000		3.Dimension of Grinding Wheel	600	
4.Locked Rotor Test	1000		4.Installation of Grinding Wheel	600	
5.Noise Test	1000)	5.Construction Inspection	2400	
6.Endurance	3000)	6. over Load test	3000	
7.Impact Endurance	1400)	7.Noise Test	1000	
8.Bending Test for Lead Cable	2500		8.Endurance	3000	
9.Hipot Test	600)	9.Impact Endurance	1400	
10.Insulation Resistance Test	600		10.Bending Test for Lead Cable	2500	
11.Switch On/Off Test	7800		11.Hipot Test	600	
12.Output Power Test	1000		12. Insulation Resistance Test	600	
13.Temperature Rise Test	2000)	13.Switch On/Off Test	7800	
14.Starting Test	600)	14.Output Power Test	1000	
15.Voltage Variation	600)	15.Temperature Rise Test	2000	
			16.Starting Test	600	
			17.Voltage Variation	600	

Classification : Portable electric circular saw	Classification : Portable electric circular saw
No. 08-17	No. 08-17

<u>NO. U8-1/</u>			NO. U8-17		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1.Marking & Operation Manual	600		11Insulation Resistance Test	600	
2.Material	1000)	12Switch On/Off Test	7800	
3.Construction Inspection	2400)	13.Output Power Test	1000	
4.over Load test	3000		14.Consumption electric Test	1000	
5.Locked Rotor Test	1000		15.Temperature Rise Test	2000	
6.Noise Test	1000)	16.Starting Test	600	
7.Endurance	3000		17.Voltage Variation	600	
8.Impact Endurance	1400				
9.Bending Test for Lead Cable	2500				
10Hipot Test	600]

Classification · water dispen	501		Clussifiedtion · Water dis		
No. 08-18-A			No. 08-18-A		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Label	600		14. Construction	4800	
2. Protection against access to live parts	1200		15. Internal wiring	1200	
3. Starting of motor-operated appliances	1200		16. Components(depend on IEC standards)		
4. Power input and current	3800		17. Supply connection and external flexible cords	1800	
5. Heating	3900		18. Terminals for external conductors	1800	
6. Leakage current and electric strength at operating temperature	1200		19. Provision for earthing	1200	
7. Moisture resistance	3400		20. Screws and connections	1800	
8. Leakage current and electric strength	1200		21. Clearances, creepage distances and solid insulation	3500	
9. Overload protection of transformers and associated circuits	2500		22. Resistance to heat and fire and Proof tracking test	4800	
10. Endurance	4200		23. Resistance to rusting	1800	
11. Abnormal operation	6200		24. Radiation, toxicity and similar hazards	1800	
12. Stability and mechanical hazards	1200		25. Temperature of dispensing water	3600	
13. Mechanical strength	1200				

Classification : Water dispenser

Classification: Water dispenser

Classification : Electric Storage Tank Drinking Water Dispensers No. 08-18-B Classification : Electric Storage Tank Drinking Water Dispensers

No. 08-18-B

INO. 00-10-D			NO. 00-10-D		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. label	600		14. Construction	4800	
2. Protection against access	1200		15. Internal wiring	1200	
to live parts					
3. Starting of motor-operated	1200		16. Components(depend		
appliances			on IEC standards)		
4. Power input and current	3800		17. Supply connection	1800	
			and external flexible		
		-	cords		
5. Heating	3900		18. Terminals for	1800	
		-	external conductors		
6. Leakage current and	1200		19.Provision for	1200	
electric strength at operating			earthing		
temperature		-			
7. Moisture resistance	3400		20. Screws and	1800	
		-	connections		
8. Leakage current and	1200		21. Clearances,	3500	
electric strength			creepage distances and		
		-	solid insulation		
9. Overload protection of	2500		22. Resistance to heat	4800	
transformers and associated			and fire and Proof		
circuits			tracking test		
10. Endurance	4200		23. Resistance to rusting	1800	
11. Abnormal operation	6200		24. Radiation, toxicity	1800	
			and similar hazards		
12. Stability and mechanical	1200		25. Construction and	2400	
hazards			material test		
13. Mechanical strength	1200	1			

Classification : Electric instantaneous water	Classification : Electric instantaneous water
heaters	heaters

No. 08-18-C			No. 08-18-C		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Label	600		13. Mechanical strength	1200	
2. Protection against access to live parts	1200		14. Construction	4800	
3. Starting of motor-operated appliances	1200		15. Internal wiring	1200	
4. Power input and current	3800	•	16. Components(depend on IEC standards)		-
5. Heating	3900		17. Supply connection and external flexible cords	1800	
6. Leakage current and electric strength at operating temperature	1200		18. Terminals for external conductors	1800	
7. Moisture resistance	3400		19. Provision for earthing	1200	
8. Leakage current and electric strength	1200		20 Screws and connections	1800	
9. Overload protection of transformers and associated circuits	2500		21.Clearances, creepage distances and solid insulation	3500	
10. Endurance	4200		22. Resistance to heat and fire and Proof tracking test	4800	
11. Abnormal operation	6200		23. Resistance to rusting	1800	
12. Stability and mechanical hazards	1200		24. Radiation, toxicity and similar hazards	1800	

Classification : Air conditioner

Classification: Air conditioner

No. 08-18-D			No. 08-18-D		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Label	600		17. Supply connection and external flexible cords	1800	
2. Protection against access	1200		18. Terminals for external	1800	
to live parts			conductors		
3. Starting of	1200		19. Provision for earthing	1200	
motor-operated appliances					
4. Power input and current	3800		20. Screws and connections	1800	
5. Heating	3900		21. Clearances, creepage	3500	
			distances and solid insulation		
6. Leakage current and	1200		22. Resistance to heat and fire	4800	
electric strength at operating temperature			and Proof tracking test		
7. Moisture resistance	3400		23. Resistance to rusting	1800	
8. Leakage current and	1200		24. Radiation, toxicity and	1800	
electric strength			similar hazards		
9. Overload protection of	2500		25. Total cooling capacity	9500	
transformers and associated circuits					
10. Endurance	4200		26. Maximum cooling test	8200	
11. Abnormal operation	6200		27. Minimum cooling test	8200	
12. Stability and mechanical	1200		28 Freeze-up performance test	8200	
hazards 13. Mechanical strength	1200		29. Enclosure sweat and condensate disposal test	8200	
14. Construction	4800		30. Drip test	8200	
15. Internal wiring	1200		31. Noise	2200	
16. Components(depend on			32. Air conditioner balanced	30000	
IEC standards)			performance test method of heat measurement chamber: (1) Rated cooling performance		

Classification : Air conditioner

Classification: Air conditioner

No.08-18-D	Teat arise		No.08-18-D	Test and a	D 1
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
33. Air conditioner balanced performance test method of heat measurement chamber: (2) Rated intermediate cooling performance	30000		42. Air conditioner balanced performance test method of heat measurement chamber:(11) Minimum heating performance	30000	
34. Air conditioner balanced performance test method of heat measurement chamber: (3) Minimum cooling performance	30000		43. Air conditioner Calorimeter type air enthalpy method performance test: (1) Rated intermediate cooling performance	9500	
35. Air conditioner balancedperformance test method of heatmeasurement chamber: (4)Maximum cooling performance	30000		44. Air conditioner Calorimeter type air enthalpy method performance test: (2) Minimum cooling performance	9500	
36. Air conditioner balanced performance test method of heat measurement chamber: (5) Heating maximum temperature performance	30000		45. Air conditioner Calorimeter type air enthalpy method performance test: (3) Maximum cooling performance	9500	
37. Air conditioner balancedperformance test method of heatmeasurement chamber: (6) Heatingminimum temperature performance	30000		46. Air conditioner Calorimeter type air enthalpy method performance test: (4) Freeze-up performance	9500	
38. Air conditioner balanced performance test method of heat measurement chamber: (7) Enclosure sweat and condensate control performance	30000		47. Air conditioner Calorimeter type air enthalpy method performance test: (5) Heating performance test	9500	
39. Air conditioner balanced performance test method of heat measurement chamber: (8) Freeze-up performance	30000		48. Air conditioner Calorimeter type air enthalpy method performance test: (6) Heating maximum temperature performance	9500	
40. Air conditioner balanced performance test method of heat measurement chamber: (9) Rated heating performance	30000		49. Air conditioner Calorimeter type air enthalpy method performance test: (7) Heating minimum temperature performance	9500	
41. Air conditioner balanced performance test method of heat measurement chamber: (10) Maximum heating performance	30000				

Classification : Cloth dryer			Classification : Cloth dryer			
No. 08-18-E			No. 08-18-E			
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark	
1. label	600		13. Mechanical strength	1200		
2. Protection against access to live parts	1200		14. Construction	4800		
3. Starting of motor-operated appliances	1200		15. Internal wiring	1200		
4. Power input and current	3800		16. Components(depend on IEC standards)			
5.Heating	3900		17. Supply connection and external flexible cords	1800		
6. Leakage current and electric strength at operating temperature	1200		18. Terminals for external conductors	1800		
7. Moisture resistance	3400		19. Provision for earthing	1200		
8. Leakage current and electric strength	1200		20. Screws and connections	1800		
9. Overload protection of transformers and associated circuits	2500		21.Clearances, creepage distances and solid insulation	3500		
10. Endurance	4200		22. Resistance to heat and fire and Proof tracking test	4800		
11. Abnormal operation	6200		23. Resistance to rusting	1800		
12. Stability and mechanical hazards	1200		24. Radiation, toxicity and similar hazards	1800		

Classification : Residual current protective devices(CNS 5422) No. 08-19 Classification : Residual current protective devices(CNS 5422)

No. 08-19

	-	NO. 08-19		
Test price (NT\$)	Remar k	Test items	Test price (NT\$)	Remark
3500		20. Interrupting Performance of	2000	
		Ground Fault Test		
600			4000	
		Test		
600			7000	
000				
600			9000	
000			2000	
600			12000	
000			12000	
2500			6500	
2300		25. Whe Protection rest	0.500	
2500		26 Impulse Voltago	700	
2300			/00	
2500			700	
2500		-	/00	
		wave Resting Test		
2500		28 Heat Circulation	6000	
2300			0000	
600			700	
000		29. Checking of Marking	/00	
800		20	6000	
800			0000	
2000			700	
/800			/00	
2200			2500	
2300			2500	
		11 0		
1 500			0.500	
1500			2500	
1 700		** *		
1500			2500	
		Characteristics Tripping Test		
1500		36. Performance of Overload	4500	
		Switch Characteristics Test		
600		37. Performance of Instantaneous	900	
		Current Characteristics Test		
600				
	 (NTS) 3500 600 600 600 600 2500 25	Test price (NT\$) Remar k 3500 600 600 600 600 600 600 2500 2500 2500 2500 600 800 800 2000 7800 2300 2300	Test price (NT\$)Remar kTest items350020. Interrupting Performance of Ground Fault Test60021. Rated Short Time Current Test60022. Performance of Short-circuit $\leq 10kA$)60023. Performance of Short-circuit $\leq 10kA$)60023. Performance of Short-circuit $\geq 10kA$ 60024. Performance of Short-circuit Protection Test (220V \cdot 25kA < Short-circuit $\leq 25kA$)60024. Performance of Short-circuit Protection Test (220V \cdot 25kA < Short-circuit $\leq 50kA$)250026. Impulse Voltage Withstanding Test250026. Impulse Voltage Withstanding Test250028. Heat Circulation Performance of Main Circuit Connecting Terminal Test60029. Checking of Marking80030. Performance of electrical 	Test price (NTS)Remar kTest itemsTest price (NTS)350020. Interrupting Performance of Ground Fault Test2000 Ground Fault Test2000 Ground Fault Test60021. Rated Short Time Current Test4000 Test60022. Performance of Short-circuit Protection Test (220V > Short-circuit Short-circuit $\leq 10kA$)7000 Protection Test (220V > 10kA < Short-circuit $\geq 25kA$)60024. Performance of Short-circuit Protection Test (220V > 25kA < Short-circuit $\leq 50kA$)12000 Protection Test (220V > 25kA < Short-circuit $\leq 50kA$)250026. Impulse Voltage Withstanding Test700 Withstanding Test250026. Impulse Voltage Qr. Performance of Impulse Wave Resting Test700 Qround Test250028. Heat Circulation Performance of Main Circuit Connecting Terminal Test6000 Qround Test200030. Performance of electrical endurance6000 Qround Test200031. Under-voltage tripping test 33. Performance of 200% current Tripping Characteristics Test700 Qround Test150036. Performance of 100% current Characteristics Tripping Test2500 Qrent Characteristics Test150037. Performance of Now current Characteristics Test2500 Qrent Characteristics Test600037. Performance of Instantaneous Qrent Characteristics Test9000 Qrent Characteristics Test

Classification : The fixed switches for household use $N_0 = 08-20$

Classification : Plug and socket-outlets for household use

nousenoid use					
No. 08-20		D	No. 08-21	The second se	D -
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Marking	600		1. Marking	600	
2. Dimensions and compatibility	1200		2. Dimensions and compatibility	600	
3. Protection against electric	1200		3. Protection against electric	1200	
shock		-	shock		
4. Provision for earthing	1200	-	4. Provision for earthing	1200	
5. Terminals and terminations	1200	-	5. Terminals and terminations	1200	
6. construction	1500		6. Construction of fixed	1500	
		-	socket-outlets		
7. Mechanical device	1500		7. Construction of plugs and	1500	
		-	portable socket-outlets		
8.Resistance ageing,water	2000		8. Interlocked socket-outlets	1500	
and humidity		-			
9. Insulation resistance and	1200		9. Resistance to ageing, protection	2000	
Electric strength			provided by enclosures, and resistance to humidity		
10. Temperature rise	2500	-	10. insulation resistance and	1200	
			Electric strength		
11. Making and breaking	2000	-	11. Operation of earthing	600	
capacity			contacts		
12. Normal operation	5000		12. Temperature rise	2500	
13. Mechanical strength	1500		13. Breaking capacity	2000	
14. heating	1200		14. Normal operation	5000	
15. Screws, current-carrying	1000		15. Force necessary to	600	
parts and connections			withdraw the plug		
16. Creepage distances,	1000		16. Flexible cables and their	1500	
clearances			connection		
17. Resistance of insulation	2400		17. Mechanical strength	1500	
material to heat, fire and tracking		-			
18. Resistance to rusting	1500	-	18. Ball pressure test	1200	
19. EMC requirements			19. Screws, current-carrying	1200	
		-	parts and connections		
			20. Creepage distances,	1000	
		-	clearances		
			21. Resistance of insulation	2400	
		-	material to heat, fire and tracking		
		-	22. Resistance to rusting	1500	
			23. Additional tests on pins	3000	
			provided with insulating sleeves		

Classification : Connectors for appliances use Classification : Electric switches for appliances

No. 08-22			No. 08-23		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Marking	600		1. Marking and documentation	1500	
2. Dimensions and compatibility	600		2. Protection against	1200	
			electric shock		
3. Protection against electric shock	1200		3. Provision for earthing	1200	
4. Provision for earthing	1200		4. Terminals and terminations	1200	
5. Terminals and terminations	1200		5. construction	2000	
6. Construction	1500		6. Mechanism	1500	
7. Moisture resistance	2000		7. Protection against solid foreign objects, ingress of water and humid conditions	2500	
8. insulation resistance and	1200		8. Insulation resistance	1200	
Electric strength			and Electric strength		
9. Forces necessary to insert	600		9. Heating	2500	
and withdraw the connector					
10. Operation of contacts	1000		10. Endurance	5000	
11. Resistance to heating of appliance couplers for hot conditions or very hot conditions	1500		11. Mechanical strength	1500	
12. Breaking capacity	2000		12. Screws, current-carrying parts and connections	1800	
13. Normal operation	5000		13. Creepage distances, clearances, solid insulation and coatings	1000	
14. Temperature rise	2500		14. fire hazard	2400	
15. Cords and their connection	1000		15. Resistance to rusting	1500	
16. Mechanical strength	1500				
17. Resistance to heat and ageing	2000				
18. Screws, current-carrying	1200				
parts and connections					
19. Creepage distances,	1000				
clearances					
20. Resistance of insulation	2400				
material to heat, fire and					
tracking					
21. Resistance to rusting	1500				

Classification : Temperature sensing controls

	•10 101		
equipments No. 08-24			י
Test items	Test price (NT\$)	Remark	
1. Marking	600		-
2. Construction	1500		
3. Test of indelibility of	600		-
marking			
4. Test of reliability of	1200		-
terminals, current-carrying			
parts and connections			
5. Test of reliability of	1000		
terminals for ecternal			
conductors			
6. Test of protection against	1200		
electric shock			
7. Test of resistance to heat	1200		•
8. Test of resistance to	2400		
abnormal heat and to fire			
9. Test of resistance to	1500		1
rusting			
10. humidity	2000		ſ
			(
11. insulation resistance	600		_
12. Electric strength	600		_
13. Temperature rise	2500		
14. 28-day test	13500		
15. Verification of electrical	5000		
operational capability			
16. Test of tripping	4200		
characteristics			
17. Test of resistance to	1200		ſ
mechanical shock and impact			
18. Conditional short-circuit	7500		ſ
tests			

Test items	Test price (NT\$)	Remarl
1. Marking	600	
2. Protection against	1200	
electric shock		
3. Provision for protective	1200	
earthing		
4. Test of reliability of	1000	
screw-type terminals for		
external copper conductors		
5. Constructional requirements	1000	
(Maintana and Just	2000	
6. Moisture and dust resistance	2000	
7. Electric strength and	1200	
insulation resistance		
8. Heating	2500	
9. Humidity	2000	
10.Manufacturing	2000	
deviation and drift		
11. Environmental stress	2000	
12. Endurance	5000	
13. Mechanical strength	1500	
14. Threaded parts and connections	1200	
15. Creepage distances, clearances and distances	1000	
through solid insulation		
16. Resistance to heat, fire	2400	
and tracking	1500	
17. Resistance to	1500	
corrosion		

Classification · Thermai fuse				,	
No. 08-26			No. 08-27		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Marking	600		1. Plug tests according to IEC884-1		
2. Mechanical requirements	1000		2. Appliance inlet tests according to IEC320-1		
3. Creepage distances and clearances	1000		3. Equipment classification	600	
4. Humidity	1500		4. Rating voltage and rating current	600	
5. Electric strength	600		5. Marking	600	
6. Insulation resistance	600		6. The classification of wire	600	
7. Resistance to tracking	1500]	7. The length of wire	600	
8. Loimited short-circuit test capacity	1500				
9. Instantaneous over current	1500				
10. Rating operation temperature check	1500				
11. The max temperature limit check	1500				
12. Heat ageing test	5000				
13. Soldering test	600				
14. Resistance to rusting	600				

Classification : Cord sets

Classification	: Components
N 00 00	

Classification : Components

Remark

			Classification · Components		
No. 08-28			No. 08-28		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	
1. Marking	1000		25. Force necessary to withdraw the plug	1500)
2. Dimensions and compatibility	2000		26. Contact resistance tests	600)
3. Test of indelibility of marking	600		27. Endurance test	5000)
4. Test of reliability of screws, current-carrying parts and connections	1000		28. Endurance to ammonia gas	1200)
5. Test of reliability of screw-type terminals for external copper conductors	1200		29. Tensile load	1500)
6. Protection against electric shock	600		30. Able to bear the intensity	1200)
7.Resistance to heat	1200		31. Voltage drop	2000)
8. Resistance to heating of appliance couplers for hot conditions or very hot conditions	2400		32. Time/current characteristic	2500)
9.Resistance rusting	1250		33. Maximum sustained	2000)
			Dissipation		_
10. Humidity	4200		34. Pulse tests	1500	-
11. Insulation resistance	600		35. 28-days tests	13500)
12. Electric strength	600		36. Instantaneous over current	1500)
13.Temperature rise	2500		37. Temperature ageing tests	5000)
14. 28-day tests	27000		38.Soldering test	600)
15. Test of mechanical and	5000		39. The operation of the test device	6000)
electrical endurance			at the limits of rated voltage		
16. Limited short circuit tests	3800		40. Verification of behaviour of in case of current surges caused by impulse vlotages	1500)
17. Trip characteristic tests	7500		41. The correct operation at residual currents with d.c components	2500)
18. Mechanical stresse	1200		42. Reliability	3500)
19. 1500A short circuit tests	10000		43. Aging of electric components	4800)
20.Ics short circuit tests	12000		44. Creepage and clearance	1000)
			distant		
21.Icn short circuit tests	12000				
22.Short circuit tests (220V , short	7000				
circuit capacity≤10kA)					
23.Short circuit tests (220V, short	9000				1
circuit capacity>10kA , <25kA)					
24.Short circuit tests (220V , short	12000				1
circuit capacity>25kA , <50kA)					

Classification : Residual current operated circuit-breakers(IEC 61008-1 \ IEC 61009-1) No 08-29 Classification : Residual current operated circuit-breakers(IEC 61008-1 \ IEC 61009-1)

No. 08-29			No. 08-29		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Indelibility of Marking	600		17. Limiting Values of The Non-Operating	2500	
			Current Under Overcurrent Conditions		
2. Reliability of Screws,	1000		18. Verification of Behaviour of	1500	
Current-Carrying Parts and Connections			RCCBs In Case of Current Surges		
Test			Caused By Impulse Voltages Test		
3. Reliability of Screw-Type	1200		19. Behaviour of RCCBs In Case of	2500	
Terminals for External Conductors			An Earth Fault Current Comprising A		
Test			D.C. Component Test		
4. Protection Against Electric	600		20. Reliability (climatic tests)	3500	
Shock Test			Test		
5. Dielectric Properties Test	1200		21. Ageing of Electronic	4800	
-			Components Test		
6. Temperature-Rise Test	2500)	22. Verification of The Behaviour of	7000	
•			The RCCB Under Short-Circuit		
			Conditions Test: 220V , ≤ 10 kA		
7. Mechanical Operation and	7800		23. Verification of The Behaviour of	9000	
Operational			The RCCB Under Short-Circuit		
Performance Capability Test			Conditions Test: 220V , >10kA, \leq 25kA		
8. Trip-Free Mechanism Test	7500		24. Test of Instantaneous Tripping and	2000	
			of Correct Opening of The Contacts		
9. Short-Circuit Test	12000		25. Conventional tripping	2000	
			current test		
10. Verify the Behaviour of The	4000		26. Conventional no-tripping	2000	
RCCBs Under Short-Circuit			current test		
Conditions					
11. Resistance to Mechanical	1200		27. Off-Load Tests With Residual	600	
Shock and Impact Test			Sinusoidual Alternating Currents		
12. Resistance to Heat Test	1200		28. Residual Operating	600	
			Characteristics		
13. Resistance to Abnormal	1200		29. Rated short-time	4000	
Heat and To Fire Test			over-current test		
14. Protection Against Electric	700				
Shock Test					
15. Verification of The Operation of	6000				
The Test Device at The Limits of Rated					
Voltage					
16. Behaviour of RCCBs In Case of	2500				1
Failure of The Line Voltage For RCCBs					
Classified According					
to 4.1.2.1.					

Classification: Timer			Classification : Automatic tran	sfer sw	itches
No. 08-30			No. 08-31		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Marking	600		1. Construction	600)
2. Protection against electric shock	1200		2. Use condition	600)
3. Provision for protective earthing	1200		3. Operation sequence control		
			and limit		
4. Test of reliability of screw-type terminals for external copper conductors	1000		3.1. Over voltage condition	600	
5. Constructional requirements	1000		3.2. Lacking voltage condition	600	
6. Moisture and dust resistance	2000		3.3. Operation of power break	600	
7. Electric strength and	1200		3.4. Operation of Voltage drop	600	
insulation resistance					
8. Heating	2500		3.5. Efficiency AC voltage or	600	
			frequency transform		
9. Humidity	2000		3.6. Time of operation switching	600	
10. Manufacturing deviation	2000		4. Temperature rise	2500	
and drift					
11. Environmental stress	2000		5. Insulation property	600	
12. Endurance	5000		6. Making and breaking capacity	2600	
13. Mechanical strength	1500		7. Operation	7800	
14. Threaded parts and	1200		8. Rated short time withstand	4000	
connections			current		
15. Creepage distances, clearances and distances through solid insulation	1000		9. Rated condition short circuit	4000	
16. Resistance to heat, fire and tracking	2400		10. Short circuit test $(220V, under 10kA)$	7000	
17. Resistance to corrosion	1500		11. Short circuit test (220V , over 10kA , under 25kA)	9000	
			12. Short circuit test (220V, over 25kA, under 50kA)	12000	
			13. Short circuit test(220V, under 10kA)	7000)
		1	14. Short circuit test (220V , over	9000)
			10kA, under 25kA)		
			15.Short circuit test (220V, over	12000	
			25kA, under 50kA)		
			16.EMS	By designated EMC testing laboratories	
			17.Electro-magnetic emission	By designated EMC testing laboratories	
			18. Marking	600)

Classification : ITE

Classification : Word processing machine

<u>No. 08-32-A</u>		-	No. 08-32-B		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Components(Charged			1. Components(Charged		
respectively according to IEC			respectively according to IEC		
standard)		-	standard)		
2. Power interface	1600		2. Power interface	1600	
3. Marking & instructions	1200	-	3. Marking & instructions	1200	
4. Protection from electric	2100		4. Protection from electric	2100	
shock and energy hazards	2100	-	shock and energy hazards	2100	
5. Insulation	3200		5. Insulation	3200	
6. SELV circuits	2200		6. SELV circuits	2200	
7. Limited current circuits	2200		7. Limited current circuits	2200	
8. Protective earthing	2100		8. Protective earthing	2100	
9. Disconnection from	1800		9. Disconnection from primary	1800	
primary mains supply	1000		mains supply	1000	
10. Fault protection and			10. Earth fault protection and		
overcurrent in primary	1800		overcurrent in primary circuits	1800	
circuits		-			
11. Safety interlocks	2800		11. Safety interlocks	2800	
12. Clearances			12. Clearances		
distances and distances through insulation	3000		and distances through insulation	3000	
13. Interconnection of equipment	1600	-	13. Interconnection of equipment	1600	
14. Limited power sources	2200		14. Limited power sources	2200	
15. Wiring \connections and			15. Wiring connections and supply		
supply	3400		15. Withing connections and suppry	3400	
16. Stability and mechanical	2600		16. Stability and mechanical	2600	
hazards			hazards		
17. Mechanical strength and	2200		17. Mechanical strength and	2200	
stress relief	3200		stress relief	3200	
18. Details of construction	3600		18. Details of construction	3600	
19. Resistance to fire	2100		19. Resistance to fire	2100	
20. Temperature rise	5100		20 .Temperature rise	5100	
21. Earthing leakage current	2200		21. Earthing leakage current	2200	
22. Insulation electric			22. Insulation electric strength		
strength	3500			3500	
23. Abnormal operating and		-	23. Abnormal operating and		
fault conditions	6200		fault conditions	6200	
24. Connection to		-	24. Connection to		
telecommunication networks	7000		telecommunication networks	7000	
icieconninumeation networks			iciccommunication networks		

Classification : Electric typewriter

Classification : Printing or copying machines

No. 08-32-C			No. 08-32-E	, , , , , , , , , , , , , , , , , , ,	ueiiiies
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Components(Charged respectively according to IEC standard)			1. Components(Charged respectively according to IEC standard)		
2. Power interface	1600		2. Power interface	2600	
3. Marking & instructions	1200		3. Marking & instructions	1800	
4. Protection from electric shock and energy hazards	2100		4. Protection from electric shock and energy hazards	3900	
5. Insulation	3200		5. Insulation	5800	
6. SELV circuits	2200		6. SELV circuits	4200	
7. Limited current circuits	2200		7. Limited current circuits	4800	
8. Protective earthing	2100		8. Protective earthing	3900	
9. Disconnection from primary mains supply	1800		9. Disconnection from primary mains supply	3200	
10. Earth fault protection and overcurrent in primary circuits	1800		10. Earth fault protection and overcurrent in primary circuits	3200	
11. Safety interlocks	2800		11. Safety interlocks	5800	
12. Clearances creepage distances and distances through insulation	3000		12. Clearances	6800	
13. Interconnection of equipment	1600		13. Interconnection of equipment	3000	
14. Limited power sources	2200		14. Limited power sources	3200	
15. Wiring connections and supply	3400		15. Wiring connections and supply	6500	
16. Stability and mechanical hazards	2600		16. Stability and mechanical hazards	4200	
17. Mechanical strength and stress relief	3200		17. Mechanical strength and stress relief	6100	
18. Details of construction	3600		18. Details of construction	8600	
19. Resistance to fire	2100		19. Resistance to fire	6200	
20. Temperature rise	5100		20. Temperature rise	19000	
21. Earthing leakage current	2200		21. Earthing leakage current	7500	
22. Insulation electric strength	3500		22. Insulation electric strength	7500	
23. Abnormal operating and fault conditions	6200		23. Abnormal operating and fault conditions	22000	
24. Connection to telecommunication networks	7000		24. Connection to telecommunication networks	15000	

Classification : Cash register

Classification : Automatic data processing machine

NO. U8-32-G	No.	08-32-G
-------------	-----	---------

No. 08-32-G			No. 08-32-H		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Components(Charged respectively			1. Components(Charged respectively		
according to IEC standard)			according to IEC standard)		
2 .Power interface	1600		2. Power interface	1600	
3. Marking & instructions	1200		3. Marking & instructions	1200	
4. Protection from electric shock	2100		4. Protection from electric	2100	
and energy hazards	2100		shock and energy hazards	2100	
5. Insulation	3200		5. Insulation	3200	
6. SELV circuits	2200		6. SELV circuits	2200	
7. Limited current circuits	2200		7. Limited current circuits	2200	
8. Protective earthing	2100		8. Protective earthing	2100	
9. Disconnection from primary	1000		9. Disconnection from primary	1800	
mains supply	1800		mains supply	1800	
10. Earth fault protection and	1000		10. Earth fault protection and	1800	
overcurrent in primary circuits	1800		overcurrent in primary circuits	1800	
11. Safety interlocks	2800		11. Safety interlocks	2800	
12. Clearances	3000		12. Clearances creepage distances	2000	
and distances through insulation	3000	J	and distances through insulation	3000	
13. Interconnection of equipment	1600		13. Interconnection of	1600	
	1000		equipment	1000	
14. Limited power sources	2200		14. Limited power sources	2200	
15. Wiring connections and supply	3400		15. Wiring connections and supply	3400	
16. Stability and mechanical	2600		16. Stability and mechanical	2600	
hazards			hazards		
17. Mechanical strength and	3200		17. Mechanical strength and	3200	
stress relief	5200		stress relief	5200	
18. Details of construction	3600		18. Details of construction	3600	
19. Resistance to fire	2100		19. Resistance to fire	2100	
20. Temperature rise	5100		20. Temperature rise	5100	
21. Earthing leakage current	2200		21. Earthing leakage current	2200	
22. Insulation electric strength	3500		22. Insulation electric strength	3500	
23. Abnormal operating and fault	6200		23. Abnormal operating and	6200	
conditions	6200		fault conditions	6200	
24. Connection to	7000		24. Connection to	7000	
telecommunication networks	7000		telecommunication networks	7000	

Classification : Monitors for automatic data

Classification : Image scanner

processing system
$N_{0} 09 22 I$

No.08-32-I			No.08-32-L		
Test items	Test price	Remark	Test items		Remark
1. Components(Charged respectively according to IEC standard)	(NT\$)		1. Components(Charged respectively according to IEC standard)	(NT\$)	
2. Power interface	1600		2. Power interface	1600	
3. Marking & instructions	1200		3. Marking & instructions	1200	
4. Protection from electric shock and energy hazards	2100		4. Protection from electric shock and energy hazards	2100	
5. Insulation	3200		5. Insulation	3200	
6. SELV circuits	2200		6. SELV circuits	2200	
7. Limited current circuits	2200		7. Limited current circuits	2200	
8. Protective earthing	2100		8. Protective earthing	2100	
9. Disconnection from primary mains supply	1800		9. Disconnection from primary mains supply	1800	
10. Earth fault protection and overcurrent in primary circuits	1800		10. Earth fault protection and overcurrent in primary circuits	1800	
11. Safety interlocks	2800		11. Safety interlocks	2800	
12. Clearances · creepage distances and distances through insulation	3000		12. Clearances · creepage distances and distances through insulation	3000	
13. Interconnection of equipment	1600		13. Interconnection of equipment	1600	
14. Limited power sources	2200		14. Limited power sources	2200	
15. Wiring connections and supply	3400		15. Wiring \connections and supply	3400	
16. Stability and mechanical hazards	2600		16. Stability and mechanical hazards	2600	
17. Mechanical strength and stress relief	3200		17. Mechanical strength and stress relief	3200	
18. Details of construction	3600		18. Details of construction	3600	
19. Resistance to fire	2100		19. Resistance to fire	2100	
20. Temperature rise	5100		20. Temperature rise	5100	
21. Earthing leakage current	2200		21. Earthing leakage current	2200	
22. Insulation electric strength	3500		22. Insulation electric strength	3500	
23. Abnormal operating and fault conditions	6200		23. Abnormal operating and fault conditions	6200	
24. Connection to telecommunication networks	7000		24. Connection to telecommunication networks	7000	
Classification : Other output or input units

No. 08-32-M

Classification : Computers controlled by special programs and word processing machines with memory storages No. 08-32-N

Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Components(Charged respectively according to IEC standard)			1. Components(Charged respectively according to IEC standard)		
2. Power interface	1600		2. Power interface	1600	
3. Marking & instructions	1200		3. Marking & instructions	1200	
4. Protection from electric	0100		4. Protection from electric	0100	
shock and energy hazards	2100		shock and energy hazards	2100	
5. Insulation	3200		5. Insulation	3200	
6. SELV circuits	2200		6. SELV circuits	2200	
7. Limited current circuits	2200		7. Limited current circuits	2200	
8. Protective earthing	2100		8. Protective earthing	2100	
9. Disconnection from primary	1000		9. Disconnection from primary	1000	
mains supply	1800		mains supply	1800	
10. Earth fault protection and	1800		10. Earth fault protection and	1800	
overcurrent in primary circuits	1600		overcurrent in primary circuits	1800	
11. Safety interlocks	2800		11. Safety interlocks	2800	
12. Clearances			12. Clearances		
and distances through insulation	3000		distances and distances	3000	
			through insulation		
13. Interconnection of	1600		13. Interconnection of	1600	
equipment	1000		equipment	1000	
14. Limited power sources	2200		14. Limited power sources	2200	
15. Wiring \connections and supply	3400		15. Wiring connections and supply	3400	
16. Stability and mechanical	2600		16. Stability and mechanical	2600	
hazards			hazards		
17. Mechanical strength and	3200		17. Mechanical strength and	3200	
stress relief			stress relief		
18. Details of construction	3600		18. Details of construction	3600	
19. Resistance to fire	2100		19. Resistance to fire	2100	
20. Temperature rise	5100		20. Temperature rise	5100	
21. Earthing leakage current	2200		21. Earthing leakage current	2200	
22. Insulation electric strength	3500		22. Insulation electric strength	3500	
23. Abnormal operating and	6200		23. Abnormal operating and	6200	
fault conditions	0200	-	fault conditions	0200	
24. Connection to	7000		24. Connection to	7000	
telecommunication networks	/000		telecommunication networks	7000	

Classification : Magnetic or optical reader

No. 08-32-O

Classification : Data transcribing machines for inputting into data processing machines No. 08-32-P

110.00-32-0			110.00-32-1		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remarl
1. Components(Charged respectively			1. Components(Charged respectively		
according to IEC standard)			according to IEC standard)		
2. Power interface	1600		2. Power interface	1600	
3. Marking & instructions	1200		3. Marking & instructions	1200	
4. Protection from electric	2100		4. Protection from electric	2100	
shock and energy hazards	2100		shock and energy hazards	2100	
5. Insulation	3200		5. Insulation	3200	
6. SELV circuits	2200		6. ELV circuits	2200	
7. Limited current circuits	2200		7. imited current circuits	2200	
8. Protective earthing	2100		8. Protective earthing	2100	
9. Disconnection from primary	1000		9. Disconnection from	1000	
mains supply	1800		primary mains supply	1800	
10. Earth fault protection and	1000		10. Earth fault protection and	1000	
overcurrent in primary circuits	1800		overcurrent in primary circuits	1800	
11. Safety interlocks			11. Safety interlocks		
	2800			2800	
12. Clearances	3000		12. Clearances creepage distances	3000	
and distances through insulation	3000		and distances through insulation	3000	
13. Interconnection of	1600		13. Interconnection of	1600	
equipment	1000		equipment	1000	
14. Limited power sources	2200		14. Limited power sources	2200	
15. Wiring \cdot connections and supply	3400		15. Wiring connections and supply	3400	
16. Stability and mechanical	2600		16. Stability and mechanical	2600	
hazards			hazards		
17. Mechanical strength and	2200		17. Mechanical strength and	2200	
stress relief	3200		stress relief	3200	
18. Details of construction	3600		18. Details of construction	3600	
19. Resistance to fire	2100	1	19. Resistance to fire	2100	
20. Temperature rise	5100	1	20. Temperature rise	5100	
21. Earthing leakage current	2200		21. Earthing leakage current	2200	
22. Insulation electric strength	3500		22. Insulation electric strength	3500	
23. Abnormal operating and			23. Abnormal operating and		_
fault conditions	6200		fault conditions	6200	
24. Connection to	7000	1	24. Connection to	7000	1
telecommunication networks	7000		telecommunication networks	7000	

Classification : Other automatic data processing Classification : Automatic teller machine

No. 08-32-Q			No. 08-32-R		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Components(Charged respectively			1. Components(Charged respectively		
according to IEC standard)			according to IEC standard)		
2. Power interface	1600		2. Power interface	2100	
3. Marking & instructions	1200		3. Marking & instructions	1500	
4. Protection from electric shock	2100		4. Protection from electric	3200	
and energy hazards	2100		shock and energy hazards	3200	
5. Insulation	3200		5. Insulation	4800	
6. SELV circuits	2200		6. SELV circuits	3400	
7. Limited current circuits	2200		7. Limited current circuits	3400	
8. Protective earthing	2100		8. Protective earthing	3900	
9. Disconnection from primary mains supply	1800		9. Disconnection from primary mains supply	2600	
10. Earth fault protection and overcurrent in primary circuits	1800		10. Earth fault protection and overcurrent in primary circuits	2600	
11. Safety interlocks	2800		11. Safety interlocks	5200	ł
12. Clearances \cdot creepage distances and distances through insulation	3000		12. Clearances creepage distances and distances through insulation	5600	
13. Interconnection of equipment	1600		13. Interconnection of equipment	3000	
14. Limited power sources	2200		14. Limited power sources	2800	
15. Wiring \cdot connections and supply	3400		15. Wiring $\hat{\}$ connections and supply	6500	
16. Stability and mechanical	2600		16. Stability and mechanical	4200	
hazards			hazards		
17. Mechanical strength and stress relief	3200		17. Mechanical strength and stress relief	6100	
18. Details of construction	3600		18. Details of construction	6500	
19. Resistance to fire	2100		19. Resistance to fire	3800	
20. Temperature rise	5100	1	20. Temperature rise	12000	
21. Earthing leakage current	2200	1	21. Earthing leakage current	4200	
22. Insulation electric strength	3500	1	22. Insulation electric strength	4900	
23. Abnormal operating and fault conditions	6200		23. Abnormal operating and fault conditions	14000	
24. Connection to telecommunication networks	7000		24. Connection to telecommunication networks	15000	

Classification : UPS

Classification : Electric machines with translation or dictionary functions No. 08-32-T

No. 08-32-S			No. 08-32-T		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Components(Charged respectively			1. Components(Charged respectively		
according to IEC standard)			according to IEC standard)		-
2. Power interface	1600		2. Power interface	1600	-
3. Marking & instructions	1200		3. Marking & instructions	1200	_
4. Protection from electric shock	2100		4. Protection from electric	2100	
and energy hazards	2100		shock and energy hazards	2100	
5. Insulation	3200		5. Insulation	3200	
6. SELV circuits	2200		6. SELV circuits	2200	
7. Limited current circuits	2200		7. Limited current circuits	2200	
8. Protective earthing	2100		8. Protective earthing	2100	
9. Disconnection from primary	1000		9. Disconnection from primary	1000	
mains supply	1800		mains supply	1800	
10. Earth fault protection and	1000		10. Earth fault protection and	1000	
overcurrent in primary circuits	1800		overcurrent in primary circuits	1800	
11. Safety interlocks	2800		11. Safety interlocks	2800	
12. Clearances creepage distances	2000		12. Clearances	2000	
and distances through insulation	3000		and distances through insulation	3000	
13. Interconnection of equipment	1600		13. Interconnection of equipment	1600	
14. Limited power sources	2200		14. Limited power sources	2200	
15. Wiring \cdot connections and supply	3400		15. Wiring \cdot connections and supply	3400	
16. Stability and mechanical	2600		16. Stability and mechanical	2600	
hazards			hazards		
17. Mechanical strength and	2200		17. Mechanical strength and	2200	
stress relief	3200		stress relief	3200	
18. Details of construction	3600		18. Details of construction	3600	
19. Resistance to fire	2100		19. Resistance to fire	2100	
20. Temperature rise	5100		20. Temperature rise	5100	
21. Earthing leakage current	2200		21. Earthing leakage current	2200	
22. Insulation electric strength	3500		22. Insulation electric strength	3500	-
23. Abnormal operating and fault			23. Abnormal operating and		
conditions	6200		fault conditions	6200	
24. Connection to	7000		24. Connection to	7000	
telecommunication networks	7000		telecommunication networks	7000	

Classification: Drafting machines with data

Classification : Pencil sharpener

processing system No. 08-32-U

No. 08-32-U			No. 08-32-V		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Components(Charged respectively according to IEC standard)			1. Components(Charged respectively according to IEC standard)		
2. Power interface	1600		2. Power interface	1000	
3. Marking & instructions	1200		3. Marking & instructions	600	
4. Protection from electric shock and energy hazards	2300		4. Protection from electric shock and energy hazards	1200	
5. Insulation	3400		5. Insulation	1800	
6. SELV circuits	2200		6. SELV circuits	1500	
7. Limited current circuits	2200		7. Limited current circuits	1500	
8. Protective earthing	2400		8. Protective earthing	1200	
9. Disconnection from primary mains supply	1800		9. Disconnection from primary mains supply	1000	
10. Earth fault protection and overcurrent in primary circuits	1800		10. Earth fault protection and overcurrent in primary circuits	1000	
11. Safety interlocks	3100		11. Safety interlocks	1200	
12. Clearances $\$ creepage distances and distances through insulation	3400		12. Clearances $\$ creepage distances and distances through insulation	1800	
13. Interconnection of equipment	2000		13. Interconnection of equipment	1000	
14. Limited power sources	2200		14. Limited power sources	1200	
15. Wiring \connections and supply	3800		15. Wiring connections and supply	2100	
16. Stability and mechanical hazards	3200		16. Stability and mechanical hazards	1200	
17. Mechanical strength and stress relief	3600		17. Mechanical strength and stress relief	1200	
18. Details of construction	4000		18. Details of construction	1800	
19. Resistance to fire	2500		19. Resistance to fire	1200	
20. Temperature rise	5600		20. Temperature rise	2100	
21. Earthing leakage current	2400		21. Earthing leakage current	1200	
22. Insulation electric strength	3800		22. Insulation electric strength	1800	
23. Abnormal operating and fault conditions			23. Abnormal operating and fault conditions	2600	
24. Connection to telecommunication networks	7000		24. Connection to telecommunication networks	3000	

Classification : Sound and televison broadcast equipments

Classification : Single loudspeaker,mounted in their enclousures

No. 08-33-A

No. 08-33-B

Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Components(Charged			1. Components(Charged		
respectively according to			respectively according to		
IEC standard)			IEC standard)		
2. Marking & instructions	1200		2. Marking & instructions	1200	
3. Radiation hazards	2800		3. Radiation hazards	2800	
4. Temperature rise			4. Temperature rise		
measurements in nomal	6800		measurements in nomal	4700	
operating condition			operating condition		
5. Requirements of			5. Requirements of		
construction for protection	2800		construction for protection	2000	
from electric shock			from electric shock		
6. Accessible hazards in	2800		6. Accessible hazards in	2000	
normal operating condition	2800		normal operating condition	2000	
7. Requirements of	5800		7. Requirements of	4800	
insulation	3800		insulation	4600	
8. Fault conditions	7600		8. Fault conditions	5200	
9. Mechanical strength	3000		9. Mechanical strength	2100	
10. Clearance creepage	4900		10. Clearance creepage	2500	
distances	4800		distances	3500	
11. Terminals	2600		11. Terminals	1800	
12. External flexible power	2000		12. External flexible power	1800	
supply cords			supply cords		
13. Electric connection and	2000		13. Electric connection and	1000	
mechanical security	2600		mechanical security	1800	
14. Mechanical strength of			14. Mechanical strength of		
CRT and resistance to	5800		CRT and resistance to	5800	
implosion			implosion		
15. Stability and mechanical	4000		15. Stability and	2000	
hazards	4000		mechanical hazards	2800	
16. Resistance to fire	3600		16. Resistance to fire	2400	

Classification : Mutiple loudspeaker, mounted Classification : Other audio-frequency electric amplifiers in their enclosures

N 00 22 C			N 00 22 D				
No. 08-33-C		1	No. 08-33-D				
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark		
1. Components(Charged			1. Components(Charged				
respectively according to IEC			respectively according to				
standard)			IEC standard)				
2. Marking & instructions	1200		2. Marking & instructions	1200			
3. Radiation hazards	2800		3. Radiation hazards	2800			
4. Temperature rise			4. Temperature rise				
measurements in nomal	4900		measurements in nomal	6400			
operating condition			operating condition				
5. Requirements of			5. Requirements of				
construction for protection	2000		construction for protection	2600			
from electric shock			from electric shock				
6. Accessible hazards in	2000		6. Accessible hazards in	2600			
normal operating condition	2000		normal operating condition	2000			
7. Requirements of insulation	4800	4800	4800		7. Requirements of	5600	
	+000	-	insulation		-		
8. Fault conditions	5400		8. Fault conditions	7200			
9. Mechanical strength	2100		9. Mechanical strength	2800			
10. Clearance creepage	3800		10. Clearance creepage	4600			
distances	5800		distances	4000			
11. Terminals	2000		11. Terminals	2400			
12. External flexible power	1800		12. External flexible power	1800			
supply cords			supply cords				
13. lectric connection and	2000		13. Electric connection and	2400			
mechanical security	2000		mechanical security	2400			
14.echanical strength of CRT			14. Mechanical strength of				
and resistance to implosion	5800		CRT and resistance to	5800			
			implosion				
15. Stability and mechanical	2000		15. Stability and mechanical	3600			
hazards	2800		hazards	5000			
16. Resistance to fire	2400		16. Resistance to fire	3400			

Classification : Electric sound amplifier set Classification : Coin-or-disc operated record player No 08-33-F

			record player		
No. 08-33-E	1	1	No. 08-33-F		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Components(Charged			1. Components(Charged		
respectively according to			-respectively according to		
IEC standard)			IEC standard)		
2. Marking & instructions	1200		2. Marking & instructions	1200	
3. Radiation hazards	2800		3. Radiation hazards	2800	
4. Temperature rise			4. Temperature rise		
measurements in nomal	6800		measurements in nomal	6800	
operating condition			operating condition		
5. Requirements of			5. Requirements of		
construction for protection	2800		construction for protection	3200	
from electric shock			from electric shock		
6. Accessible hazards in			6. Accessible hazards in		
normal operating condition	2800		normal operating	3200	
			condition		
7. Requirements of	5800		7. Requirements of	5800	
insulation		-	insulation		
8. Fault conditions	7600		8. Fault conditions	8600	
9. Mechanical strength	3000		9. Mechanical strength	3800	
10. Clearance creepage	4800		10. Clearance creepage	4800	
distances	4000		distances	+000	
11. Terminals	2600		11. Terminals	2600	
12. External flexible power	2000		12. External flexible	2200	
supply cords			power supply cords		
13. Electric connection and	2600		13. Electric connection	2600	
mechanical security	2600		and mechanical security	3600	
14. Mechanical strength of			14. Mechanical strength of		
CRT and resistance to	5800		CRT and resistance to	5800	
implosion			implosion		
15. Stability and mechanical	4000		15. Stability and	1000	
hazards	4000		mechanical hazards	4800	
16. Resistance to fire	3600		16. Resistance to fire	3800	

Classification : Other record-player with loudspeakers

Classification : Turntables with automatic record-changing mechanism

No. 08-33-G			No. 08-33-H		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Components(Charged respectively according to IEC standard)			1. Components(Charged respectively according to IEC standard)		
2. Marking & instructions	1200		2. Marking & instructions	1200	
3. Radiation hazards	2800		3. Radiation hazards	2800	
4. Temperature rise measurements in nomal operating condition	7000		4. Temperature rise measurements in nomal operating condition	7000	
5. Requirements of construction for protection from electric shock	2800		5. Requirements of construction for protection from electric shock	2800	
6. Accessible hazards in normal operating condition	2800		6. Accessible hazards in normal operating condition	2800	
7. Requirements of insulation	5800		7. Requirements of insulation	5800	
8. Fault conditions	7800		8. Fault conditions	7800	
9. Mechanical strength	3000		9. Mechanical strength	3000	
10. Clearance · creepage distances	5200		10. Clearance creepage distances	5200	
11. Terminals	2600		11. Terminals	2600	
12. External flexible power supply cords	2000		12. External flexible power supply cords	2000	
13. Electric connection and mechanical security	3100		13. Electric connection and mechanical security	3100	
14. Mechanical strength of CRT and resistance to implosion	5800		14. Mechanical strength of CRT and resistance to implosion	5800	
15. Stability and mechanical hazards	4600		15. Stability and mechanical hazards	4600	
16. Resistance to fire	3900		16. Resistance to fire	3900	

Classification : Cassette player

No.08-33-I

Classification : Cassette player

Classification : Audio disc player No 08-33-I

No. 08-33-I			No. 08-33-J	-	
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Components(Charged			1. Components(Charged		
respectively according to			respectively according to		
IEC standard)			IEC standard)		
2. Marking & instructions	1200		2. Marking & instructions	1200	
3. Radiation hazards	2800		3. Radiation hazards	2800	
4. Temperature rise			4. Temperature rise		
measurements in nomal	6800		measurements in nomal	6800	
operating condition			operating condition		
5. Requirements of			5. Requirements of		
construction for protection	2800		construction for protection	2800	
from electric shock			from electric shock		
6. Accessible hazards in	2800		6. Accessible hazards in	2800	
normal operating condition	2800		normal operating condition		
7. Requirements of insulation	5800		7. Requirements of	5800	
		-	insulation	5800	
8. Fault conditions	7600		8. Fault conditions	7600	
9. Mechanical strength	3000		9. Mechanical strength	3000	
10. Clearance v creepage	4900		10. Clearance creepage	4000	
distances	4800		distances	4800	
11. Terminals	2600		11. Terminals	2600	
12. External flexible power	2000		12. External flexible power	2000	
supply cords			supply cords		
13. Electric connection and	2000		13. Electric connection and	2000	
mechanical security	2600		mechanical security	2600	
14. Mechanical strength of		1	14. Mechanical strength of		
CRT and resistance to	5800		CRT and resistance to	5800	
implosion			implosion		
15. Stability and mechanical	4000	1	15. Stability and mechanical	4000	
hazards	4000		hazards	4000	
16. Resistance to fire	3600		16. Resistance to fire	3600	

Classification : Optical audio disc player

Classification : Other sound reproducing apparatus No. 08-33-L

NO. 00-33-K			NO. 08-33-L		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Components(Charged			1. Components(Charged		
respectively according to IEC			respectively according to		
standard)			IEC standard)		
2. Marking & instructions	1200		2. Marking & instructions	1200	
3. Radiation hazards	2800		3. Radiation hazards	2800	
4. Temperature rise			4. Temperature rise		
measurements in nomal	6800		measurements in nomal	6800	
operating condition			operating condition		
5. Requirements of			5. Requirements of		
construction for protection	2800		construction for protection	2800	
from electric shock			from electric shock		
6. Accessible hazards in	2800		6. Accessible hazards in	2800	
normal operating condition	2800		normal operating condition	2600	
7. Requirements of insulation	5800		7. Requirements of	5800	
	5000		insulation	5000	
8. Fault conditions	7600		8. Fault conditions	7600	
9. Mechanical strength	3000		9. Mechanical strength	3000	
10. Clearance creepage	4900		10. Clearance creepage	1000	
distances	4800		distances	4800	
11. Terminals	2600		11. Terminals	2600	
12. External flexible power	2000		12. External flexible power	2000	
supply cords			supply cords		
13. Electric connection and	2.000		13. Electric connection and	2,000	
mechanical security	2600		mechanical security	2600	
14. Mechanical strength of		1	14. Mechanical strength of		
CRT and resistance to	5800		CRT and resistance to	5800	
implosion			implosion		
15. Stability and mechanical	4000	1	15. Stability and mechanical	4000	
hazards	4000		hazards	4000	
16. Resistance to fire	3600		16. Resistance to fire	3600	

Classification : Digital audio type recorder/player

Classification : Other cassette type recording apparatus

No. 08-33-M			No. 08-33-N			
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark	
1. Components(Charged			1. Components(Charged			
respectively according to			respectively according to			
IEC standard)			IEC standard)		_	
2. Marking & instructions	1200		2. Marking & instructions	1200		
3. Radiation hazards	2800		3. Radiation hazards	2800		
4. Temperature rise			4. Temperature rise			
measurements in nomal	6800		measurements in nomal	6800		
operating condition			operating condition			
5. Requirements of			5. Requirements of			
construction for protection	2800		construction for protection	2800		
from electric shock			from electric shock			
6. Accessible hazards in	2800		6. Accessible hazards in	2800		
normal operating condition	2800		normal operating condition	2800		
7. Requirements of insulation	5800		7. Requirements of	5800		
	3800		insulation	3800	_	
8. Fault conditions	7600		8. Fault conditions	7600		
9. Mechanical strength	3000		9. Mechanical strength	3000		
10. Clearance creepage	4900		10. Clearance creepage	4000		
distances	4800		distances	4800		
11. Terminals	2600		11. Terminals	2600		
12. External flexible power	2000		12. External flexible power	2000		
supply cords			supply cords			
13. Electric connection and	2000		13. Electric connection and	2000		
mechanical security	2600		mechanical security	2600		
14. Mechanical strength of			14. Mechanical strength of			
CRT and resistance to	5800		CRT and resistance to	5800		
implosion			implosion			
15. Stability and mechanical	4000		15. Stability and	4000		
hazards	4000		mechanical hazards	4000		
16. Resistance to fire	3600		16. Resistance to fire	3600		

Classification : Open-reel tape recorder

Classification : Cartridge tape recorder

No. 08-33-O			No. 08-33-P				
Test items	Test price (NT\$)	Remark	nark Test items		Remark		
1. Components(Charged			1. Components(Charged				
respectively according to			respectively according to				
IEC standard)			IEC standard)				
2. Marking & instructions	1200		2. Marking & instructions	1200			
3. Radiation hazards	2800		3. Radiation hazards	2800			
4. Temperature rise			4. Temperature rise				
measurements in nomal	6800		measurements in nomal	6800			
operating condition			operating condition				
5. Requirements of			5. Requirements of				
construction for protection	2800		construction for protection	2800			
from electric shock			from electric shock				
6. Accessible hazards in	2800		6. Accessible hazards in	2800			
normal operating condition	2800		normal operating condition	2800			
7. Requirements of	5800		7. Requirements of	5800			
insulation	3800		insulation	3800			
8. Fault conditions	7600		8. Fault conditions	7600			
9. Mechanical strength	3000		9. Mechanical strength	3000			
10. Clearance creepage	4900		10. Clearance	4900			
distances	4800		distances	4800			
11. Terminals	2600		11. Terminals	2600			
12. External flexible power	2000		12. External flexible power	2000			
supply cords			supply cords				
13. Electric connection and	2600		13. Electric connection and	2600			
mechanical security	2600		mechanical security	2600			
14. Mechanical strength of			14. Mechanical strength of				
CRT and resistance to	5800		CRT and resistance to	5800			
implosion			implosion				
15. Stability and mechanical	4000		15. Stability and mechanical	4000			
hazards	4000		hazards	4000			
16. Resistance to fire	3600		16. Resistance to fire	3600			

Classification : Other magnetic tape recorder Classification : Other sound recording or reproducing apparatus

	reproducing apparatus				
No. 08-33-Q	1		No. 08-33-R		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Components(Charged			1. Components(Charged		
respectively according to			respectively according		
IEC standard)			to IEC standard)		
2. Marking & instructions	1200		2. Marking &	1200	
	1200		instructions	1200	
3. Radiation hazards	2800		3. Radiation hazards	2800	
4. Temperature rise			4. Temperature rise		
measurements in nomal	6800		measurements in nomal	6800	
operating condition			operating condition		
5. Requirements of			5. Requirements of		
construction for protection	2800		construction for	2800	
from electric shock	2000		protection from electric	2000	
			shock		
6. Accessible hazards in			6. Accessible hazards in		
normal operating condition	2800		normal operating	2800	
			condition		
7. Requirements of	5800		7. Requirements of	5800	
insulation			insulation		
8. Fault conditions	7600		8. Fault conditions	7600	
9. Mechanical strength	3000		9. Mechanical strength	3000	
10. Clearance creepage	4800		10. Clearance · creepage	4800	
distances	1000		distances	-000	
11. Terminals	2600		11. Terminals	2600	
12. External flexible power	2000		12. External flexible	2000	
supply cords			power supply cords		
13. Electric connection and	2600		13. Electric connection	2600	
mechanical security	2000		and mechanical security	2000	
14. Mechanical strength of			14. Mechanical strength		
CRT and resistance to	5800		of CRT and resistance	5800	
implosion			to implosion		
15. Stability and mechanical	4000		15. Stability and	4000	
hazards	+000		mechanical hazards	+000	
16. Resistance to fire	3600		16. Resistance to fire	3600	

Classification : Magnetic tape-type video tape recorder/player beyond professional specifications No. 08-33-S Classification: Radio-broadcast receivers

No. 08-33-S		No. 08-33-T			
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Components(Charged respectively according to IEC standard)			1. Components(Charged respectively according to IEC standard)		
2. Marking & instructions	1200	1200 2. Marking & instructions		1200	
3. Radiation hazards	2800		3. Radiation hazards	2800	
4. Temperature rise measurements in nomal operating condition	6800		4. Temperature rise measurements in nomal operating condition	6800	
5. Requirements of construction for protection from electric shock	3200		5. Requirements of construction for protection from electric shock	3200	
6. Accessible hazards in normal operating condition	3200		6. Accessible hazards in normal operating condition	3200	
7. Requirements of insulation	5800		7. Requirements of insulation	5800	
8. Fault conditions	7900		8. Fault conditions	7900	
9. Mechanical strength	3100		9. Mechanical strength	3100	
10. Clearance creepage distances	4800		10. Clearance creepage distances	4800	
11. Terminals	2600		11. Terminals	2600	
12. External flexible power supply cords	2000		12. External flexible power supply cords	2000	
13. Electric connection and mechanical security	2600		13. Electric connection and mechanical security	2600	
14. Mechanical strength of CRT and resistance to implosion	5800		14. Mechanical strength of CRT and resistance to implosion	5800	
15. Stability and mechanical hazards	4000		15. Stability and mechanical hazards	4000	
16. Resistance to fire	3600		16. Resistance to fire	3600	

Classification : Monitor

Classification : Projector

<u>No. 08-33-W</u>	No. 08-33-Y				
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Components(Charged			1. Components(Charged		
respectively according to			respectively according		
IEC standard)		-	to IEC standard)		
2. Marking & instructions	1200		2. Marking &	1500	
	1200	-	instructions	1500	
3. Radiation hazards	2800		3. Radiation hazards	3400	
4. Temperature rise			4. Temperature rise		
measurements in nomal	6200		measurements in nomal	7300	
operating condition			operating condition		
5. Requirements of			5. Requirements of		
construction for protection	3200		construction for	3600	
from electric shock	5200		protection from electric	5000	
			shock		
6. Accessible hazards in			6. Accessible hazards in		
normal operating condition	3200		normal operating	3600	
		condition			
7. Requirements of	5800		7. Requirements of	6300	
insulation		-	insulation		
8. Fault conditions	7900	-	8. Fault conditions	8800	
9. Mechanical strength	3100		9. Mechanical strength	3800	
10. Clearance creepage	4200		10. Clearance · creepage	4900	
distances	4200		distances	4900	
11. Terminals	2600		11. Terminals	3000	
12. External flexible power	2000		12. External flexible	2600	
supply cords			power supply cords		
13. Electric connection and	2000		13. Electric connection	2400	
mechanical security	2600		and mechanical security	3400	
14. Mechanical strength of		1	14. Mechanical strength		
CRT and resistance to	5800		of CRT and resistance	5800	
implosion			to implosion		
15. Stability and mechanical	2000		15. Stability and	4500	
hazards	3800		mechanical hazards	4500	
16. Resistance to fire	3600		16. Resistance to fire	4600	

Classification : Television

No. 08-33-Z

Classification : Laser optical disk-type video tape player No. 08-34-A

Test items	Test price	Remark	Test items	Test price	Remark
1. Components(Charged	(NT\$)		1. Components(Charged	(NT\$)	
respectively according to					
IEC standard)		respectively according to IEC standard)			
,	1500		/	1200	
2. Marking & instructions	1500		2. Marking & instructions	1200	
3. Radiation hazards	3400		3. Radiation hazards	2800	
4. Temperature rise			4. Temperature rise		
measurements in nomal	7300		measurements in nomal	6800	
operating condition			operating condition		
5. Requirements of			5. Requirements of		
construction for protection	3600		construction for protection	2800	
from electric shock			from electric shock		
6. Accessible hazards in			6. Accessible hazards in		
normal operating condition	3600		normal operating	2800	
			condition		
7. Requirements of	(200		7. Requirements of	5800	
insulation	6300		insulation		
8. Fault conditions	8800		8. Fault conditions	7600	
9. Mechanical strength	3800		9. Mechanical strength	3000	
10. Clearance creepage	4000		10. Clearance	4000	
distances	4900		distances	4800	
11. Terminals	3000		11. Terminals	2600	
12. External flexible power	2600		12. External flexible	2000	
supply cords			power supply cords		
13. Electric connection and	2400		13. Electric connection	2000	
mechanical security	3400		and mechanical security	2600	
14. Mechanical strength of			14. Mechanical strength of		
CRT and resistance to	5800		CRT and resistance to	5800	
implosion			implosion		
15. Stability and mechanical	4500		15. Stability and	4000	
hazards	4500		mechanical hazards	4000	
16. Resistance to fire	4600		16. Resistance to fire	3600	

Classification : Digital magnetic disk-type video tape recorder/player No. 08-34-B Classification : Other video tape recorder/player

video tape recorder/prayer						
No. 08-34-B	<u>.</u>		No. 08-34-C			
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark	
1. Components(Charged			1. Components(Charged			
respectively according to IEC			respectively according to			
standard)			IEC standard)			
2. Marking & instructions	1200		2. Marking &	1200		
	1200		instructions	1200		
3. Radiation hazards	2800		3. Radiation hazards	2800		
4. Temperature rise			4. Temperature rise			
measurements in nomal	6800		measurements in nomal	6800		
operating condition			operating condition			
5.Requirements of			5. Requirements of			
construction for protection	2800		construction for	2800		
from electric shock	2000		protection from electric	2000		
			shock			
6. Accessible hazards in			6. Accessible hazards in			
normal operating condition	2800		normal operating	2800		
			condition			
7. Requirements of insulation	5800		7. Requirements of	5800		
	5000		insulation	5000		
8. Fault conditions	7600		8. Fault conditions	7600		
9. Mechanical strength	3000		9. Mechanical strength	3000		
10. Clearance creepage	4800		10. Clearance creepage	4800		
distances	4000		distances	4800		
11. Terminals	2600		11. Terminals	2600		
12. External flexible power	2000		12. External flexible	2000		
supply cords			power supply cords			
13. Electric connection and	2000]	13. Electric connection	2000		
mechanical security	2600		and mechanical security	2600		
14. Mechanical strength of]	14. Mechanical strength			
CRT and resistance to	5800		of CRT and resistance to	5800		
implosion			implosion			
15. Stability and mechanical	4000		15. Stability and	4000		
hazards	4000		mechanical hazards	4000		
16. Resistance to fire	3600		16. Resistance to fire	3600		

Classification : Secondary lithium cells and Classification : Secondary lithium batteries for portable applications batteries for electric motorcycles batteries for portable applications No. 08-36

No 08-37

No. 08-36			No. 08-37		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Discharge performance	3000		1. Pre-conditioning and capacity	3400	
2. Charge (capacity) retention and recovery	3000		2. Overcharge	7600	
3. Charge (capacity) recovery after storage	3000		3. External short circuit	8300	
4. Endurance	5000		4. Partial short circuit	8300	
5. Internal resistance	600		5. Unbalance battery charged	7600	
6. Continuous charging	3000		6. Crushing	7700	
7. Shock	600		7. Mechanical shock	4900	
8. Vibration	1200		8. Free fall	1600	
9. Storing at high temperature	1200		9. Vibration	2900	
10. Thermal abuse	2400		10. Thermal stress	5300	-
11. Low pressure	600		11. Thermal cycling	11200	
12. Short circuit	1200		12. Temperature and humidity	8900	
13. Forced discharge	1200		13. Marking	1000	
14. Overcharge	1200		14. Structure design	1600	
15. High rate charging	1200]	15. Electrostatic discharge	2800	
16. Crush	1200		16. Connector durability	6300	
17. Free fall	600]	17. Withstanding voltage	1800	
18. Heat exposure	1200		18. Insulation resistance	1300	
19. Designation and marking	600		19. Salt spray	7100	
20. Electrostatic discharge	3000		20. Connector temperature	10300	
(ESD)			and humidity cycling		-
			21. Connector vibration	2900	
			22. Contact resistance	1800	

Classification : Photobiological Safety of Lamps and Lamp Systems Classification : EMC test (rental of lab/equipment)

No. 08-38			No. 10-1			
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark	
1. Lamp ageing (seasoning)	1400		1. (deleted)			
2. Irradiance measurements	6200		2. (deleted)			
3. Radiance measurements	6200		3. (deleted)			
4. Measurements of source size	840		4. (deleted)			
			5. (deleted)			
			6. (deleted)			
			7. (deleted)			
			8. (deleted)			
			9.Wudu Antenna Site	10000 /half a day	L	

Classification : EMC test			Classification : EMC test				
No. 10-2			No. 10-2				
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark		
1. (deleted)			15.Magnetic field test	3000NTD/ hr.			
2. (deleted)			16.Others	3500NTD/ hr.	•		
3. (deleted)		-					
4. Radiated emission test	8500						
(10m Anechoic Chamber)	NTD/hr.						
5. Radiated emission test	3000						
(3m Anechoic Chamber)	NTD/hr.	-					
6. (deleted)	0.000	-					
7. Radiated emission	9000						
susceptibility test (10m	NTD/hr.						
Anechoic Chamber)	2.500	-					
8. Radiated emission	3500						
susceptibility test (3m	NTD/hr.						
Anechoic Chamber)	• • • •	-					
9. Conducted emission test	3000						
	NTD/hr.	-					
10. Conducted	3000						
susceptibility test	NTD/hr.						
11. Static discharging test	3000						
	NTD/hr.						
12. Conducted transient	3000						
test	NTD/hr.						
13. Harmonic test	3000						
	NTD/hr.						
14. Surge test	3000]					
	NTD/hr.						

Classification:Low-voltage switchgear(rental Classification: Lithium battery modules of lab/equipment) (rental of lab/equipment)

No. 10-5			No. 10-6		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1.Short-Circuit Test	700/		1. Performance Test	2200/	
Equipment(65kA or 25kA)	Set-H		Equipment	half-a-day	
2.Temperature-Rise &	200/		2. Electrical and	4400/	
Over- Current Tripping	Set-half-a-		Crush Test	half-a-day	
Test Equipment	day		Equipment		
(Temperature-rise &					
Over-current tripping &					
Instantaneous tripping &					
Heat cycling & 28-day					
test)					
3.Residual Current	1200/		3. Mechanical Test	2400/	
Operating Test Equipment	half-a-day		Equipment	half-a-day	
4.Electrical Endurance	400/		4. Environmental Test		
Test Equipment	set-half-a-		Equipment	half-a-day	
(600% Over-load &	day				
Mechanical and electrical					
endurance Test & 1500A					
Test)					

Classification : Other type tests

Classification : Technical authentication audit training or other technical services No. 12-1

No. 11-1			No. 12-1		
Test items	Test price	Remark	Test items		Remark
1. Other chemical industrial product type tests	(NT\$) accord- ing to announc-ed test fees		1. authentication work	(NT\$) Be extraly charged depending on conditions	1. Authenticatin work will be charged depending on
2. Other mechanical product type tests	accord- ing to announc- ed test fees		2. lab. audit surveillance operation fees	8000/ per manpower per day	 and materials. Course-related materials will
3. Other product type tests	accord- ing to announc-ed test fees		 3. training fees for general training courses 4. on-site or witness tests 	1500/ per manpower per day 8000/ per manpower per day	be extraly charged for training.3. Ability or comparison tests will be
			5. ability or comparison test	extraly charged depending on conditions	charged depending on manpower-da y \ equipment and materials.
			6. training fees for contracted training courses	extraly charged depending on conditions	
			7. English test report fee	700/ per thousand words	 Charge for CNS and foreign standards with English version will be reduced to a half. Free of charge below 500(incl.) words; charged by 1000 words between 500 and 1500(incl.) words; charged by 2000 words between 1500 and 2000(incl.) words; similarly for others.

Classification : Sample test class with the methods or equipment

Classification : Sample test class with the methods or equipment

No. 13-1	m i		No. 13-1	T	D 1
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1.Induced Couple Plasma Atomic Emission Spectrometer First to the fourth element of each element	1800		12.High performance liquid chromatography Each element from the fifth element	500	
2.Induced Couple Plasma Atomic Emission Spectrometer Each element from the fifth element	500		13.Atomic absorption spectrometer First to the fourth element of each element	1800	
3.Spark Optical Emission Spectrometer First to the fourth element of each element	1800		14.Atomic absorption spectrometer Each element from the fifth element	500	
4.Spark Optical Emission Spectrometer Each element from the fifth element	500		15.Capillary Electrophoresis First to the fourth component of each component	2000	
5.X-Ray Fluorescence Spectrometer First to the fourth element (component) of each element(component)	1800		16.Capillary Electrophoresis Each component from the fifth component	500	
6 .X-Ray Fluorescence Spectrometer Each element (component) from the fifth element (component)	500		17.Gas Chromatography-Mass Spectrophotometer First to the fourth component of each component	3000	
7.Ion Chromatography First to the fourth component of each component	2000		18.Gas Chromatography-Mass Spectrophotometer Each component from the fifth component	1000	
8.Ion Chromatography Each component from the fifth component	500		19.Liquid Chromatography - Mass Spectrophotometer First to the fourth component of each component	3000	
9.Gas Chromatography First to the fourth component of each component	2000		20.Liquid Chromatography - Mass Spectrophotometer Each component from the fifth component	1000	
10.Gas Chromatography each component from the fifth component	500		21.Induced Couple Plasma Atomic Mass Spectrometer First to the fourth element of each element	2200	
11.High performance liquid chromatography First to the fourth component of each component	2000		22.Induced Couple Plasma Atomic Mass Spectrometer Each element from the fifth element	500	

No. 13-1

Classification : Faucets			Classification : Bags, Cases and Trunks		
No. 14			No. 16		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1. Dissolution performance (full items)	64720		1.Loading test	2000	
2. Material	1800	item	2.Expand and contract pull-handle functioning test	2000	
3. Insulation performance tests : (1)Insulation resistance tests	740		3.Walking test	5000	
4. Insulation performance tests: (2)Moisture resistance and Insulation resistance tests	4000		4.Falling test	4200	
5. Insulation performance tests : (3)Electric strength tests	740				
6. Label	500				

169

Classification :	Test for children's be	dguards
------------------	------------------------	---------

Classification : Polymer test (rental of lab/equipment) No. 19

No.17			No. 19		
Test items	Test price (NT\$)	Remark	Test items	Test price (NT\$)	Remark
1.General construction	5000		1. The Pressurized Air Aging Test Equipment	90/hr	
2.Detachable components	700		2. The Expansion Resistance and Corrosion Resistance Test Equipment	30/hr	
3.Mesh strength test	650				
4.Security tests	3000				
5.Security and strength test of folding and locking mechanisms	1800				
6.Setting-up or folding away	1800				
7.Durability	3600				
8.Decals, labels and decorative effects	1000				
9.Marking	500				
10.Instructions for use	500				
11.Non-detachable componets	1400	Reference to No.05-3-1 $0 \\ 05-3-16$ and 05-3 -17 for total prices			
12.Flammability performance of fabrics and fabric assemblies	1300	Reference to No.07-10 -2			
13.Migration of the elements (8 elements)	14400	Reference to No.04-7 -14			
14.Phthalate plasticizers (8 kinds)	16000	Reference to No.04-7 -23			