Amendments to the Legal Inspection Requirements for Electric Pencil Sharpeners and 21 Other Commodities

By the Bureau of Standards, Metrology and Inspection (BSMI), Ministry of Economic Affairs (MOEA.)

Introduction:

BSMI will adopt the newest version of the electrical safety specifications, electromagnetic compatibility and related inspection standards, CNS 15598-1: 2020 and CNS15936: 2016, to bring our regulations in line with the international standards to ensure consumers' safety.

In addition, CNS 15598-1: 2020 was also revised to meet the ratification requirements of the Minamata Convention on Mercury to address the threat to human health and the environment.

For the video recording or reproducing apparatus, the standard to be adopted contains volume limits requirements to protect consumers from hearing loss.

Rechargeable electric pencil sharpener is added in the product scope for legal inspection.

Date of implementation: 1 January 2024

Scope of covered products:

Item	Description of Goods	Inspection Standards (Revisions underlined)	C.C.C. Code (the first 6 digits are the same as HS Code)(Reference)	Conformity Assessment Procedures
1	Electric pencil sharpener (inspection scope: single-phase AC and DC below 300V, including rechargeable ones, exclusive of those medical devices or telecommunications terminal equipment)	1 · CNS 13783-1(<u>2013</u>) 2 · <u>CNS 15598-1(2020</u>) 3 · CNS 15663 (2013) Section 5"Marking of Presence"	8472.90.30.00.8	RPC Scheme (Modules II+III) or TABI Scheme
2	Electric paper shredder (inspection scope: single-phase AC and DC electric paper shredders below 300V and power consumption below 500W, exclusive of those medical devices or telecommunications terminal equipment)	1 · CNS 13783-1 (2013) 2 · CNS 15598-1(2020) 3 · CNS 15663 (2013) Section 5"Marking of Presence"	8472.90.90.00.5	RPC Scheme (Modules II+III) or TABI Scheme
3	Chargers for electrical motorcycles (inspection scope: exclusive of those medical devices or telecommunications terminal equipment)	1 · <u>CNS 15936 (2016)</u> 2 · CNS 15425-1(2015) 3 · CNS 15663 (2013) Section 5"Marking of Presence"	8504.40.20.00.3B 8504.40.91.00.7B 8504.40.94.00.4A 8504.40.99.90.0B	RPC Scheme (Modules II+III)
4	Battery charger for computer, communication and consumer electronics (inspection scope: exclusive of those medical devices or telecommunications terminal equipment)	1 \ Choose one of two (1) CNS 15936 (2016) and CNS 15598-1 (2020) (2) CNS 13783-1 (2013) and CNS 60335-1(2014) and CNS 60335-2-29(2019) 2 \ CNS 15663 (2013) Section 5"Marking of Presence"	8504.40.20.00.3C 8504.40.91.00.7C 8504.40.94.00.4B 8504.40.99.90.0C	RPC Scheme (Modules II+III)

5	Chargers for electrical bikes (inspection scope: exclusive of those medical devices or telecommunications terminal equipment)	1 · <u>CNS 15936 (2016)</u> 2 · CNS 15425-1(2015) 3 · CNS 15663 (2013) Section 5"Marking of Presence"	8504.40.20.00.3E 8504.40.91.00.7E 8504.40.94.00.4D 8504.40.99.90.0E	RPC Scheme (Modules II+III)
6	Chargers for assisted electrical bikes (inspection scope: exclusive of those medical devices or telecommunications terminal equipment)	1 · <u>CNS 15936 (2016)</u> 2 · CNS 15425-1(2015) 3 · CNS 15663 (2013) Section 5"Marking of Presence"	8504.40.20.00.3F 8504.40.91.00.7F 8504.40.94.00.4E 8504.40.99.90.0F	RPC Scheme (Modules II+III)
7	Wireless Charger (inspection scope: exclusive of those medical devices or telecommunications terminal equipment)	1 · <u>CNS 13803(2018)</u> 2 · <u>CNS 15598-1 (2020)</u> 3 · CNS 15663 (2013) Section 5"Marking of Presence"	8504.40.20.00.3G 8504.40.99.90.0H	RPC Scheme (Modules II+III)
8	Power supply products for automotive cigar lighter (inspection scope: exclusive of those medical devices or telecommunications terminal equipment)	1 · <u>CNS 15936 (2016)</u> 2 · <u>CNS 15598-1 (2020)</u> 3 · CNS 15663 (2013) Section 5"Marking of Presence"	8504.40.99.90.0G	RPC Scheme (Modules II+III)
9	Laser-optical video disc recorder/player or player (inspection scope: exclusive of those medical devices or telecommunications terminal equipment)	1 · <u>CNS 15936 (2016)</u> 2 · <u>CNS 15598-1 (2020)</u> 3 · CNS 15663 (2013) Section 5"Marking of Presence"	8521.90.10.00.3	RPC Scheme (Modules II+III) or TABI Scheme
10	Digital record hard disk type video recorder/player or video player, with BNC connector which can connect out with RS232, RS422 or GPI interface (inspection scope: exclusive of those medical devices or telecommunications terminal equipment)	1 · CNS 15936 (2016) 2 · CNS 15598-1 (2020) 3 · CNS 15663 (2013) Section 5"Marking of Presence"	8521.90.30.00.9	RPC Scheme (Modules II+III) or TABI Scheme
11	Other video recording or reproducing apparatus (inspection scope: exclusive of those medical devices or telecommunications terminal equipment)	1 \ \(\colon \colon \text{CNS 15936 (2016)}\) 2 \ \(\colon \colon \text{15598-1 (2020)}\) 3 \ \(\colon \colon \colon \text{15663 (2013) Section 5"Marking of Presence"}\)	8521.90.90.00.6	RPC Scheme (Modules II+III) or TABI Scheme
12	Navigation apparatus (inspection scope: exclusive of those for marine, for aviation, medical devices or telecommunications terminal equipment)	1 · <u>CNS 15936 (2016)</u> 2 · <u>CNS 15598-1 (2020)</u> 3 · CNS 15663 (2013) Section 5"Marking of Presence"	8526.91.90.00.0	RPC Scheme (Modules II+III) or TABI Scheme
13	Monitors (inspection scope: exclusive of those medical devices or telecommunications terminal equipment)	 CNS 15936 (2016) CNS 15598-1 (2020) CNS 15663 (2013) Section 5"Marking of Presence" The directions to note the warning for information, communication and consuming electronic products 	8528.49.10.00.8 8528.49.20.00.6 8528.59.10.00.5 8528.59.20.00.3	RPC Scheme (Modules II+III) or TABI Scheme

14	Head-mounted monitors (inspection scope: exclusive of those medical devices or telecommunications terminal equipment)	 CNS 15936 (2016) CNS 15598-1 (2020) CNS 15663 (2013) Section 5"Marking of Presence" The directions to note the warning for information, communication and consuming electronic products 	8528.49.10.00.8A 8528.49.20.00.6A 8528.59.10.00.5A 8528.59.20.00.3A 9504.50.00.10.0A 9504.50.00.19.1A 9504.50.00.90.3A	RPC Scheme (Modules II+III) or TABI Scheme
15	Projectors (inspection scope: exclusive of those medical devices or telecommunications terminal equipment)	1 · <u>CNS 15936 (2016)</u> 2 · <u>CNS 15598-1 (2020)</u> 3 · CNS 15663 (2013) Section 5"Marking of Presence"	8528.62.00.10.0 8528.62.00.20.8 8528.62.00.90.3 8528.69.10.00.3A(intern al projectors) 8528.69.10.00.3B(extern al projectors) 8528.69.20.00.1	RPC Scheme (Modules II+III) or TABI Scheme
16	Video tuners (having digital terrestrial television reception capability. Excluding those for only vehicle use or computer use, medical devices or telecommunications terminal equipment)	1 · <u>CNS 15936 (2016)</u> 2 · <u>CNS 15598-1 (2020)</u> 3 · <u>CNS 14972(2016)</u> 4 · CNS 15663 (2013) Section 5"Marking of Presence"		RPC Scheme (Modules II+III) or TABI Scheme
17	Network media players (inspection scope: exclusive of those medical devices or telecommunications terminal equipment)	1 · <u>CNS 15936 (2016)</u> 2 · <u>CNS 15598-1 (2020)</u> 3 · CNS 15663 (2013) Section 5"Marking of Presence"	8528.71.20.00.7A (Wired network media players) 8528.71.20.00.7C (wireless network media players) 8528.71.91.00.1	RPC Scheme (Modules II+III) or TABI Scheme
18	Video tuners with network function (only device for wireless TV reception function, exclude car use or computer use, medical devices or telecommunications terminal equipment)	1 · CNS 15936 (2016) 2 · CNS 15598-1 (2020) 3 · CNS 14972(2016) 4 · CNS 15663 (2013) Section 5"Marking of Presence"	8528.71.20.00.7B	RPC Scheme (Modules II+III) or TABI Scheme
19	lance or or object to a though	 CNS 15936 (2016) CNS 15598-1 (2020) CNS 14972(2016) CNS 15663 (2013) Section 5"Marking of Presence" The directions to note the warning for information, communication and consuming electronic products 	8528.72.00.00.0 8528.73.00.00.9	RPC Scheme (Modules II+III) or TABI Scheme
20	Language learning machine (inspection scope: exclusive of those medical devices or telecommunications terminal equipment)	1 · <u>CNS 15936 (2016)</u> 2 · <u>CNS 15598-1 (2020)</u> 3 · CNS 15663 (2013) Section 5"Marking of Presence"	8543.70.95.00.9 8543.70.99.90.6B 8543.70.99.90.6C	RPC Scheme (Modules II+III) or TABI Scheme
21		1 · <u>CNS 15936 (2016)</u> 2 · <u>CNS 15598-1 (2020)</u> 3 · CNS 15663 (2013) Section 5"Marking of Presence"	8521.10.12.00.8 8521.10.19.00.1 8521.10.22.00.6 8521.10.29.00.9	Declaration of Conformity

22	devices or telecommunications terminal	3 · CNS 15663 (2013) Section 5"Marking	8527.12.00.00.4	Declaration of Conformity
	equipment)	of Freschee		

Description of the three kinds of conformity assessment procedures

1. Registration of Product Certification (RPC) Scheme: Modules II+III

Under the II+III combination of modules used in this scheme, domestic manufacturers or importers must have their products type-tested in advance (Module II) by the BSMI or BSMI-designated testing laboratories before applying for registration of their products. Manufacturers or importers will also be required to ensure by declaration (Module III, conformity-to-type declaration) that all products made at their manufacturing facilities or imported are in conformity with the prototypes submitted for type-test at Module II stage.

2. Type-Approved Batch Inspection (TABI) Scheme

Under this procedure, manufacturers or importers shall have their products type-tested by the BSMI or BSMI-designated testing laboratories, and file an application for Type Approval to the BSMI or its branches.

After manufacturers or importers obtain a Type Approval certificate, they are required to file an application for batch inspection to the BSMI each time before their products are released from the production premises or arrive at the port of entry. The BSMI will then review the application and the related documents while additional samples may be required for further testing if it is deemed necessary.

After the products have passed the inspection, they will be allowed to use the Commodity Inspection Mark with the letter 'T' and the identification number given by the BSMI. The application fee for the Type Approval is NT\$3,500, and a Type Approval certificate is valid for three years. The fees for type testing vary by products and depend on the fee policies of the testing laboratories.

3. Declaration of Conformity (DoC) Scheme

The manufacturer or importer shall obtain testing report from the BSMI-designated laboratories, prepare relevant technical documents, and shall draw up a Declaration of Conformity. Both the technical documents and Declaration of Conformity shall be kept by the manufacturer or importer for an applicable period.

The manufacturer or importer shall apply to the BSMI or its branch for registration and a registration number for the DoC marking.

The DoC marking printed by the manufacturer or importer must be affixed to the body of the products.

4. Further information about the three schemes is also available on the BSMI website at https://www.bsmi.gov.tw/wSite/lp?ctNode=9768&CtUnit=4132&BaseDSD=7&mp=2

Locations to apply for Registration of Product Certification or Type-Approved Batch Inspection: The BSMI or its branches.

Time required for Registration of Product Certification:

14 working days. (This period does not include the time for corrective actions by the applicant due to deficiencies in the documents or samples. Extra seven working days may be required if additional tests are required.)

Related requirements:

1. The revised inspection standards listed in the table will come into force on the date of announcement and

- the current inspection standards will become invalid from 1 January 2024.
- 2. The applicable inspection schemes of item 16 image tuners and item 20 language learning machines are changed to RPC or TABI, the other commodities inspection schemes remain unchanged. For a commodity described in a declaration of conformity, declaration of conformity will be invalid from 1 January 2025 if declaration of conformity are not updated according to the revised inspection standards before 31 December 2024.
- 3. Rechargeable electric pencil sharpener will be subject to mandatory inspection from 1 January 2024.
- 4. Sections 4.1, 4.2.3 and 4.3.5 of CNS 15425-1: 2015 are not applicable to chargers for electrical bicycles and assisted bicycles use.
- 5. For the language learning machines, remove the reference C.C.C Codes 8543.70.53.00.9, 8543.70.93.00.1 8543.70.94.00.0 and import regulation codes C02.
- 6. The video tuners (having digital terrestrial television reception capability. Excluding those for only vehicle use or computer use, medical devices or telecommunications terminal equipment) of the listed products will be implemented border control since 1 January 2024, and its import regulation codes will be C02.
- 7. Except for battery charger for computer, communication and consumer electronics, wireless charger and power supply products for automotive cigar lighter, the inspection standard CNS 15598-1: 2020 is applicable for the product with AC power, rechargeable lithium batteries, or additional power conversion devices.
- 8. For the listed products use button-type batteries to provide power, they shall comply with the relevant provisions of the CNS 15598-1 standard for button-type batteries.
- 9. The listed products with personal music players features must comply with section 10.6 of CNS 15598-1.
- 10. The listed products with electronic displays features must comply with the provisions of section 7.2 of CNS 15598-1.
- 11. For the requirement of Section 5 "Marking of presence" of CNS 15663, the certificate holders of the commodities shall clearly mark the presence condition of the restricted substances on the body, packages, stickers, or the instruction books of the commodities. Those who utilize website as a means to announce the presence condition of the restricted substances of the commodities shall clearly mark the website address on the body, packages, stickers, or the instruction books of the commodities, instead.
- 12. The Commodity Inspection Mark:
- (1) The Commodity Inspection Mark shall be printed by the certificate holders. The identification number of the Commodity Inspection Mark consists of "Letter (R or T)," "Designated Code (five digits)" and the presence conditions of the restricted substance (e.g., RoHS or RoHS (XX,XX)).
- (2) The identification number shall be placed below or to the right of the graphic symbol and the presence conditions of the restricted substance shall be indicated in the second row.
- (3) The size of the Mark can be applied proportionally on a prominent location of the commodities. The Mark shall use materials that are not easily altered, and the content shall be in a clearly identifiable and indelible form affixed permanently to the commodity.
- (4) For RPC scheme, the examples of the Commodity Inspection Mark are listed below:









(5) For TABI scheme, the examples of the Commodity Inspection Mark are listed below:









(6) "RoHS" indicates the content of restricted substance(s), other than exemptions stated in CNS 15663, does not exceed the reference percentage value of presence condition.

"RoHS (XX,XX)" indicates the content of restricted substance(s) (element XX, element XX, ...), other than exemptions stated in CNS 15663, exceeds the reference percentage value of presence condition.

The restricted substances: indicates Pb, Cd, Hg, Cr⁺⁶, PBB, and PBDE.

Example:

- RoHS (Pb): indicates that the Pb percentage content in certain parts of the commodity exceeds the reference percentage value of presence condition.
- RoHS (Cd, Cr⁺⁶, PBB): indicates that the Cd, Cr⁺⁶, and PBB percentage content in certain parts of the commodity exceed the reference percentage value of presence condition respectively.
- 13. The C.C.C. Code listed in the table are used for reference only. The commodity shall still comply with the requirements before entering into the market, even though its C.C.C. Code is identified differently by the Customs Administration, Ministry of Finance or Bureau of Foreign Trade, Ministry of Economic Affairs.
- 14. The inspection standards of the commodities listed in the table shall be the version published in this announcement. If any updated version is available, the BSMI shall publish the implementation date of the updated version in further announcements.
- 15. Commodities with combined features or multifunctional products shall comply with the respective inspection standards.
- 16. The medical equipment described in the table indicates the medical equipment regulated under the Pharmaceutical Affairs Act.
- 17. The telecommunications terminal equipment mentioned in the table is the telecommunications terminal equipment regulated under in the Telecommunications Act.
- 18. The listed commodities that have obtained the vehicle safety testing report issued by the certification institutions authorized by the Ministry of Transportation and Communications are not within the scope of the inspection items required by the BSMI.

Table 1.Example of markings for the presence conditions of the restricted substances exceeds the reference percentage value of presence conditions

Equipment name: Electric pencil sharpener, Model:XXX(*)							
	Restricted substances and its chemical symbols						
Unit	Lead	Mercury	Cadmium	Hexavalent	Polybrominated	Polybrominated	
01111				Chromium	Biphenyls	Diphenyl Ethers	
	(Pb)	(Hg)	(Cd)	(Cr ⁺⁶)	(PBB)	(PBDE)	
Circuit board	Exceeding 0.1 wt %	0	0	0	0	0	
Control panel	0	0	0	0	0	0	
Power switch		Exceeding 0.1 wt %	0	0	0	0	
Power cord	0	0	0	0	0	0	
Shell	0	0	Exceeding 0.01 wt %	0		Exceeding 0.1 wt %	

Note 1: "Exceeding 0.1 wt %" and "exceeding 0.01 wt %" indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition.

Note 2: "O" indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

Note 3: The "-" indicates that the restricted substance corresponds to the exemption.

Table 2 Example of markings for the content of the restricted substances other than exemption do not exceed the reference percentage value of presence condition

Equipment name: Electric pencil sharpener, Model : YYY(*)						
	Restricted substances and its chemical symbols					
Unit	Lead	Mercury	Cadmium	Hexavalent	Polybrominate	Polybrominated
	(Pb)	(Hg)	(Cd)	chromium (Cr ⁺⁶)	d biphenyls (PBB)	diphenyl ethers (PBDE)
Electric board	0	0	0	0	0	0
Control panel	0	0	0	0	0	0
Power switch	1	0	0	0	0	0
Power cable	0	0	0	0	0	0
Shell	0	0	0	0	0	0

Note 1: "O" indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

Note 2: The "-" indicates that the restricted substance corresponds to the exemption.

^(*) The "name and model" row can be omitted if the position of "the markings for the presence conditions" shows clearly to specify the corresponding commodity. Multiple models could be shown together in the same field if "the markings for the presence conditions" can be applied to contemporarily.