

## **Operation Directions Governing the Inspection of Children's Raincoats**

Adopted and promulgated by the Bureau of Standards, Metrology and Inspection, Ministry of Economics Affairs on April 13, 2015. First revised on May 29, 2019. Second revised on July 8, 2025.

1. These Operation Directions are stipulated for the inspection of children's raincoats by the Bureau of Standards, Metrology and Inspection (BSMI).
2. These Operation Directions are applicable to children's raincoats which are labeled "children's raincoat" or "suitable for height from 70 cm to 150 cm" but excluded water proof textile clothing, no matter domestically manufactured in or imported to Taiwan.
3. The inspection schemes for children's raincoats are Monitoring Inspection or Registration of Product Certification (RPC). For RPC, the procedure is a combination of type test (Module 2) and declaration of conformity to type (Module 3).
4. Inspection standards and inspection items:
  - (1) 6 phthalate plasticizers (DBP, BBP, DEHP, DNOP, DINP and DIDP) contents: the inspection is performed in accordance with CNS 15503 "General requirements for safety of children's products."
  - (2) 8 heavy metals (Sb, As, Ba, Cd, Cr, Pd, Hg and Se) contents: the inspection is performed in accordance with CNS 15503 "General requirements for safety of children's products."
  - (3) Cords and drawstrings in hood and neck area: the inspection is performed in accordance with Clauses 3.1~3.3 of CNS 15291 "Safety of children's clothing-Cords and drawstrings on children's clothing-Specifications."
  - (4) Labeling in Chinese: All labeled text shall be in traditional Chinese and include the following information:
    - (a) Name of the product.
    - (b) Main content or materials.
    - (c) Suitable height.
    - (d) Date of manufacture (date, month and year).
    - (e) Name, telephone number and address of the manufacturer (or its agent), the place of origin of the product; for imported products, the name, telephone number

and address of the importer, its agent or distributor as well.

(f) User's instruction, caution (such as treatment after use, method of storage and washing, etc.) or warnings (such as warning for the cord, keeping away from fire sources, etc.)

(g) Commodity Inspection Mark: the Mark shall be affixed to the body of the product, user manuals or the smallest packaging in a prominent place in accordance with Article 12 of Commodity Inspection Act.

#### 5. Monitoring Inspection:

##### (1) Commodity Inspection Mark

(a) The obligatory inspection applicant, when making inspection applications to the BSMI or its subsidiary branches (hereinafter referred to as the inspection authority), may purchase the Roman letter "C" Mark labels printed by the BSMI or apply for permission to self-print the commodity inspection mark.

(b) When making applications for self-printing the Commodity Inspection Mark, the obligatory inspection applicant shall submit the completed "Application Form of Self-Printing Commodity Inspection Mark" to the inspection authority and attach the Certificate of Factory Registration, Certificate of Business Registration or other equivalent documents.

(c) The Self-Printing Commodity Inspection Mark contains the Roman letter "M" and a designated code, which is the "monitoring inspection registration number, and QR Code (quick-response code)." The Roman letter and the designated code shall be placed to the right of or below the graphic symbol of the Commodity Inspection Mark. Even though the obligatory inspection applicants have already obtained permission of self-printing the Commodity Inspection Mark for other monitoring-inspection products, they shall apply for addition of children's raincoats into the product scope by following the requirements mentioned in the preceding paragraphs.



(2) For the inspection applications made to the inspection authority, the obligatory inspection applicant, place of origin, manufacturing premise and C.C.C. Code in a batch of commodities shall be the same. In the same batch of commodities, the product name, model or specification, quantity, place of origin and date of

manufacture shall be filled out in the inspection application form item by item, and attached with a sample of the Chinese label. The application will not be accepted by the inspection authority if the preceding requirements are not followed.

(3) When the obligatory inspection applicants have made applications for commodities of the same place of origin, same manufacturing premises, and same C.C.C. Code and these commodities comply with the requirements for 10 consecutive batches, they are entitled to the procedure of random-selected batch inspection at a sampling rate of 50%. When a further 30 consecutive batches sampled are confirmed to be in compliance with the inspection requirements and there are no violations within 1 year, the sampling rate will be reduced to 20%. The sampling rate shall be increased where necessary.

(4) The procedure of release after document examination shall apply to batches of commodities that are not sampled under random-selected batch inspection. A list of such batches will be generated by the computer for examining their Chinese labels. Samples will be taken from such batches for inspection, where necessary.

(5) For batches of commodities that are randomly selected for inspection, a list of items to be sampled will be generated by the computer. For each application, 2 item will be randomly sampled out of every 3 items, with a minimum of 1 item and maximum of 10 items to be sampled. For each sampled item, 1 product will be randomly selected for inspection against the requirements mentioned in Clause 4 and examined for their Chinese labeling as well as the Commodity Inspection Mark. The total number of items and samples selected for inspection may be increased, where necessary.

(6) For batches of commodities that are randomly selected for inspection, the procedure of drawing samples may be exempted if all items listed in the inspection application form have obtained type test reports (of the same type and issued within 12 months) from the BSMI designated testing laboratories for children's raincoats. It only requires performing on-site checks of the Commodity Inspection Mark and the Chinese labeling. Where only part of the items listed in the inspection application form obtain type test reports (of the same type and issued within 12 months) from the BSMI designated testing laboratories for children's raincoats, similar procedure shall be applicable to those items covered by the type test reports. For those items not covered by the type test reports, samples still need to be taken for inspection in accordance with Clause 5.(5). For products that have obtained type test reports, the inspection authority may take samples for inspection where necessary.

(7) Commodities that have been approved for prior released by the inspection authority, the obligatory inspection applicant, after having transported the

commodities to the storage place, shall inform the inspection authority to take samples and seal products, check the Commodity Inspection Mark and Chinese labeling at the place of storage. The inspection authority shall perform sampling in accordance with Article 12 of the Enforcement Rules of the Commodity Inspection Act.

(8) Inspection unit: Inspection authority or testing laboratories commissioned by the BSMI.

(9) Inspection period: 7 working days after sampling.

(10) The inspection authority shall issue a notice of unsatisfactory inspection results for commodities that do not comply with requirements. The obligatory inspection applicant may apply for re-inspection without any charge for one time within 15 days after receiving such notice. For items that are complied with the requirements may be released separately. Products that are not complied with the requirements shall be processed in accordance with *Regulations Governing Disposition of Commodities Failing Inspection and Operation Procedures for Returning and Destroying Commodity*, to be specified as followings:

(a) Items of products that are not complied with the requirements may be returned, destroyed, rectified under surveillance.

(b) For commodities that are not complied with inspection requirements and will be returned, the obligatory inspection applicant shall report to the inspection authority and provide export-related documents issued by the Customs, within three months after the commodities are returned in order to close the case. The inspection authority will close the case after crosschecking the on-line export information in the customs database.

(c) For commodities that are not complied with inspection requirements and will be destroyed, the obligatory inspection applicant shall make application to the inspection authority by presenting the notice of unsatisfactory inspection results, import declaration (not applicable for domestically-manufactured products) and the destruction plan. The inspection authority shall dispatch officers to monitor the execution of destruction plan.

(d) For commodities that are not complied with inspection requirements and will be applied for re-application after taking rectification measures, the obligatory inspection applicant shall apply to the BSMI by filling out the application form and presenting the notice of unsatisfactory inspection results, import declaration (not applicable for domestically-manufactured products), and validation certificate for replacement parts combined with products of sampled items and for non- sampled

items that meet the requirement of the first to third items of the previous point. For products of non-complying items to be destroyed or returned, if those items not sampled will be applied for re-application, the obligatory inspection applicant shall apply to the BSMI by filling out the application form and presenting the notice of unsatisfactory inspection results as well as the import declaration (not applicable for domestically-manufactured products), and validation certificate for replacement parts combined with products of sampled items and for non-sampled items that meet the requirement of the first to third items of the previous point. Upon approval by the BSMI, the obligatory inspection applicant shall apply to the inspection authority for re-application by presenting the approval letter, the notice of unsatisfactory inspection results and record of rectification/destruction under surveillance.

(e) For re-application cases mentioned in the preceding paragraphs, the items will be sampled at a double rate of that specified in Clause 5.(5). Products of items that are rectified under surveillance shall be sampled and those items whose re-application results comply with the requirements can be released separately. Products of items whose re-application results still do not comply with the requirements shall be returned or destroyed with those items not sampled. Re-application is only limited to one time.

(f) Where the products sampled are found not in compliance with the inspection requirements, subsequent products with the same place of origin, manufacturing premise and C.C.C. Code from the obligatory inspection applicant shall be inspected batch by batch. The simplified sampling procedures mentioned in Clause 5.(3) shall be applicable after 20 consecutive batches are inspected to be in compliance with the requirements.

(g) Where children's raincoats placed on the market are found to be in compliance with the requirements during the sampling from market surveillance project or in violation of related requirements during market checks, the inspection authority of jurisdiction over the obligatory inspection applicant shall register the information in the computer. Subsequent products from the obligatory inspection applicant shall be inspected batch by batch. The simplified sampling procedures mentioned in Clause 5.(3) shall be applicable after 20 consecutive batches are inspected to be in compliance with the requirements.

## 6. Registration of Product Certification (RPC):

### (1) Principles for type determination

(a) The same type: commodities that are of the same manufacturing country, manufacturing premise, material and basic design. Commodities only differ in color may also be classified as the same type.

(b) Main type: the most complicated material or design of the same type.

(c) Series of type: commodities other than the main type.

(2) Type Test

(a) Place of application: the inspection authority or the BSMI designated testing laboratories.

(b) The applicant shall submit 3 copies of technical documents and sample of products for testing (at least 1 piece for the main type and series of type, additional samples may be required where necessary) to apply for type testing.

(3) Inspection items

(a) All main and series of type (with different materials and design from the main type) of commodities shall be inspected in accordance with Clause 4.

(b) Series type of commodities shall be tested only on the part different from the main type, such as the material, color or design.

(4) Technical Documents:

(a) Classification of types for children's raincoats to be registered for certification (as attachment 1, including material, design, model/size and color).

(b) Colored photos of children's raincoats (including actual size; please provide 4" x 6" electronic files for product in front, back and side).

(c) Chinese labels.

(d) Description of the products.

(5) Type test fees: the fees will be collected in accordance with the rate specified by the inspection authority or designated testing laboratories.

(6) Application for RPC Certificate: the applicant shall apply to the inspection authority by submitting basic documents (downloadable from the BSMI website at <http://www.bsmi.gov.tw>, filling in the information and saved onto disks or other storage devices), conformity assessment documents (type test reports and Declaration of Conformity to Type, as attachment 2) and technical documents.

(7) Review period: 7 working days (excluding the time waiting for supporting document; an additional 7 working days after receipt of the samples in case sampling tests is required).

(8) Once obtained the RPC certificate, the applicant must print the Commodity Inspection Mark, the Roman letter "R", the designated code, and QR Code which is the identification number on the RPC certificate.



## 商品驗證登錄型式分類表

Filed date : \_\_\_\_year\_\_\_\_month\_\_\_\_day

## 【適用於兒童雨衣商品】

Classification of types for children's raincoats to be registered for certification

申請人：\_\_\_\_\_

Applicant:

電話：\_\_\_\_\_ 傳真：\_\_\_\_\_

Telephone:

Fax:

商品資料如下：

一、參考貨品分類號列：\_\_\_\_\_

C.C.C. Code

二、中文名稱：\_\_\_\_\_

Chinese name

三、英文名稱\_\_\_\_\_

English name

四、國家標準：\_\_\_\_\_

National Standards

五、生產廠場及國別：\_\_\_\_\_

Production plant and country

六、型式試驗單位：\_\_\_\_\_

Type test laboratory

七、型式分類(※以同型式中，材質或款式設計最複雜之兒童雨衣當主型式，其他不同型式之兒童雨衣為系列型式)

Classification of types:

Main Type: the most complicated material or design of the same type

Series Type: commodities other than the main type

## 主型式

Main Type

主型式	型號/尺寸 Model/size	材質 Material	顏色 Color	款式(如：一件式、兩件式、披風式、斗篷式等) Shape	彩色照片 Colored Photo	備註 Remark

## 系列型式

Series Type

系列型式 項次編號NO.	型號/尺寸 Model/size	材質 Material	顏色 Color	款式(如：一件式、兩件式、披風式、斗篷式等) Shape	彩色照片 Colored Photo	備註 Remark
1						
2						
3						
4						
5						

## 八、技術文件檢核表

### Technical Document Checklist

1. 兒童雨衣商品驗證登錄型式分類表(含材質、款式)。  
1. Classification of types for children's raincoats to be registered for certification (as attachment 1, including material, design, model/size and color).
2. 兒童雨衣商品彩色照片(包括兒童雨衣商品實際尺寸;請檢附前、後及側面之4吋x6吋照片電子檔)。  
2. Colored photos of children's raincoats (including actual size; please provide 4" x 6" electronic files for product in front, back and side).
3. 中文標示樣張。  
3. Chinese labels.
4. 產品資訊描述說明。  
4. Description of the products.

型式試驗受理單位初審結果 (包括型式認定、型式試驗報告)	
<div>申請者簽章 Applicant Signature</div>	
經辦人	試驗室主管
檢驗機關審查結果	
承辦人	單位主管

## 符合型式聲明書

Declaration of Conformity to Type

本申請人切結保證經貴局審查核可符合登錄模式之驗證登錄商品，必採各項品質管理措施，並確保所同意登錄之商品，於生產時與型式試驗報告之原型式一致。商品資料如下：

I hereby declare that the products described below registered under the BSMI's Registration of Product Certification Scheme by following the appropriate modules are subject to the necessary quality management measures and assure that they are identical to the prototype which is the subject of the test report.

一、參考貨品分類號列：

C.C.C. Code

二、中文名稱：

Chinese name

三、英文名稱：

English name

四、型式：

Type

五、系列型式：

Series of the type

倘因違反本聲明書所保證之內容，本申請人願意擔負起所有相關法律責任。

Where violations of this declaration occur, I agree to take the legal responsibilities.

此致

經濟部標準檢驗局

To: Bureau of Standards, Metrology and Inspection, Ministry of Economic Affairs

申請人：\_\_\_\_\_

Applicant:

負責人：\_\_\_\_\_ (簽章)

Person in charge:

(Signature)

中 華 民 國  
Date

年  
(year)

月  
(month)

日  
(day)