

Operation Directions Governing the Inspection of Children's High Chairs

Adopted and promulgated by the Bureau of Standards, Metrology and Inspection, Ministry of Economic Affairs, on 10 February 2014.

Amended and promulgated by the Bureau of Standards, Metrology and Inspection, Ministry of Economic Affairs, on 16 July 2025.

Amended and promulgated by the Bureau of Standards, Metrology and Inspection, Ministry of Economic Affairs, on 22 July 2026. Except for Point 3 and the deletion of Point 4 of the current Directions, which shall take effect on 1 July 2027, all other amended provisions shall take effect on the date of promulgation.

1. These Directions are established by the Bureau of Standards, Metrology and Inspection (BSMI) for the purpose of implementing the inspection of children's high chairs that are subject to mandatory inspection.
2. Inspection Scope: children's high chairs intended for use by children from 6 months to 36 months of age.
3. Inspection Schemes: Type-Approved Batch Inspection or Registration of Product Certification (Module II Type Test + Module III Declaration of Conformity to Type) at the choice of the applicant.
4. Inspection Standards: CNS 15017 “Child use and care articles – Children’s high chairs” and Section 4.5.1 of CNS 15503 “General safety requirements for children’s products.”
5. Inspection Items:
 - (1) Quality items: inspected in accordance with CNS 15017 and Section 4.5.1 of CNS 15503 as follows:
 - a. Chemical hazards: inspected in accordance with Section 6, "Migration of certain elements," of CNS 15017, and Section 4.5.1, "Phthalate plasticizers," of CNS 15503.
 - b. Thermal hazards: inspected in accordance with Section 7 of CNS 15017.
 - c. Mechanical hazards: inspected in accordance with Section 8 of CNS 15017.
 - (2) Chinese labeling: The following items shall be checked in accordance with the Commodity Labeling Act and CNS 15017:
 - a. Matters required to be labeled: checked in accordance with Article 6 of the Commodity Labeling Act and Sections 9.1, 9.2 and 9.3 of CNS 15017.

- b. Labeling method: the required labeling shall be affixed to the body of the commodity, inner or outer packaging, or the user instructions.
- (3) Commodity Inspection Mark: the obligatory inspection applicant shall self-print the Commodity Inspection Mark in accordance with the Regulations Governing the Use of Commodity Inspection Marks and affix it to the body of the commodity.

6. Relevant Requirements for Type Testing

(1) Principles for type determination

- a. Same type: children's high chair commodities that are of the same construction (classified into two categories: those with a folding mechanism and those without a folding mechanism).
 - b. Main type: among commodities of the same type, the children's high chair with the most complicated construction, such as having the greatest number of castors and an adjustable backrest.
 - c. Series type: children's high chairs of other constructions within the same type, excluding the main type.
- (2) Acceptance body for type testing: applications for type testing shall be accepted by BSMI-designated testing laboratories.

(3) Type-testing items:


- a. Main type: Clause 5.(1).c and Clause 5.(2).
 - b. Series type: the following six items under Clause 5.(1).c: "entrapment hazards," "hazards caused by moving parts," "choking and ingestion hazards," "strength and durability hazards," "hazards from falls out of the high chair," and "stability"; as well as the requirements specified in Clause 5.(2).
- (4) When applying for type testing, the applicant shall submit the following electronic documents and samples to the acceptance body for type testing:
- a. Commodity type classification form for children's high chairs (Attachment 1).
 - b. Color photos of the children's high chair (4x6 inch or larger-sized photos showing the front, rear and side views of the product).
 - c. Samples of the Chinese labels.
 - d. User instructions.

- e. Product information, including a product structure diagram and parts list (with the specifications, materials and photos of each component).
 - f. Declaration of Materials Validation for Children's High Chairs (Attachment 2).
 - g. Samples: one sample of the main type and one sample of each series type shall be submitted. The acceptance body for type testing may require additional test samples if necessary.
- (5) Type-testing fees: The fees shall be collected in accordance with the fee schedule specified by the BSMI-designated testing laboratories.

7. Relevant Requirements for Type-Approved Batch Inspection:

- (1) The obligatory inspection applicant shall first obtain a type approval certificate. Beginning July 1, 2027, before the commodity is released from the factory premises or imported, the obligatory inspection applicant shall submit an inspection application to the BSMI or any of its branches (hereinafter referred to as the "inspection authority"). At the time of application, the date of manufacture shall be entered as required, and the Commodity Inspection Mark shall be self-printed and affixed to the body of the commodity. The commodity may be released from the factory premises or imported only after passing inspection.
- (2) When applying for a type approval certificate, the obligatory inspection applicant shall prepare the type-test report and the documents specified in Clause 6.(4), and submit them, together with the documents specified in Subparagraph 1, Paragraph 1, Article 5 of the Regulations Governing Type Approval of Commodities, to the inspection authority for issuance of the certificate.
- (3) Review period of type approval: 14 working days from the date on which the inspection authority receives the application, excluding the time for submission of supplementary information. Where additional samples are drawn, the review period shall be extended by another 7 working days from the date on which the samples are received.
- (4) Commodity Inspection Mark:
 - a. The self-printed Commodity Inspection Mark is comprised of a graphic symbol and an identification number, which consists of a Roman letter "T" and a designated code. The designated code includes a QR code. The identification number shall be placed to the right or below the graphic symbol.

Example:



Note:

T00000 represents the identification number under the Type-Approved Batch Inspection procedure. It consists of the Roman letter “T” and the designated code shown on the type approval certificate. Different designated codes are assigned to different firms.

- b. The designated code referred to in Clause 7.(4).a shall be issued by the inspection authority when the obligatory inspection applicant applies for type approval certificate.
 - c. The QR code referred to in Clause 7.(4).a shall be automatically generated by the system after the obligatory inspection applicant enters the identification number and selects the product category in the BSMI Inspection Mark QR Code Application System.
- (5) Children’s high chairs covered by the same application shall be of the same type and filed by the same obligatory inspection applicant.
- (6) After confirming that the children’s high chairs covered by the inspection application have been registered under the type approval certificate, the inspection authority shall randomly sample batches for inspection at a probability of 20% for commodities covered by the same inspection application. For each selected batch, one item shall be randomly selected from every three items listed in the same inspection application. Where fewer than three items are listed, they shall be counted as three items; at least one item and no more than five items shall be selected. One sample shall be randomly taken from each selected item for inspection, and its Chinese labeling and Commodity Inspection Mark shall be checked. When necessary, the inspection authority may increase the number of items selected for inspection and the number of samples taken.
- (7) For batches not sampled, the inspection authority accepting the inspection application shall conduct a documentary review.
- (8) For samples taken for inspection, the inspection unit commissioned by the BSMI to perform the inspection shall select two of the following six test items

specified in Clause 5.(1).c: “entrapment hazards,” “hazards caused by moving parts,” “choking and ingestion hazards,” “strength and durability hazards,” “hazards from falls out of the high chair,” and “stability”

- (9) Inspection period: 5 working days from the day following the date on which the samples are delivered to the inspection unit referred to in the preceding subparagraph.
- (10) Where prior release of the products is approved by the inspection authority, the obligatory inspection applicant shall, after the products are transported to the storage site, notify the inspection authority to take samples, seal the products or check the Commodity Inspection Mark and Chinese labeling.
- (11) Nonconforming cases shall be handled in accordance with the Regulations Governing the Disposition of Commodities Failing Inspection by return shipment, destruction, or submission of an improvement plan. Items that pass inspection may be released separately, subject to the following requirements:
 - a. For nonconforming commodities to be returned or destroyed in whole batches, the Procedures for Commodity Return Shipment and Destruction shall apply.
 - b. Where the obligatory inspection applicant intends to make improvements to nonconforming commodities so that they comply with the inspection requirements and then apply for re-inspection, the obligatory inspection applicant shall apply to the BSMI for re-inspection by submitting the nonconformity notice, import declaration (not required for domestically manufactured products), validation declaration showing that the items not selected comply with the test items specified in Clause 7.(8) (not required if there are no non-selected items), an improvement plan, and a new inspection application, and shall also attach validation proof for any replaced parts. After approval is granted by the BSMI, the obligatory inspection applicant shall prepare the re-inspection approval letter/reply form, nonconformity notice, and supervised improvement/destruction record, and file them directly to the original inspection authority for re-inspection.
 - c. Where a new application was made, the sampling rate of items specified in Clause 7.(6) applies. The previously non-compliant items after corrective actions are taken shall be subject to inspection and the number of samples drawn for testing is doubled.
- (12) If a sampled batch fails to comply with the inspection requirements, children’s high chairs filed by the same obligatory inspection applicant shall pass inspection for three consecutive batches before the simplified random batch


inspection method under Clause 7.(6) may apply.

- (13) If there are any changes to the scope of the products listed in the type approval certificate, such as changes to the main type or series type, the applicant shall obtain a new type-test report from the testing laboratory that issued the original report and apply to the inspection authority for a replacement certificate.

8. Relevant Requirements for Registration of Product Certification (RPC):

- (1) For commodities subject to Registration of Product Certification, before a commodity is released from the factory premises or imported, the obligatory inspection applicant shall obtain an RPC certificate, self-print the Commodity Inspection Mark, and affix it to the body of the commodity. The commodity may be released from the factory premises or imported only after these requirements are fulfilled.
- (2) When applying for an RPC certificate, the applicant shall first obtain a type-test report in accordance with Clause 6, and then submit the documents specified in Subparagraph 1, Paragraph 1, Article 4 of the Regulations Governing Registration of Product Certification, the conformity assessment documents (namely declaration of conformity to type), and the documents specified in Clause 6.(4) to the inspection authority for issuance of the certificate.
- (3) Review period of RPC: 14 working days from the date on which the inspection authority receives the application, excluding the time required for submission of supplementary information. Where additional samples are drawn, the review period shall be extended by another 7 working days from the date on which the samples are received.
- (4) Commodity Inspection Mark:
- a. The self-printed Commodity Inspection Mark is comprised of a graphic symbol and an identification number, which consists of a Roman letter “R” and a designated code. The designated code includes a QR code. The identification number shall be placed to the right or below the graphic symbol.

Example:



Note:

R00000 represents the identification number under the RPC. It consists of the Roman letter “R” and the designated code shown on the RPC certificate. Different designated codes are assigned to different firms.

- b. The designated code referred to in Clause 8.(4).a shall be issued by the inspection authority when the obligatory inspection applicant applies for the RPC certificate.
 - c. The QR code referred to in Clause 8.(4).a shall be automatically generated by the system after the obligatory inspection applicant enters the identification number and selects the product category in the BSMI Inspection Mark QR Code Application System.
- (5) If there are any changes to the scope of the products listed in the RPC certificate, such as changes to the main type or series type, the applicant shall obtain a new type-test report from the testing laboratory that issued the original report and apply to the inspection authority for a replacement certificate.

Commodity Type Classification Form**[Applicable to Children's High Chair]**

Applicant: _____

Tel: _____ Fax: _____

Commodity Information:

I. C.C.C. Code: _____

II. Chinese Name: _____

III. English Name: _____

IV. National Standards: _____

V. Acceptance Body for Type Testing: _____

VI. Type classification [The commodity is classified into two categories: those with a folding mechanism and those without a folding mechanism. Among commodities of the same type, the commodity with the most complicated construction, such as having the greatest number of castors and an adjustable backrest, shall be designated as the main type. Commodities of the same type with other constructions than the main type shall be designated as series types. Differences in color and pattern may be regarded as the same type.]

Main type

Main Type	Model No.	Construction (such as the number of castors and backrest adjustability)	Remarks (additional functions)

Series type

Series Type Item No.	Model No.	Construction (such as the number of castors and backrest adjustability)	Remarks (additional functions)
1			
2			
3			
4			
5			
6			
7			

Notes: For multifunctional composite products (e.g., reclined cradles, chair-mounted seat, children's

chairs and stools, and infant swing), specify the additional functions in the Remarks column.

Document Checklist for Application for a Type-Test Report

- ☐ Commodity type classification form for children's high chair.
- ☐ Color photos of the children's high chair (4x6 inch or larger-sized photos showing the front, rear and side views of the product).
- ☐ Samples of Chinese labels.
- ☐ User instructions.
- ☐ Product information (please provide details as an attachment).
 - ☐ Imported ☐ Domestically manufactured
 - ☐ Description of commissioned manufacturing or manufacturer's agent:
 - ☐ Product structure diagram and parts lists (including specifications, materials, and photos of each component):
 - ☐ Other descriptions regarding the children's high chairs.
- ☐ Declaration of Validated Materials of children's high chairs.
- ☐ Samples: one sample of the main type and one sample of each series type shall be submitted. The acceptance body for type testing may require additional test samples if necessary.

Preliminary Review (Acceptance Body for Type Testing)		Completion of the Form (Applicant)
Preliminary review result (including type determination):		The obligatory inspection applicant: Date: Year/Month/Day
Head of the Laboratory	Responsible Person	Signature / Seal of the obligatory inspection applicant

兒童用高腳椅商品材料確效證明聲明書

Declaration of Validated Materials of Children's high chairs

申請人：
Obligatory Applicant

地址：
Address

電話：
Telephone

中文名稱：
Chinese name

英文名稱：
English name

主型式：
Main Type

系列型式：
Series of the type

茲切結保證上述商品符合國家標準CNS 15017 第 6 節化學危害-特定元素之遷移、第 7 節熱危害及CNS 15503 第 4.5.1 節鄰苯二甲酸酯類塑化劑之規定，經執行測試作業或採適當之品質管理措施，並備置前述相關證明文件，確認正確無誤，同意配合貴局執行後市場管理作業所需，依商品檢驗法第 49 條之規定，於限期 28 個工作天內提供前述相關證明文件以供審查。

I hereby ensure that the above-mentioned products comply with the requirements stated in Section 6 “Chemical hazards – Migration of certain elements” and Section 7 “Thermal hazards” of CNS 15017, and Section 4.5.1 “Phthalate of plasticizers” of CNS 15503. The supporting documents are prepared by conduction of appropriate tests or adoption of adequate quality control measures and are accurate. I also agree to abide by the requirements stated in Article 49 of the Commodity Inspection Act to provide the supporting documents within 28 working days at the request of the BSMI for its market surveillance activities.

此致

經濟部標準檢驗局

To: Bureau of Standards, Metrology and Inspection, Ministry of Economic Affairs

申請人：

Applicant:

負責人：

(簽章)

Person in charge:

(Signature)

中 華 民 國

年

月

日

Date

(year)

(month)

(day)